TUHEP-TH-09169

arXiv:0907.5229v4 [hep-ph] 4 Dec 2009

Computation of the p^6 order chiral Lagrangian coefficients from the underlying theory of QCD

Shao-Zhou Jiang[1,2*], Ying Zhang[3†], Chuan Li[1,2‡], and Qing Wang[1,2§¶]

[1] *Center for High Energy Physics, Tsinghua University, Beijing 100084, P.R. China*
[2] *Department of Physics, Tsinghua University, Beijing 100084, P.R. China***
[3] *School of Science, Xi'an Jiaotong University, Xi'an, 710049, P.R. China*

We present results of computing the p^6 order low energy constants in the normal part of chiral Lagrangian both for two and three flavor pseudo-scalar mesons. This is a generalization of our previous work on calculating the p^4 order coefficients of the chiral Lagrangian in terms of the quark self energy $\Sigma(p^2)$ approximately from QCD. We show that most of our results are consistent with those we can find in the literature.

PACS numbers: 12.39.Fe, 11.30.Rd, 12.38.Aw, 12.38.Lg

I. INTRODUCTION

Chiral Lagrangian for low lying pseudoscalar mesons[1][2] as the most successful effective field theory is now widely used in various strong, weak and electromagnetic processes. To match the increasing demand for higher precision in low energy description of QCD, the applications of the low energy expansion of the chiral Lagrangian is extended from early time discussions on the leading p^2 and next to leading p^4 orders to present p^6 order. For the latest review, see Ref.[3]. In the chiral Lagrangian, there are many unknown phenomenological low energy constants (LECs) which appear in front of each Goldstone field dependent operators and the number of the LECs increases rapidly when we go to the higher orders of the low energy expansion. For example for the three flavor case, the p^2 and p^4 order chiral Lagrangian have 2 and 10 LECs respectively, while the normal part of p^6 order chiral Lagrangian have 90 LECs. Such a large number of LECs is very difficult to fix from the experiment data. This badly reduces the predictive power of the chiral Lagrangian and blur the check of its convergence. The area of estimating p^6 order LECs is where most improvement is needed in the future of higher order chiral Lagrangian calculations.

A way to increase the precision of the low energy expansion and improve the present embarrassed situation is studying the relation between the chiral Lagrangian and the fundamental principles of QCD. We expect that this relation will be helpful for understanding the origin of these LECs and further offer us their values. In previous paper [4], based on a more earlier study of deriving the chiral Lagrangian from the first principles of QCD [5] in which LECs are defined in terms of certain Green's functions in QCD, we have developed techniques and calculated the p^2 and p^4 order LECs approximately from QCD. Our simple approach involves the approximations of taking the large-N_c limit, the leading order in dynamical perturbation theory, and the improved ladder approximation, thereby the relevant Green's functions relate to LECs are expressed in terms of the quark self energy $\Sigma(p^2)$. The result chiral Lagrangian in terms of the quark self energy is proved equivalent to a gauge invariant, nonlocal, dynamical (GND) quark model[6]. By solving the Schwinger-Dyson equation (SDE) for $\Sigma(p^2)$, we obtain the approximate QCD predicted LECs which are consistent with the experimental values. With these results, generalization of the calculations to p^6 order LECs becomes the next natural step. Considering that the algebraic derivations for those formulae to express LECs in terms of the quark self energy at p^4 order are lengthy (they need at least several months of handwork), it is almost impossible to achieve the similar works for the p^6 order calculations just by hand. Therefore, to realize the calculations for the p^6 order LECs, we need to computerize the original calculations and this is a very hard task. The key difficulty comes from that the formulation developed in Ref.[7] and exploited in Ref.[4] not automatically keeps the local chiral covariance of the theory and one has to adjust the calculation procedure by hand to realize the covariance of the results. To match with the computer program, we need to change the original formulation to a chiral covariant one. In Ref.[8, 9, 10], we have built and developed such a formulation, followed by next several year's efforts, we now successfully encode the formulation into computer programs. With the help of these computer codes we can

---

[*] Email:jsz@mails.tsinghua.edu.cn.
[†] Email: hepzhy@mail.xjtu.edu.cn.
[‡] Email:lcsyhshy2008@yahoo.com.cn.
[§] Email: wangq@mail.tsinghua.edu.cn.
[¶] corresponding author
[**] mailing address

reproduce analytical results on the computer originally derived by hand in Ref.[4] within 15 minutes now. This not only confirms the reliability of the program itself, but also checks the correctness of our original formulae. Based on these progresses, in this paper, we generalize our previous works on calculating the p^4 order LECs to computing the p^6 order LECs of chiral Lagrangian both for two and three flavor pseudo-scalar mesons. This generalization not only produces new numerical predictions for the p^6 order LECs, but also forces us to reexamine our original formulation from a new angle in dealing with p^2 and p^4 order LECs.

This paper is organized as follows: In Sec.II, we review our previous calculations on the p^2 and p^4 order LECs. Then, in Sec.III, based on the technique developed in Ref.[8], we reformulate the original low energy expansion used in Ref.[4] into a chiral covariant one suitable for computer derivation. In Sec.IV, from present p^6 order viewpoint, we reexamine the formulation we taken before and show that if we sum all higher order anomaly part contributions terms together, their total contributions to the normal part of the chiral Lagrangian vanish. This leads a change the role of finite p^4 order anomaly part contributions which originally are subtracted in the chiral Lagrangian in Ref.[4] and now must be used to cancel divergent higher order anomaly part contributions. We reexhibit the numerical result of the p^4 order LECs without subtraction of p^4 order anomaly part contributions. In Sec.V, we present general p^6 order chiral Lagrangian in terms of rotated sources and express the p^6 order LECs in terms of the quark self energy. Sec.VI is a part where we give numerical results for p^6 order LECs in the normal part of chiral Lagrangian both for two and three flavor pseudo scalar mesons. In Sec. VII, we apply and compare with our results to some individuals and combinations of LECs proposed and estimated in the literature, checking the correctness of our numerical predictions. Sec.VIII is a summary. In Appendices, we list some necessary formulae and relations.

II. REVIEW OF THE CALCULATIONS ON THE p^2 AND p^4 ORDER LECS

Theoretically, the action of the chiral Lagrangian at large N_c limit derived from the first principle of QCD takes form [5]

$$\begin{aligned}S_{\rm eff} \;=\; & -iN_c\mathrm{Tr}\ln[i\partial\!\!\!/+J_\Omega-\Pi_{\Omega c}]+iN_c\mathrm{Tr}\ln[i\partial\!\!\!/+J_\Omega]-iN_c\mathrm{Tr}\ln[i\partial\!\!\!/+J]+N_c\mathrm{Tr}[\Phi_{\Omega c}\Pi^T_{\Omega c}] \\ & +N_c\sum_{n=2}^{\infty}\int d^4x_1\cdots d^4x'_n\frac{(-i)^n(N_cg_s^2)^{n-1}}{n!}\bar{G}^{\sigma_1\cdots\sigma_n}_{\rho_1\cdots\rho_n}(x_1,x'_1,\cdots,x_n,x'_n)\Phi^{\sigma_1\rho_1}_{\Omega c}(x_1,x'_1)\cdots\Phi^{\sigma_n\rho_n}_{\Omega c}(x_n,x'_n)+O(\frac{1}{N_c})\end{aligned} \qquad (1)$$

in which J_Ω is external source J including currents and densities after Goldstone field dependent chiral rotation Ω

$$J_\Omega=[\Omega P_R+\Omega^\dagger P_L][J+i\partial\!\!\!/][\Omega P_R+\Omega^\dagger P_L]=v\!\!\!/_\Omega+a\!\!\!/_\Omega\gamma_5-s_\Omega+ip_\Omega\gamma_5 \qquad J=v\!\!\!/+a\!\!\!/\gamma_5-s+ip\gamma_5 \qquad U=\Omega^2\;. \qquad (2)$$

$\Phi_{\Omega c}$ and $\Pi_{\Omega c}$ are two point rotated quark Green's function and interaction part of two point rotated quark vertex in presence of external sources respectively, $\Phi_{\Omega c}$ is defined by

$$\Phi^{\sigma\rho}_{\Omega c}(x,y)\equiv\frac{1}{N_c}\langle\overline{\psi}^\sigma_\Omega(x)\psi^\rho_\Omega(y)\rangle=-i[(i\partial\!\!\!/+J_\Omega-\Pi_{\Omega c})^{-1}]^{\rho\sigma}(y,x) \qquad \psi_\Omega(x)\equiv[\Omega(x)P_L+\Omega^\dagger(x)P_R]\psi(x) \qquad (3)$$

with subscript $_c$ denoting the classical field and $\psi(x)$ being light quark fields. $\bar{G}^{\sigma_1\cdots\sigma_n}_{\rho_1\cdots\rho_n}(x_1,x'_1,\cdots,x_n,x'_n)$ is effective gluon n-point Green's function and g_s is coupling constant of QCD. It can be shown that the last term in the first line and the term in the second line of the r.h.s. of Eq.(1) are independent of pseudo scalar meson field U or Ω and therefore are just irrelevant constants in the effective action. While the second and third terms in the first line of the r.h.s. of Eq.(1) are anomaly part contributions, since they represent the variations of the path integral measure for light quark fields ψ. The remaining first term is called normal part contributions which relies on $\Pi_{\Omega c}$. The $\Phi_{\Omega c}$ and $\Pi_{\Omega c}$ are related by the first equation of (3) and determined by

$$\begin{aligned}&[\Phi_{\Omega c}+\tilde{\Xi}]^{\sigma\rho}+\sum_{n=1}^{\infty}\int d^4x_1d^4x'_1\cdots d^4x_nd^4x'_n\frac{(-i)^{n+1}(N_cg_s^2)^n}{n!}\overline{G}^{\sigma\sigma_1\cdots\sigma_n}_{\rho\rho_1\cdots\rho_n}(x,y,x_1,x'_1,\cdots,x_n,x'_n) \\ &\times\Phi^{\sigma_1\rho_1}_{\Omega c}(x_1,x'_1)\cdots\Phi^{\sigma_n\rho_n}_{\Omega c}(x_n,x'_n)=O(\frac{1}{N_c}),\end{aligned} \qquad (4)$$

where $\tilde{\Xi}$ is a Lagrangian multiplier which insures the constraint $\mathrm{tr}_l[\gamma_5\Phi^T_{\Omega c}(x,x)]=0$. Eq.(4) is the SDE in presence of the rotated external source. In Ref.[4], we have assumed the solution of (4) approximately by

$$\Pi^{\sigma\rho}_{\Omega c}(x,y)=[\Sigma(\overline{\nabla}^2_x)]^{\sigma\rho}\delta^4(x-y) \qquad \overline{\nabla}^\mu_x=\partial^\mu_x-iv^\mu_\Omega(x)\;, \qquad (5)$$

where Σ is the quark self energy which satisfy SDE (4) with vanishing rotated external source. Under the ladder approximation, this SDE in Euclidean space-time is reduced to the standard form of

$$\Sigma(p^2) - 3C_2(R)\int\frac{d^4q}{4\pi^3}\frac{\alpha_s[(p-q)^2]}{(p-q)^2}\frac{\Sigma(q^2)}{q^2+\Sigma^2(q^2)} = 0\ , \tag{6}$$

where $C_2(R)$ is the second order Casimir operator of the quark representation R, in our case, quark is belong to $SU(N_c)$ fundamental representation, therefore $C_2(R) = (N_c^2-1)/2N_c$ and in the large N_c limit, we will neglect the second term of it. $\alpha_s(p^2)$ is the running coupling constant of QCD which depends on N_c and quark flavor. With these approximations, the result action (1) of the chiral Lagrangian becomes the GND model introduced in Ref.[6],

$$S_{\rm eff} \approx S_{\rm GND} + O(\frac{1}{N_c}) \qquad S_{\rm GND} \equiv -iN_c{\rm Tr}\ln[i\partial\!\!\!/ + J_\Omega - \Sigma(\overline{\nabla}^2)] + iN_c{\rm Tr}\ln[i\partial\!\!\!/ + J_\Omega] - iN_c{\rm Tr}\ln[i\partial\!\!\!/ + J]\ . \tag{7}$$

In which the third term at r.h.s. of (7) is independent of pseudo scalar field U, therefore it only affects contact term of the chiral Lagrangian. In fact, for the contact term part, we can take $\Omega = 1$ in (7), then

$$S_{\rm eff}\bigg|_{\rm contact} \approx -iN_c{\rm Tr}\ln\{i\partial\!\!\!/ + J - \Sigma[(\partial - iv)^2)]\} + O(\frac{1}{N_c})\ . \tag{8}$$

For the non-contact terms concerned in this paper, we can ignore the third term at r.h.s. of (7) and the next key element is to compute term ${\rm Tr}\ln[i\partial\!\!\!/ + J_\Omega - \Sigma(\overline{\nabla}^2)]$. The remaining term ${\rm Tr}\ln[i\partial\!\!\!/ + J_\Omega]$ in our previous work is obtained by further taking limit $\Sigma \to 0$ in ${\rm Tr}\ln[i\partial\!\!\!/ + J_\Omega - \Sigma(\overline{\nabla}^2)]$ [1]. Since anomaly terms are at least the p^4 order and at this order, anomaly is the well known Wess-Zumino terms which have no unknown LECs (In Ref.[11], we have derived such terms from QCD). All unknown LECs at p^2 and p^4 orders are in the normal part of chiral Lagrangian, so to calculate the p^2 and p^4 orders LECs, we only need to discuss the normal part of chiral Lagrangian which is in fact the real part of ${\rm Tr}\ln(\cdots)$. With the help of Schwinger proper time method [7], this real part in Euclidean space-time[2] with metric tensor $g^{\mu\nu} = {\rm diag}(1,1,1,1)$, can be written as

$$\begin{aligned}
&{\rm ReTr}\ln[\partial\!\!\!/ - i v\!\!\!/_\Omega - i a\!\!\!/_\Omega\gamma_5 - s_\Omega + ip_\Omega\gamma_5 + \Sigma(-\bar{\nabla}^2)]\\
&= \frac{1}{2}{\rm Tr}\ln\Big[[\partial\!\!\!/ - i v\!\!\!/_\Omega - i a\!\!\!/_\Omega\gamma_5 - s_\Omega + ip_\Omega\gamma_5 + \Sigma(-\bar{\nabla}^2)]^\dagger[\partial\!\!\!/ - i v\!\!\!/_\Omega - i a\!\!\!/_\Omega\gamma_5 - s_\Omega + ip_\Omega\gamma_5 + \Sigma(-\bar{\nabla}^2)]\Big]\\
&= -\frac{1}{2}\lim_{\Lambda\to\infty}\int_{\frac{1}{\Lambda^2}}^\infty\frac{d\tau}{\tau}\int d^4x\ {\rm tr}\langle x|\exp\Big[-\tau[\bar{E} - (\bar{\nabla} - ia_\Omega)^2 + \Sigma^2(-\bar{\nabla}^2) + \hat{I}_\Omega\Sigma(-\bar{\nabla}^2) + \Sigma(-\bar{\nabla}^2)\tilde{I}_\Omega - d\!\!\!/\,\Sigma(-\bar{\nabla}^2)]\Big]|x\rangle\\
&= -\frac{1}{2}\lim_{\Lambda\to\infty}\int_{\frac{1}{\Lambda^2}}^\infty\frac{d\tau}{\tau}\int d^4x\int\frac{d^4k}{(2\pi)^4}\ {\rm tr}\exp\Big[-\tau[\bar{E} + (k + i\bar{\nabla}_x + a_\Omega)^2 + \Sigma^2((k+i\bar{\nabla}_x)^2) + \hat{I}_\Omega\Sigma((k+i\bar{\nabla}_x)^2)\\
&\qquad +\Sigma((k+i\bar{\nabla}_x)^2)\tilde{I}_\Omega - d\!\!\!/\,\Sigma((k+i\bar{\nabla}_x)^2)]\Big]\ ,
\end{aligned} \tag{9}$$

in which

$$\begin{aligned}
&\bar{E} = \frac{i}{4}[\gamma_\mu,\gamma_\nu]R^{\mu\nu} + \gamma_\mu d^\mu(s_\Omega - ip_\Omega\gamma_5) + i\gamma_\mu[a_\Omega^\mu\gamma_5(s_\Omega - ip_\Omega\gamma_5) + (s_\Omega - ip_\Omega\gamma_5)a_\Omega^\mu\gamma_5] + s_\Omega^2 + p_\Omega^2 - [s_\Omega, p_\Omega]i\gamma_5\\
&d^\mu\mathcal{O} \equiv \partial^\mu\mathcal{O} - i[v_\Omega^\mu, \mathcal{O}]\quad(\mathcal{O} = \text{any operator})\qquad R^{\mu\nu} = V_\Omega^{\mu\nu} - i[a_\Omega^\mu, a_\Omega^\nu] + (d^\mu a_\Omega^\nu - d^\nu a_\Omega^\mu)\gamma_5\qquad V_{\Omega,\mu\nu} = i[\bar{\nabla}_\mu, \bar{\nabla}_\nu]\\
&\bar{\nabla}_x^\mu = \partial^\mu - iv_\Omega^\mu(x)\qquad \hat{I}_\Omega = -i a\!\!\!/_\Omega\gamma_5 - s_\Omega - ip_\Omega\gamma_5\qquad \tilde{I}_\Omega = -i a\!\!\!/_\Omega\gamma_5 - s_\Omega + ip_\Omega\gamma_5\qquad d\!\!\!/\,\Sigma(-\bar{\nabla}^2) = \gamma_\mu d^\mu\Sigma(-\bar{\nabla}^2)\ .
\end{aligned}$$

In (9), a cutoff Λ is introduced into the theory to regularize the possible ultraviolet divergences. In practical calculations, we treat it as the physical cutoff of the theory. Taking the low energy expansion for (9), we can finally express ${\rm Tr}\ln[i\partial\!\!\!/ + J_\Omega - \Sigma(\overline{\nabla}^2)]$ in terms of power expansion of external sources with coefficients being Σ dependent functions. Further vanishing Σ, we obtain ${\rm Tr}\ln[i\partial\!\!\!/ + J_\Omega]$. Then the r.h.s. of (7) is expressed in terms of power expansion of rotated external sources, compare the result with the parametrization of the effective action without applying the equations of motion for pseudo scalar mesons,

---

[1] This will cause some confusions and we are going to discuss them in section IV.

[2] Our extension from Minkovski space to Euclidean space takes $x^0|_M \to -ix^4|_E$, $x^i|_M \to x^i|_M$, $\gamma^0|_M \to \gamma^4|_E$, $\gamma^i|_M \to i\gamma^i|_E$, with $i = 1,2,3$ being space indices and there γ_E^μ are hermitian. $v_\Omega^\mu, a_\Omega^\mu$ transform as x^μ. $\gamma_5|_M \to \gamma_5|_E$, $s|_M \to -s|_E$, $p|_M \to -p|_E$.

$$
\begin{aligned}
S_{\rm eff} \ = \ & \int d^4x\ {\rm tr}_f\bigg[F_0^2a_\Omega^2+F_0^2B_0s_\Omega-\mathcal{K}_1^{({\rm norm},\Pi_{\Omega c}\neq0)}[d_\mu a_\Omega^\mu]^2-\mathcal{K}_2^{({\rm norm},\Pi_{\Omega c}\neq0)}(d^\mu a_\Omega^\nu-d^\nu a_\Omega^\mu)(d_\mu a_{\Omega,\nu}-d_\nu a_{\Omega,\mu})\\
&+\mathcal{K}_3^{({\rm norm},\Pi_{\Omega c}\neq0)}[a_\Omega^2]^2+\mathcal{K}_4^{({\rm norm},\Pi_{\Omega c}\neq0)}a_\Omega^\mu a_\Omega^\nu a_{\Omega,\mu}a_{\Omega,\nu}+\mathcal{K}_5^{({\rm norm},\Pi_{\Omega c}\neq0)}a_\Omega^2{\rm tr}_f[a_\Omega^2]\\
&+\mathcal{K}_6^{({\rm norm},\Pi_{\Omega c}\neq0)}a_\Omega^\mu a_\Omega^\nu{\rm tr}_f[a_{\Omega,\mu}a_{\Omega,\nu}]+\mathcal{K}_7^{({\rm norm},\Pi_{\Omega c}\neq0)}s_\Omega^2+\mathcal{K}_8^{({\rm norm},\Pi_{\Omega c}\neq0)}s_\Omega{\rm tr}_f[s_\Omega]+\mathcal{K}_9^{({\rm norm},\Pi_{\Omega c}\neq0)}p_\Omega^2\\
&+\mathcal{K}_{10}^{({\rm norm},\Pi_{\Omega c}\neq0)}p_\Omega{\rm tr}_f[p_\Omega]+\mathcal{K}_{11}^{({\rm norm},\Pi_{\Omega c}\neq0)}s_\Omega a_\Omega^2+\mathcal{K}_{12}^{({\rm norm},\Pi_{\Omega c}\neq0)}s_\Omega{\rm tr}_f[a_\Omega^2]-\mathcal{K}_{13}^{({\rm norm},\Pi_{\Omega c}\neq0)}V_\Omega^{\mu\nu}V_{\Omega,\mu\nu}\\
&+i\mathcal{K}_{14}^{({\rm norm},\Pi_{\Omega c}\neq0)}V_\Omega^{\mu\nu}a_{\Omega,\mu}a_{\Omega,\nu}+\mathcal{K}_{15}^{({\rm norm},\Pi_{\Omega c}\neq0)}p_\Omega d_\mu a_\Omega^\mu\bigg]+O(p^6)+U\text{-independent source terms.}
\end{aligned}
\tag{10}
$$

We can read out F_0^2, B_0 and $\mathcal{K}_i^{({\rm norm},\Pi_{\Omega c}\neq0)}$ for $i=1,\ldots,15$ as functions of Σ. $\mathcal{K}_i^{({\rm norm},\Pi_{\Omega c}\neq0)}$s relate to the conventional p^4 order LECs through (25) of Ref.[4]. A superscript $^{({\rm norm},\Pi_{\Omega c}\neq0)}$ on each of $\mathcal{K}_i$ denotes the property that when $\Pi_{\Omega c}=\Sigma=0$, all $\mathcal{K}_i$ vanish, i.e.

$$
\mathcal{K}_i^{({\rm norm},\Pi_{\Omega c}\neq0)}=\mathcal{K}_i^{({\rm norm})}-\mathcal{K}_i^{({\rm norm},\Pi_{\Omega c}=0)}\qquad\qquad \mathcal{K}_i^{({\rm norm})}\overset{\Sigma=0}{=\!=\!=\!=}\mathcal{K}_i^{({\rm norm},\Pi_{\Omega c}=0)}\qquad\qquad i=1,\ldots,15\ , \tag{11}
$$

where $\mathcal{K}_i^{({\rm norm})}$ and $-\mathcal{K}_i^{({\rm norm},\Pi_{\Omega c}=0)}$ are the contributions to the effective action from the first, second and third terms in the r.h.s. of (7) respectively. Replacing superscript $^{({\rm norm},\Pi_{\Omega c}\neq0)}$ with $^{({\rm norm})}$ in the r.h.s. of (10), we obtain term $-iN_c{\rm Tr}\ln[i\partial\!\!\!/+J_\Omega-\Sigma(\overline{\nabla}^2)]$. And replacing superscript $^{({\rm norm},\Pi_\Omega\neq0)}$ with $^{({\rm norm},\Pi_\Omega=0)}$ and vanishing F_0^2 in the r.h.s. of (10) , we obtain term $-iN_c{\rm Tr}\ln[i\partial\!\!\!/+J_\Omega]+iN_c{\rm Tr}\ln[i\partial\!\!\!/+J]$. The result formulae for $F_0^2B_0, F_0^2$ and $\mathcal{K}_i^{({\rm norm})}$ expressed in terms of Σ are explicitly given in (34), (35) and (36) in Ref.[4].

With the analytical formulae for LECs of F_0^2, B_0 and $\mathcal{K}_i^{({\rm norm},\Pi_{\Omega c}\neq0)}$ for $i=1,\ldots,15$ as functions of Σ, we can suitably choose running coupling constant $\alpha_s(p^2)$, solve SDE (6) numerically obtaining quark self energy Σ, then calculate the numerical values of all p^2 and p^4 order LECs. To obtain the final numerical result in Ref.[4], we have assumed $F_0=f_\pi=93$MeV as input[3] to fix the dimensional parameter $\Lambda_{\rm QCD}$ appear in running coupling constant $\alpha_s(p^2)$ and taken cutoff parameter Λ appear in (9) equal to infinity and 1GeV respectively. The final obtained values are consistent with those fixed phenomenologically.

III. CHIRAL COVARIANT LOW ENERGY EXPANSION

Eq.(9) is the starting point of our reformulation in this section. In Ref.[4], we expand (9) up to the p^4 order and obtain analytical result. This expansion is not explicitly chiral covariant, since the operator $\bar{\nabla}_x^\mu$ appears in the formula is not always covariant under the local chiral symmetry transformations. For example, when $\bar{\nabla}_x^\mu$ acts on a constant number 1, it gives $\bar{\nabla}_x^\mu\ 1=-iv_\Omega^\mu(x)$ which is not covariant since $v_\Omega^\mu(x)$ itself behaves as the gauge field in the local chiral symmetry transformations. Only when they combined into commutators, such as $[\bar{\nabla}_x^\mu,\bar{\nabla}_x^\nu]$ or $[\bar{\nabla}_x^\mu,a_\Omega^\nu(x)]$, the covariance recovers back. Therefore in the detail calculation, we need to confirm that all $\bar{\nabla}_x^\mu$s appear in the result do can be arranged into some commutators. This is a conjecture. In the original work of Ref.[4], we have found that this conjecture is valid up to some terms with coefficients being expressed as integration over some total derivatives, i.e. form of $\int d^4k\frac{\partial}{\partial k^\mu}g(k)$. If we ignore these total derivative terms, up to order of p^4, we can explicitly prove the conjecture. At the stage of our earlier works, we do not question the reason that why we can drop out those total derivative terms (In fact, in Eq.(74) of Ref.[5], we have shown that in order to obtain the well-known Pagels-Stokar formula, a total derivative term must be dropped out). This leads the further discussions on the role of total derivative terms in the quantum field theory [10]. Later in this section, we will give the correct reason of dropping out those total derivative terms. Arranging various $\bar{\nabla}_x^\mu$ into commutators is a very tricky and complex task which is very hard to be achieved by computer. In order to computerize the calculation, we need to find a way which can automatically arrange all $\bar{\nabla}_x^\mu$s into some commutators. This leads the developments given in Ref.[8, 9, 10], where we have introduced

$$
k^\mu+i\bar{\nabla}_x^\mu=e^{i\bar{\nabla}_x\cdot\frac{\partial}{\partial k}}\Big(k^\mu+\tilde{F}^\mu(\bar{\nabla},\frac{\partial}{\partial k})\Big)e^{-i\bar{\nabla}_x\cdot\frac{\partial}{\partial k}}\ , \tag{12}
$$

---

[3] Later we will use a changed value of $F_0=87$MeV for two-flavour case. For detail, see the discussion of Eq.(58)

in which

$$\begin{aligned}\tilde{F}^{\mu}(\bar{\nabla},\frac{\partial}{\partial k}) &\equiv -e^{Ad(-i\bar{\nabla}_x\cdot\frac{\partial}{\partial k})}\bigg(F\Big[Ad(i\bar{\nabla}_x\cdot\frac{\partial}{\partial k})\Big](i\bar{\nabla}_x^{\mu})\bigg)\\ &= \frac{1}{2}(\nu\mu)\frac{\partial}{\partial k^{\nu}}-\frac{i}{3}(\lambda\nu\mu)\frac{\partial^2}{\partial k^{\lambda}\partial k^{\nu}}-\frac{1}{8}(\rho\lambda\nu\mu)\frac{\partial^3}{\partial k^{\rho}\partial k^{\lambda}\partial k^{\nu}}+\frac{i}{30}(\sigma\rho\lambda\nu\mu)\frac{\partial^4}{\partial k^{\sigma}\partial k^{\rho}\partial k^{\lambda}\partial k^{\nu}}\\ &\quad+\frac{1}{144}(\delta\sigma\rho\lambda\nu\mu)\frac{\partial^5}{\partial k^{\delta}\partial k^{\sigma}\partial k^{\rho}\partial k^{\lambda}\partial k^{\nu}}+O(p^7)\ , \end{aligned}\tag{13}$$

$$F(z)=\sum_{n=2}^{\infty}\frac{z^{n-1}}{n!}\qquad\qquad [Ad(B)]^n(C)\equiv[\underbrace{B,[B,\cdots,[B}_{\text{n times}},C]\cdots]]\ ,$$

$$(\mu_n\mu_{n-1}\cdots\mu_2\mu_1)\equiv[\overline{\nabla}_x^{\mu_n},[\overline{\nabla}_x^{\mu_{n-1}},\cdots,[\overline{\nabla}_x^{\mu_2},\overline{\nabla}_x^{\mu_1}]\cdots]]\ ,$$

where the default set of Lorentz indices for $(\mu_n\mu_{n-1}\cdots\mu_2\mu_1)$ is the supperscripts, in some cases, we need subscript, we will use $\underline{\mu}$ to denote the corresponding subscript for μ. Note that in present notation for $(\mu_n\mu_{n-1}\cdots\mu_2\mu_1)$, we don't explicitly write $\overline{\nabla}_x$s, but only their Greek superscripts for short. If we use other symbols, such as s_Ω appeared in (μs_Ω) and a_Ω^ν in (μa_Ω^ν), then we take definition that $(\mu s_\Omega)\equiv[\overline{\nabla}_x^{\mu},s_\Omega]$ and $(\mu a_\Omega^\nu)\equiv[\overline{\nabla}_x^{\mu},a_\Omega^\nu]$.

Substitute (12) into (9), we change (9) to

$$\begin{aligned}&\mathrm{ReTr}\ln[\not\partial-i\not v_\Omega-i\not a_\Omega\gamma_5-s_\Omega+ip_\Omega\gamma_5+\Sigma(-\bar{\nabla}^2)]\\ &=-\frac{1}{2}\lim_{\Lambda\to\infty}\int_{\frac{1}{\Lambda^2}}^{\infty}\frac{d\tau}{\tau}\int d^4x\int\frac{d^4k}{(2\pi)^4}\mathrm{tr}\ e^{i\bar{\nabla}_x^{\mu}\cdot\frac{\partial}{\partial k}}\exp\bigg\{-\tau\Big[\tilde{E}+(k+\tilde{F})^2+\tilde{a}_{\mu}\gamma_5(k^{\mu}+\tilde{F}^{\mu})+(k^{\mu}+\tilde{F}^{\mu})\tilde{a}_{\mu}\gamma_5+\tilde{a}^2\\ &\quad+\Sigma^2\big((k+\tilde{F})^2\big)+\tilde{J}\Sigma\big((k+\tilde{F})^2\big)+\Sigma\big((k+\tilde{F})^2\big)\tilde{K}-\gamma_{\underline{\mu}}\Big[\tilde{\bar{\nabla}}_x^{\mu},\Sigma\big((k+\tilde{F})^2\big)\Big]\Big]\bigg\}\cdot 1\end{aligned}\tag{14}$$

with tilde operation defined as

$$\begin{aligned}\tilde{\mathcal{O}} &\equiv \mathcal{O}-i(\nu\mathcal{O})\frac{\partial}{\partial k^{\nu}}-\frac{1}{2}(\lambda\nu\mathcal{O})\frac{\partial^2}{\partial k^{\lambda}\partial k^{\nu}}+\frac{i}{6}(\rho\lambda\nu\mathcal{O})\frac{\partial^3}{\partial k^{\rho}\partial k^{\lambda}\partial k^{\nu}}+\frac{1}{24}(\sigma\rho\lambda\nu\mathcal{O})\frac{\partial^4}{\partial k^{\sigma}\partial k^{\rho}\partial k^{\lambda}\partial k^{\nu}}\\ &\quad-\frac{i}{120}(\delta\sigma\rho\lambda\nu\mathcal{O})\frac{\partial^5}{\partial k^{\delta}\partial k^{\sigma}\partial k^{\rho}\partial k^{\lambda}\partial k^{\nu}}+O(p^7)\ ,\end{aligned}\tag{15}$$

where $\tilde{\mathcal{O}}\equiv(\tilde{E},\tilde{J},\tilde{K},\tilde{a}^{\mu},\tilde{a}^2,\tilde{\bar{\nabla}}_x^{\mu})^T$ and $\mathcal{O}\equiv(E,\hat{I},\tilde{I},a_\Omega^{\mu},a_\Omega^2,\bar{\nabla}_x^{\mu})^T$. Note that for finite cutoff Λ, the value of parameter τ must be real and larger than zero, the term $e^{-\tau k^2}$ in (14) then provides a natural suppression factor for the momentum integration and this leads the convergence of the integration. For a converged integration, we can replace the term $e^{i\bar{\nabla}_x^{\mu}\cdot\frac{\partial}{\partial k}}$ in front of the integration kernel in (14) by 1, since the difference $(e^{i\bar{\nabla}_x^{\mu}\cdot\frac{\partial}{\partial k}}-1)\cdots$ are some momentum total derivative terms which vanish as long as we have nontrivial suppression factor $e^{-\tau k^2}$. With these considerations, (14) becomes

$$\mathrm{ReTr}\ln[\not\partial-i\not v_\Omega-i\not a_\Omega\gamma_5-s_\Omega+ip_\Omega\gamma_5+\Sigma(-\bar{\nabla}^2)]=-\frac{1}{2}\lim_{\Lambda\to\infty}\int_{\frac{1}{\Lambda^2}}^{\infty}\frac{d\tau}{\tau}\int d^4x\int\frac{d^4k}{(2\pi)^4}\mathrm{tr}\ e^{B}\cdot 1\ ,\tag{16}$$

$$\begin{aligned}B\equiv&-\tau\Big[\tilde{E}+(k+\tilde{F})^2+\tilde{a}_{\mu}\gamma_5(k^{\mu}+\tilde{F}^{\mu})+(k^{\mu}+\tilde{F}^{\mu})\tilde{a}_{\mu}\gamma_5+\tilde{a}^2+\Sigma^2\big((k+\tilde{F})^2\big)+\tilde{J}\Sigma\big((k+\tilde{F})^2\big)+\Sigma\big((k+\tilde{F})^2\big)\tilde{K}\\ &-\gamma_{\underline{\mu}}\Big[\tilde{\bar{\nabla}}_x^{\mu},\Sigma\big((k+\tilde{F})^2\big)\Big]\Big]\ .\end{aligned}\tag{17}$$

From (17), we see that all $\bar{\nabla}^{\mu}$ in (16) appear as commutators, therefore (16) and (17) offer a covariant formulation which matches the general result that the real part of Trln$\cdots$ should be invariant under local chiral transformations. The price is that we need to handle many momentum derivatives on the exponential and the result computations become extremely lengthy. But as long as our reformulation is suitable to computerize, it is worth to pay such a price. To deal the next problem of derivatives on the exponential, we first take the low energy expansion on B

$$B=B_0+B_1+\frac{1}{2}B_2+\frac{1}{3!}B_3+\frac{1}{4!}B_4+\frac{1}{5!}B_5+\frac{1}{6!}B_6+\cdots\tag{18}$$

with $\frac{1}{n!}B_n$ is the p^n order part of B. Further introduce a parameter t dependent $B(t)$ as

$$B(t)=B_0+tB_1+\frac{t^2}{2}B_2+\frac{t^3}{3!}B_3+\frac{t^4}{4!}B_4+\frac{t^5}{5!}B_5+\frac{t^6}{6!}B_6+\cdots\qquad\qquad B=B(t)\Big|_{t=1}\ .\tag{19}$$

Then take Taylor expansion of $e^{B(t)}$ at point $t=0$,

$$e^B = e^{B(t)}\Big|_{t=1} = e^{B_0} + [\frac{d}{dt}e^{B(t)}]_{t=0} + \frac{1}{2!}[\frac{d^2}{dt^2}e^{B(t)}]_{t=0} + \frac{1}{3!}[\frac{d^3}{dt^3}e^{B(t)}]_{t=0} + \frac{1}{4!}[\frac{d^4}{dt^4}e^{B(t)}]_{t=0} + \dots\ . \tag{20}$$

With the help of identities

$$[\frac{d}{d\tau}e^B]e^{-B} = f(Ad(B))(\frac{dB}{d\tau}) \qquad\qquad f(z) = \frac{e^z-1}{z} = 1 + \frac{z}{2!} + \frac{z^2}{3!} + \cdots\ . \tag{21}$$

One can explicitly work out $\frac{1}{n!}[\frac{d^n}{dt^n}e^{B(t)}]_{t=0}$, for several lowest orders

$$\frac{d}{dt}e^{B(t)}\Big|_{t=0} \;=\; e^{B_0}f[Ad(-B_0)](B_1)\ , \tag{22}$$

$$\frac{d^2}{dt^2}e^{B(t)}\Big|_{t=0} \;=\; \frac{d}{dt}e^{B(t)}\Big|_{t=0} f[Ad(-B_0)](B_1) + e^{B_0}\frac{df}{dt}[Ad(-B(t))]\Big|_{t=0}(B_1) + e^{B_0}f[Ad(-B_0)](B_2)\ , \tag{23}$$

where

$$\frac{d^m f}{dt^m}[Ad(-B(t))] = \sum_{n=0}^{\infty}\frac{1}{(n+1)!}\frac{d^m}{dt^m}[Ad(-B(t))]^n\ . \tag{24}$$

For more higher orders needed in our computations, we list the results of $\frac{d^3}{dt^3}e^{B(t)}\Big|_{t=0}$, $\frac{d^4}{dt^4}e^{B(t)}\Big|_{t=0}$, $\frac{d^5}{dt^5}e^{B(t)}\Big|_{t=0}$ and $\frac{d^6}{dt^6}e^{B(t)}\Big|_{t=0}$ in Appendix A.

With the help of (22), (23) and (A1)-(A4) , as long as the $B_0, B_1, B_2, B_3, B_4, B_5, B_6$ are known, (20) is known and we can substitute it back into (16) to calculate the real part of $-iN_c\mathrm{Tr}\ln[i\partial\!\!\!/ + J_\Omega - \Sigma(\overline{\nabla}^2)]$ order by orders up to the p^6 order in the low energy expansion. To obtain B_i, (17) tells us that the difficulty is the low energy expansion for $\Sigma\big((k+\tilde{F})^2\big)$. To achieve it, we expand the argument of $\Sigma\big((k+\tilde{F})^2\big)$ as

$$(k+\tilde{F})^2 \;=\; k^2 + \frac{1}{2}A_2 + \frac{1}{6}A_3 + \frac{1}{24}A_4 + \frac{1}{120}A_5 + \frac{1}{720}A_6 + O(p^{5,6})|_{\mathrm{traceless}} + O(p^7)\ , \tag{25}$$

in which

$$A_2 \;=\; -2(\mu\nu)k_\mu\frac{\partial}{\partial k^\nu}\ , \tag{26}$$

$$A_3 \;=\; 4i(\mu\nu\lambda)k_\nu\frac{\partial^2}{\partial k^\mu\partial k^\lambda} + 2i(\mu\underline{\mu}\nu)\frac{\partial}{\partial k^\nu}\ , \tag{27}$$

$$A_4 \;=\; 6(\mu\nu\lambda\rho)k_\lambda\frac{\partial^3}{\partial k^\mu\partial k^\nu\partial k^\rho} + 6(\mu\nu)(\underline{\mu}\lambda)\frac{\partial^2}{\partial k^\nu\partial k^\lambda} + 3(\mu\nu\underline{\nu}\lambda)\frac{\partial^2}{\partial k^\mu\partial k^\lambda} + 3(\mu\nu\underline{\mu}\lambda)\frac{\partial^2}{\partial k^\nu\partial k^\lambda}\ , \tag{28}$$

$$A_5 \;=\; 0\ , \tag{29}$$

$$A_6 \;=\; -90(\mu\nu\lambda\rho)(\underline{\lambda}\sigma)\frac{\partial^4}{\partial k^\mu\partial k^\nu\partial k^\rho\partial k^\sigma} - 80(\mu\nu\lambda)(\rho\underline{\nu}\sigma)\frac{\partial^4}{\partial k^\mu\partial k^\lambda\partial k^\rho\partial k^\sigma}\ . \tag{30}$$

Since we are only interested in the terms not higher than p^6, we find that those traceless terms of p^5 and p^6 orders will not make contributions to the final result. So to save space and simplify the computations, we do not explicitly write down the detail structure of them, just represent these terms with symbol $O(p^{5,6})|_{\mathrm{traceless}}$ and remove traceless term in A_5 and A_6. Further introduce $A(t)$ as,

$$A(t) \equiv k^2 + \frac{t^2}{2}A_2 + \frac{t^3}{6}A_3 + \frac{t^4}{24}A_4 + \frac{t^5}{120}A_5 + \frac{t^6}{720}A_6 + O(p^{5,6})|_{\mathrm{traceless}} + O(p^7) \qquad A(t) = \begin{cases} k^2 & t=0 \\ (k+\tilde{F})^2 & t=1 \end{cases}. \tag{31}$$

Then

$$\Sigma\big((k+\tilde{F})^2\big) = \Sigma(k^2) + \left[\frac{d}{dt}\Sigma[A(t)]\right]_{t=0} + \frac{1}{2!}\left[\frac{d^2}{dt^2}\Sigma[A(t)]\right]_{t=0} + \frac{1}{3!}\left[\frac{d^3}{dt^3}\Sigma[A(t)]\right]_{t=0} + \frac{1}{4!}\left[\frac{d^4}{dt^4}\Sigma[A(t)]\right]_{t=0} + \dots\ . \tag{32}$$

Now, we need to know $\left[\frac{d^m}{dt^m}\Sigma[A(t)]\right]_{t=0}$, using the following formula

$$\Sigma[A(t)] \;=\; \Sigma[s+A(t)]\Big|_{s=0} = e^{A(t)\frac{\partial}{\partial s}}\Sigma(s)e^{-A(t)\frac{\partial}{\partial s}}\Big|_{s=0} = e^{A(t)\frac{\partial}{\partial s}}\Sigma(s)\Big|_{s=0} , \tag{33}$$

then

$$\left[\frac{d^m}{dt^m}\Sigma[A(t)]\right]_{t=0} = \left[\frac{d^m}{dt^m}e^{A(t)\frac{\partial}{\partial s}}\right]_{t=0}\Sigma(s)\Big|_{s=0} . \tag{34}$$

Therefore to compute $\left[\frac{d^m}{dt^m}\Sigma[A(t)]\right]_{t=0}$, we only need to calculate $\left[\frac{d^m}{dt^m}e^{A(t)\frac{\partial}{\partial s}}\right]_{t=0}\Sigma(s)\Big|_{s=0}$ which is just equivalent to replace $B_l \to A_l\frac{\partial}{\partial s}$ in (22),(23) and (A1)-(A4), followed by multiplying an extra factor $\Sigma(s)$ at the r.h.s. and vanishing parameter s after finishing all differential operations. Follow this calculation road map, the detail calculation gives

$$\begin{aligned}
\left[\frac{d}{dt}\Sigma[A(t)]\right]_{t=0} &= e^{Ad(A_0\frac{\partial}{\partial s})}(f[Ad(-A_0\frac{\partial}{\partial s})]A_1)\Sigma'(s+A_0)\Big|_{s=0} = 0 , & (35)\\
\frac{1}{2}\left[\frac{d^2}{dt^2}\Sigma[A(t)]\right]_{t=0} &= \frac{1}{2}e^{Ad(A_0\frac{\partial}{\partial s})}\bigg[\bigg(e^{-A_0\frac{\partial}{\partial s}}\frac{d}{dt}e^{A(t)\frac{\partial}{\partial s}}\Big|_{t=0}f[Ad(-A_0\frac{\partial}{\partial s})](A_1\frac{\partial}{\partial s}) + \frac{df}{dt}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_1\frac{\partial}{\partial s})\\
&\quad +f[Ad(-A_0\frac{\partial}{\partial s})](A_2\frac{\partial}{\partial s})\bigg)\bigg]\Sigma(s+A(t))\Big|_{s=0} = -(\mu,\nu)k_\mu\Sigma'_k\frac{\partial}{\partial k^\nu} , & (36)
\end{aligned}$$

where $\Sigma_k \equiv \Sigma(k^2)$. For more higher orders, we list the results of $\left[\frac{d^3}{dt^3}\Sigma[A(t)]\right]_{t=0}$, $\left[\frac{d^4}{dt^4}\Sigma[A(t)]\right]_{t=0}$, $\left[\frac{d^5}{dt^5}\Sigma[A(t)]\right]_{t=0}$ and $\left[\frac{d^6}{dt^6}\Sigma[A(t)]\right]_{t=0}$ in Appendix A. With these results, we finally obtain the low energy expansion of B,

$$\begin{aligned}
B_0 &= -\tau(k^2+\Sigma_k^2) , & (37)\\
B_1 &= 2\tau(-a_\Omega^\mu k_\mu + ia_\Omega^\mu\gamma_\mu\Sigma_k)\gamma_5 , & (38)\\
B_2 &= -2a_\Omega^2\tau + (\mu\nu)\gamma_\mu\gamma_\nu\tau - a_\Omega^\mu a_\Omega^\nu[\gamma_\mu,\gamma_\nu]\tau - i(d^\mu a_\Omega^\nu - d^\nu a_\Omega^\mu)\gamma_\mu\gamma_\nu\gamma_5\tau + 4s_\Omega\tau\Sigma_k + 2(\mu\nu)\tau k_\mu\frac{\partial}{\partial k^\nu} + 4(\mu a_\Omega^\nu)\gamma_\nu\gamma_5\tau k_\mu\Sigma'_k\\
&\quad +4(\mu a_\Omega^\nu)\gamma_\nu\gamma_5\tau\Sigma_k\frac{\partial}{\partial k^\mu} + 2i(\mu a_{\Omega\mu})\gamma_5\tau + 4i(\mu a_\Omega^\nu)\gamma_5\tau k_\nu\frac{\partial}{\partial k^\mu} + 4i(\mu\nu)\gamma_\mu\tau k_\nu\Sigma'_k + 4(\mu\nu)\tau k_\mu\Sigma_k\Sigma'_k\frac{\partial}{\partial k^\nu} . & (39)
\end{aligned}$$

We list B_3, B_4, B_5, B_6 in Appendix.A. With these explicit expressions for $B_0, B_1, B_2, B_3, B_4, B_5, B_6$, using (22), (23) and (A1)-(A4) , we get (20) and further substitute (20) back into (16), we can obtain the real part of $-iN_c\mathrm{Tr}\ln[i\partial\!\!\!/ + J_\Omega - \Sigma(\overline{\nabla}^2)]$ order by orders up to the p^6 order in the low energy expansion. The analytical results of p^2 and p^4 orders are the same as those given by (34),(35) and (36) in Ref.[4], except some total derivative terms which, as we mentioned before, can be ignored as long as we take finite cutoff Λ.

IV. AMBIGUITIES IN THE ANOMALY PART CONTRIBUTIONS TO THE CHIRAL LAGRANGIAN

In the last section, we have introduced a chiral covariant method to calculate $\mathrm{Tr}\ln[i\partial\!\!\!/ + J_\Omega - \Sigma(\overline{\nabla}^2)]$ which is already computerized now. With the help of computer, for the p^2 and p^4 order analytical formulae in the low energy expansion, we can get results within 15 minutes, while for the p^6 order terms, we need roughly 13 hours to output all expansion results. From our general result (7), the term $-iN_c\mathrm{Tr}\ln[i\partial\!\!\!/ + J_\Omega - \Sigma(\overline{\nabla}^2)]$ is the normal part. To get the full result of the chiral Lagrangian, we need to calculate the remaining anomaly part contributions $iN_c\mathrm{Tr}\ln[i\partial\!\!\!/ + J_\Omega] - iN_c\mathrm{Tr}\ln[i\partial\!\!\!/ + J]$. As the discussion of Ref.[12], in 1980s there is a class of works (see references given in [12]) identifying this part as the full chiral Lagrangian, and in Ref.[12] we refer them as the anomaly approach of calculating LECs. In our previous work [4], we pointed out that this anomaly part contributions are completely canceled by the normal part contribution, left nontrivial pure Σ dependent terms contribute to the chiral Lagrangian.

For the anomaly part contributions, the key is to calculate the U field dependent term $\mathrm{Tr}\ln[i\partial\!\!\!/ + J_\Omega]$ which, as we mentioned before, can be obtained by vanishing Σ in $\mathrm{Tr}\ln[i\partial\!\!\!/ + J_\Omega - \Sigma(\overline{\nabla}^2)]$. In practice, the limit was taken by first assuming Σ being a constant mass m and then letting $m \to 0$. For p^2 order, this operation gives null result, while for p^4 order, it gives the result originally presented in anomaly approach. Now in this work, naively what we need to do is to generalize the calculation to p^6 order. But to our surprise, we get many terms with divergent coefficients. Checking the calculation carefully, we find that the reason of appearance of infinities is due to the fact that most of the coefficients in front of the p^6 order operators have dimension of $1/m^2$ which goes to infinity when we take limit $\Sigma = m \to 0$. Note that the p^6 terms may also have coefficients of $1/\Lambda^2$ which are finite in the limit of $m \to 0$, although they vanish when we take $\Lambda \to \infty$. These terms are irrelevant to our discussion on the divergence of p^6 order terms and therefore we do not need to care about them. Applying the argument on $1/m^2$ dependence of the p^6 order coefficients back to the p^2 and p^4 order results we discussed before, coefficients in front of p^2 order operators have dimension of m^2 which goes to zero, this explains the phenomena that anomaly approach can not produce p^2 order terms. For p^4 order, the coefficients in front of operators are dimensionless and therefore the m dependence is at most logarithmic of form $\ln m/\Lambda$ which implies existence of a logarithmic ultraviolet divergence. Since we know that in the large N_c limit, the p^4 order LECs (non-contact coefficients) are not divergent, the $\ln m/\Lambda$ term then can not appear in the final expression of these LECs, therefore in p^4 order, anomaly approach leads finite result LECs. In general for a p^{2n} order operator, the corresponding coefficient should has dimension $1/m^{2(n-2)}$. This implies that the infinity in the anomaly part contributions will be a general phenomena, when we go to the higher orders of the low energy expansion, since the more higher the order is, the more negative powers of m dependence the coefficient will have and these negative powers of m will result in infinities as we take limit $\Sigma = m \to 0$.

The appearance of these high order infinities provides another evidence that the anomaly approach is not a correct formulation in calculating LECs, at least not for the p^6 and more higher order LECs. Since high order divergence term is as an addition part of our general result (7), we can not avoid them in our computations. How to deal with these high order infinities from negative powers of m? There exists an alternative way, not relying on the low energy expansion, to examine this anomaly part contributions in which we must exploit the first equation of (2) and we find

$$\begin{aligned}
\mathrm{Tr}\ln[i\partial\!\!\!/ + J_\Omega] - \mathrm{Tr}\ln[i\partial\!\!\!/ + J] &= \ln\mathrm{Det}[i\partial\!\!\!/ + J_\Omega] - \ln\mathrm{Det}[i\partial\!\!\!/ + J] \\
&= \ln\mathrm{Det}\bigg[[\Omega P_R + \Omega^\dagger P_L][J + i\partial\!\!\!/][\Omega P_R + \Omega^\dagger P_L]\bigg] - \ln\mathrm{Det}[i\partial\!\!\!/ + J] \\
&= \ln\mathrm{Det}\bigg[[\Omega P_R + \Omega^\dagger P_L][\Omega P_R + \Omega^\dagger P_L]\bigg] = \mathrm{Tr}\ln\bigg[[\Omega P_R + \Omega^\dagger P_L][\Omega P_R + \Omega^\dagger P_L]\bigg]
\end{aligned} \quad (40)$$

For our interests, we are only interested in the real part of it, then

$$\begin{aligned}
\mathrm{ReTr}\ln[i\partial\!\!\!/ + J_\Omega] - \mathrm{ReTr}\ln[i\partial\!\!\!/ + J] &= \frac{1}{2}\mathrm{Tr}\ln\bigg[[\Omega P_R + \Omega^\dagger P_L][\Omega P_R + \Omega^\dagger P_L]\bigg] + \frac{1}{2}\mathrm{Tr}\ln\bigg[[\Omega P_R + \Omega^\dagger P_L]^\dagger[\Omega P_R + \Omega^\dagger P_L]^\dagger\bigg] \\
&= \frac{1}{2}\mathrm{Tr}\ln\bigg[[\Omega P_R + \Omega^\dagger P_L][\Omega P_R + \Omega^\dagger P_L]\bigg] + \frac{1}{2}\mathrm{Tr}\ln\bigg[[\Omega^\dagger P_R + \Omega P_L][\Omega^\dagger P_R + \Omega P_L]\bigg] \\
&= \frac{1}{2}\mathrm{Tr}\ln\bigg[[P_R + P_L][P_R + P_L]\bigg] = \frac{1}{2}\mathrm{Tr}\ln 1 = 0\,.
\end{aligned} \quad (41)$$

Which shows that the compact form of anomaly part contributions to normal part of the chiral Lagrangian is zero !

How can this null result be consistent with another divergent result obtained from the low energy expansion ? The only possible explanation is that the p^4 order finite term plus all those higher order infinities results a zero ! Is it possible ? A well-known positive example is the expansion $1/(1+x) = 1 - x + x^2 - x^3 + x^4 - x^5 + x^6 - \cdots$ goes to zero when x is very large, which implies that the summation of series $x - x^2 + x^3 - x^4 + x^5 - x^6 + \cdots$ converges to 1 when x is very large and each individual term in the series diverges. In the following we take a more realistic but simplified example to show that this really happens in our formulation. Our example starts from (9) for the case of Σ equal to a constant mass m

$$\mathrm{ReTr}\ln[\partial\!\!\!/ - i v\!\!\!/_\Omega - i a\!\!\!/_\Omega\gamma_5 - s_\Omega + i p_\Omega\gamma_5 + m] = -\frac{1}{2}\lim_{\Lambda\to\infty}\int_{\frac{1}{\Lambda^2}}^{\infty}\frac{d\tau}{\tau}\int d^4x\int\frac{d^4k}{(2\pi)^4}\ \mathrm{tr}e^{-\tau(k^2 + k\cdot b' + m^2 + bm + C)}\ , \quad (42)$$

$$b'^\mu \equiv 2i\bar{\nabla}^\mu_x + 2a^\mu_\Omega \qquad b \equiv \hat{I}_\Omega + \tilde{I}_\Omega \qquad C \equiv \bar{E} + (i\bar{\nabla}_x + a_\Omega)^2\,. \quad (43)$$

For simplicity, we ignore the contributions from b' which does not change the key result of our discussion. Then our example becomes to investigate following integration

$$I \equiv \int_{\frac{1}{\Lambda^2}}^{\infty}\frac{d\tau}{\tau}\int_0^\infty k^2dk^2 e^{-\tau k^2 - \tau m^2 - \tau bm - \tau C} \quad (44)$$

with b and C not commuting each other. We will show that high order terms in the low energy expansion of the above integration I will go to infinity when we take $m \to 0$, but if summing all the expansion terms together, we get finite result which corresponds to previous null result of summing all higher order terms of anomaly part contributions into a compact form. We use three different methods to finish above integration and explain our point. The first method is to vanish m firstly and then to finish the integration, i.e.

$$I\Big|_{m=0} = \int_{\frac{1}{\Lambda^2}}^{\infty}\frac{d\tau}{\tau}\int_0^{\infty}k^2dk^2e^{-\tau k^2-\tau C} = \int_{\frac{1}{\Lambda^2}}^{\infty}\frac{d\tau}{\tau^3}e^{-\tau C} = \frac{\Lambda^4}{2}e^{-\frac{C}{\Lambda^2}} - \frac{\Lambda^2}{2}Ce^{-\frac{C}{\Lambda^2}} - \frac{1}{2}C^2\mathbf{Ei}(-\frac{C}{\Lambda^2})\ , \tag{45}$$

where

$$\mathbf{Ei}(-x) \equiv -\int_x^{\infty}\frac{e^{-u}}{u}du = \gamma + \ln x + \sum_{n=1}^{\infty}\frac{(-1)^n}{n!n}x^n \qquad |x| < \infty\ . \tag{46}$$

The second method is first finishing the integration and then vanishing m,

$$\begin{aligned} I &= \int_{\frac{1}{\Lambda^2}}^{\infty}\frac{d\tau}{\tau}\int_0^{\infty}k^2dk^2e^{-\tau(k^2+m^2+bm+C)} = \int_{\frac{1}{\Lambda^2}}^{\infty}\frac{d\tau}{\tau^3}e^{-\tau(m^2+bm+C)} \\ &= \frac{\Lambda^4}{2}e^{-\frac{(m^2+bm+C)^2}{\Lambda^2}} - \frac{\Lambda^2(m^2+bm+C)}{2}e^{-\frac{(m^2+bm+C)^2}{\Lambda^2}} - \frac{1}{2}(m^2+bm+C)^2\mathbf{Ei}(-\frac{(m^2+bm+C)}{\Lambda^2}) \\ &\overset{m\to 0}{=\!=\!=\!=} \frac{\Lambda^4}{2}e^{-\frac{C}{\Lambda^2}} - \frac{\Lambda^2}{2}Ce^{-\frac{C}{\Lambda^2}} - \frac{1}{2}C^2\mathbf{Ei}(-\frac{C}{\Lambda^2})\ . \end{aligned} \tag{47}$$

We obtain the same result as that obtained in the first method, therefore interchange the order of integration and $m \to 0$ limit does not change the result.

The third method is first taking Taylor expansion in terms the power of b and C which corresponds performing the low energy expansion and then finishing integration, finally vanishing m,

$$\begin{aligned} I &= \int_{\frac{1}{\Lambda^2}}^{\infty}\frac{d\tau}{\tau}\int_0^{\infty}k^2dk^2e^{-\tau k^2-\tau m^2}\sum_{n=0}^{\infty}\frac{1}{n!}(-\tau bm-\tau C)^n = \int_{\frac{1}{\Lambda^2}}^{\infty}d\tau e^{-\tau m^2}\sum_{n=0}^{\infty}\frac{1}{n!}\tau^{n-3}(-bm-C)^n \\ &= m^4\left(\frac{\Lambda^4}{2m^4}e^{-\frac{m^2}{\Lambda^2}} - \frac{\Lambda^2}{2m^2}e^{-\frac{m^2}{\Lambda^2}} - \frac{1}{2}\mathbf{Ei}(-\frac{m^2}{\Lambda^2})\right) - (bm^3+Cm^2)\left(\frac{\Lambda^2}{m^2}e^{-\frac{m^2}{\Lambda^2}} + \mathbf{Ei}(-\frac{m^2}{\Lambda^2})\right) \\ &\quad -\frac{1}{2}(bm+C)^2\mathbf{Ei}(-\frac{m^2}{\Lambda^2}) + \sum_{n=0}^{\infty}\frac{(-\frac{b}{m}-\frac{C}{m^2})^{n+3}}{(n+3)!}m^4\Gamma(n+1,\frac{m^2}{\Lambda^2}) \\ &\overset{m\to 0}{=\!=\!=\!=} \frac{\Lambda^4}{2} - C\Lambda^2 - \frac{1}{2}C^2\mathbf{Ei}(-\frac{m^2}{\Lambda^2}) + \sum_{n=0}^{\infty}\frac{n!}{(n+3)!}(-\frac{b}{m}-\frac{C}{m^2})^{n+3}m^4e^{-\frac{m^2}{\Lambda^2}}\sum_{k=0}^{n}\frac{1}{k!}\left(\frac{m^2}{\Lambda^2}\right)^k\Bigg|_{m\to 0}\ . \end{aligned} \tag{48}$$

We see that there are negative power of m terms which will cause divergence when we take limit $m \to 0$. This is just what has happened for the high order terms in the anomaly part contributions. So if we calculate term by terms in above expansion, we will meet infinities which seems contradict with results obtained in first two methods. The only way left to escape this contradiction is to sum all these divergences together, to see that what will happen after the summation, we introduce a series

$$g(x,c)\ \equiv\ \sum_{n=0}^{\infty}\frac{n!}{(n+3)!}x^{n+3}\sum_{k=0}^{n}\frac{c^k}{k!}\ , \tag{49}$$

in which $c = m^2/\Lambda^2$ and $x = -\frac{b}{m} - \frac{C}{m^2}$ which will go to negative infinity when $m \to 0$. With the help of relation $\frac{d}{dx}\mathbf{Ei}(-x) = \frac{e^{-x}}{x}$ and boundary condition $g''(0,c) = g'(0,c) = g(0,c) = 0$, we find

$$\begin{aligned} &g'''(x,c) = \sum_{n=0}^{\infty}x^n\sum_{k=0}^{n}\frac{c^k}{k!} = \frac{e^{cx}}{1-x}\ , \qquad\qquad g''(x,c) = e^c[-\mathbf{Ei}(cx-c)+\mathbf{Ei}(-c)]\ , \\ &g'(x,c) = (x-1)e^c[-\mathbf{Ei}(cx-c)+\mathbf{Ei}(-c)] + \frac{1}{c}(e^{cx}-1)\ , \\ &g(x,c) = \frac{1}{2}(x-1)^2e^c[-\mathbf{Ei}(cx-c)+\mathbf{Ei}(-c)] + \frac{x-1}{2c}e^{cx} + \frac{1}{2c} + \frac{1}{2c^2}(e^{cx}-1) - \frac{x}{c}\ . \end{aligned} \tag{50}$$

Then (48) becomes

$$\begin{aligned}
I\Big|_{m=0} &= \lim_{m\to 0}\Big[\frac{\Lambda^4}{2}-C\Lambda^2-\frac{1}{2}C^2\mathbf{Ei}(-\frac{m^2}{\Lambda^2})+m^4e^{-\frac{m^2}{\Lambda^2}}g(-\frac{b}{m}-\frac{C}{m^2},\frac{m^2}{\Lambda^2})\Big]\\
&= \lim_{m\to 0}\Big[\frac{\Lambda^4}{2}-C\Lambda^2-\frac{1}{2}C^2\mathbf{Ei}(-\frac{m^2}{\Lambda^2})+\frac{1}{2}(bm+C+m^2)^2[-\mathbf{Ei}(\frac{-bm-C-m^2}{\Lambda^2})+\mathbf{Ei}(-\frac{m^2}{\Lambda^2})]\\
&\quad+\frac{1}{2}\Lambda^2(-bm-C-m^2)e^{\frac{-bm-C-m^2}{\Lambda^2}}+\frac{1}{2}\Lambda^2m^2e^{-\frac{m^2}{\Lambda^2}}+\frac{1}{2}\Lambda^4(e^{\frac{-bm-C-m^2}{\Lambda^2}}-e^{-\frac{m^2}{\Lambda^2}})+\Lambda^2(bm+C)\Big]\\
&= -\frac{1}{2}C^2\mathbf{Ei}(-\frac{C}{\Lambda^2})-\frac{1}{2}\Lambda^2Ce^{-\frac{C}{\Lambda^2}}+\frac{1}{2}\Lambda^4e^{-\frac{C}{\Lambda^2}}\ .
\end{aligned}\tag{51}$$

It is the same as the results obtained from first two methods, i.e. summing all those infinities together, we obtain correct finite result.

With above discussion, our result now is that *total anomaly part contributions to the normal part of the chiral Lagrangian vanish* ! Just take several individual terms can not reflect the true result of the full action. In fact, finite result of the p^4 order plays a role to cancel that summations of all higher order terms which results in the final total null result. In this sense, in order to make sense for the p^6 and more higher order divergent terms, we must sum them together and then we get p^4 order result with an extra minus sign. To avoid the appearance of divergences in p^6 and higher orders terms, what we need to do is to drop out all anomaly part contributions, since divergences from high order terms are finally canceled by p^4 order terms. In this view, our general result (7) must be changed to

$$S_{\rm eff}\Big|_{\text{normal part}}\approx -iN_c\mathrm{ReTr}\ln[i\partial\!\!\!/+J_\Omega-\Sigma(\overline{\nabla}^2)]\ .\tag{52}$$

In fact in Ref.[11], we already show that including in the anomalous part, the total effective action takes the form (see Eq.(21) in Ref.[11]),

$$S_{\rm GND}=-iN_c\mathrm{Tr}\ln[i\partial\!\!\!/+J_\Omega-\Sigma(\overline{\nabla}^2)]+\text{Wess-Zumino terms}\ .\tag{53}$$

With this new viewpoint on all anomaly part contributions, we need to modify our original numerical results on p^4 order LECs, since it takes into account of the finite values of anomaly part contributions and now we know that these nontrivial values must be used to cancel the infinities come from all higher order terms. In Table I, we list our modified p^4 order LECs for cutoff $\Lambda=1000^{+100}_{-100}$MeV. The 10% variation of the cutoff is considered in our calculation to examine the effects of cutoff dependence and the result change can be treated as the error of our calculations. The result LECs are taken the values at $\Lambda=1$GeV with superscript the difference caused at $\Lambda=1.1$GeV and subscript the difference caused at $\Lambda=0.9$GeV, i.e.,

$$L_{\Lambda=1\rm GeV}\Big|^{L_{\Lambda=1.1\rm GeV}-L_{\Lambda=1\rm GeV}}_{L_{\Lambda=0.9\rm GeV}-L_{\Lambda=1\rm GeV}}\qquad \bar{l}_{\Lambda=1\rm GeV}\Big|^{\bar{l}_{\Lambda=1.1\rm GeV}-\bar{l}_{\Lambda=1\rm GeV}}_{\bar{l}_{\Lambda=0.9\rm GeV}-\bar{l}_{\Lambda=1\rm GeV}}\quad\text{or}\quad l_{\Lambda=1\rm GeV}\Big|^{l_{\Lambda=1.1\rm GeV}-l_{\Lambda=1\rm GeV}}_{l_{\Lambda=0.9\rm GeV}-l_{\Lambda=1\rm GeV}}\ .\tag{54}$$

TABLE I. The obtained values of the p^4 coefficients $L_1\cdots,L_{10}$ for three flavor quarks and $\bar{l}_1\cdots,\bar{l}_6,l_7$ for two flavor quarks where $l_i=\frac{1}{32\pi^2}\gamma_i(\bar{l}_i+\ln\frac{M_\pi^2}{\mu^2})$ for $i=1,\ldots,7$, μ=770MeV and γ_i are given in Ref.[2]. Since $\gamma_7=0$, we calculate l_7 instead of $\bar{l}_7$. Together with the experimental values given in Ref.[2] and our old result given in Ref.[4] for comparisons. $\Lambda_{\rm QCD}$, Λ and $-\langle\bar{\psi}\psi\rangle^{\frac{1}{3}}$ are in units of MeV, and $L_1\cdots,L_{10},l_7$ are in units of 10^{-3}.

	$\Lambda_{\rm QCD}$	$-\langle\bar{\psi}\psi\rangle^{\frac{1}{3}}$	L_1	L_2	L_3	L_4	L_5	L_6	L_7	L_8	L_9	L_{10}
$\Lambda=1000^{+100}_{-100}$	453^{-6}_{+12}	260^{-8}_{+9}	$1.23^{+0.03}_{-0.04}$	$2.46^{+0.05}_{-0.08}$	$-6.85^{-0.14}_{+0.21}$	$0.0^{+0.0}_{-0.0}$	$1.48^{-0.01}_{-0.03}$	$0.0^{+0.0}_{-0.0}$	$-0.51^{+0.05}_{-0.06}$	$1.02^{-0.06}_{+0.06}$	$8.86^{+0.24}_{-0.37}$	$-7.40^{-0.29}_{+0.44}$
Ref.[4]:	484	296	0.403	0.805	-3.47	0	1.47	0	-0.792	1.83	2.28	-4.08
Expt:		250	0.9 ± 0.3	1.7 ± 0.7	-4.4 ± 2.5	0 ± 0.5	2.2 ± 0.5	0 ± 0.3	-0.4 ± 0.15	1.1 ± 0.3	7.4 ± 0.7	-6.0 ± 0.7
	$\Lambda_{\rm QCD}$	$-\langle\bar{\psi}\psi\rangle^{\frac{1}{3}}$	$\bar{l}_1$	$\bar{l}_2$	$\bar{l}_3$	$\bar{l}_4$	$\bar{l}_5$	$\bar{l}_6$	l_7			
$\Lambda=1000^{+100}_{-100}$	465^{-6}_{+12}	227^{-6}_{+8}	$-4.77^{-0.17}_{+0.24}$	$8.01^{+0.09}_{-0.14}$	$1.97^{+0.29}_{-0.35}$	$4.34^{-0.01}_{-0.02}$	$17.35^{+0.53}_{-0.80}$	$19.98^{+0.44}_{-0.67}$	$-8.18^{+0.50}_{-0.43}$			
Expt:		250	-2.3 ± 3.7	6.0 ± 1.3	2.9 ± 2.4	4.3 ± 0.9	13.9 ± 1.3	16.5 ± 1.1	$O(5)$			

In obtaining the result, we have taken the running coupling constant as model A given by (40) of Ref.[4] and the low energy value of this α_s is already chosen well above the critical value to trigger the SχSB of the theory. It should be noted that α_s depends on the number of quark flavors, so does for Σ from SDE. In fixing the $\Lambda_{\rm QCD}$ we have taken input $F_0=87$MeV. The reason of taking this value is that if the final F_π is around value of 93MeV, then our formula shows F_0 must be located around 87MeV. In Sec.VI, we will exhibit this phenomena explicitly.

V. p^6 ORDER OF CHIRAL LAGRANGIAN: NORMAL PART

The general form of p^6 order chiral Lagrangian was first introduced in Ref.[13] and then discussed in Ref.[14]. Now we can express the normal part of it in terms of our rotated sources as what we have done in (10) for the p^4 order terms. Considering that our computation is done under large N_c limit, within this approximation, terms in the chiral Lagrangian with two and more traces vanish when we not apply the equation of motion. To avoid unnecessary complicities, in this paper we only write down those terms with one trace

$$S_{\text{eff}}\Big|_{p^6,\ \text{normal}} = \int d^4x\ \Big[\sum_{n=1}^{94}\mathcal{Z}_n\text{tr}_f[\bar{O}_n]\ +\ O(\frac{1}{N_c})\Big] \tag{55}$$

with $\bar{O}_n$ being p^6 order operator we could get in our calculation and $\mathcal{Z}_n$ being corresponding coefficient, $O(\frac{1}{N_c})$ are consist of the most multi-traces terms. Our computations then give the explicit expressions of $\mathcal{Z}_n$ in terms of quark self energy. The detail expressions are given in (B1). And the definitions of operators $\bar{O}_n$ for $n = 1, 2, \ldots, 94$ are given in Table.II,

TABLE II. p^6 order operators

n	$\bar{O}_n$	n	$\bar{O}_n$	n	$\bar{O}_n$
1	$(a_\Omega^2)^3$	33	$a_\Omega^\mu a_\Omega^\nu a_{\Omega\mu} d_\nu p_\Omega$	65	$d^2 a_\Omega^\nu d_\nu p_\Omega$
2	$a_\Omega^2 a_\Omega^\nu a_\Omega^\lambda a_{\Omega\nu} a_{\Omega\lambda}$	34	$a_\Omega^\mu a_\Omega^\nu (d_\mu a_{\Omega\nu} p_\Omega + p_\Omega d_\nu a_{\Omega\mu})$	66	$d^\mu d^\nu a_{\Omega\nu} d_\mu p_\Omega$
3	$a_\Omega^2 a_\Omega^\nu a_\Omega^2 a_{\Omega\nu}$	35	$a_\Omega^\mu a_\Omega^\nu (d_\nu a_{\Omega\mu} p_\Omega + p_\Omega d_\mu a_{\Omega\nu})$	67	$d^\mu s_\Omega d_\mu s_\Omega$
4	$a_\Omega^\mu a_\Omega^\nu a_{\Omega\mu} a_\Omega^\lambda a_{\Omega\nu} a_{\Omega\lambda}$	36	$a_\Omega^\mu p_\Omega a_{\Omega\mu} d^\nu a_{\Omega\nu}$	68	$d^\mu p_\Omega d_\mu p_\Omega$
5	$a_\Omega^\mu a_\Omega^\nu a_\Omega^\lambda a_{\Omega\mu} a_{\Omega\nu} a_{\Omega\lambda}$	37	$a_\Omega^\mu p_\Omega a_\Omega^\nu (d_\mu a_{\Omega\nu} + d_\nu a_{\Omega\mu})$	69	$iV_\Omega^{\mu\nu} V_{\Omega\mu}{}^\lambda V_{\Omega\nu\lambda}$
6	$a_\Omega^2 (d^\nu a_{\Omega\nu})^2$	38	$a_\Omega^\mu (d_\mu a_\Omega^\nu d_\nu s_\Omega + d^\nu s_\Omega d_\mu a_{\Omega\nu})$	70	$V_\Omega^{\mu\nu} V_{\Omega\mu\nu} a_\Omega^2$
7	$a_\Omega^2 d^\nu a_\Omega^\lambda d_\nu a_{\Omega\lambda}$	39	$a_\Omega^\mu (d^\nu a_{\Omega\mu} d_\nu s_\Omega + d^\nu s_\Omega d_\nu a_{\Omega\mu})$	71	$V_\Omega^{\mu\nu} V_{\Omega\mu}{}^\lambda a_{\Omega\nu} a_{\Omega\lambda}$
8	$a_\Omega^2 d_\nu a_\Omega^\lambda d_\lambda a_{\Omega\nu}$	40	$a_\Omega^\mu (d^\nu a_{\Omega\nu} d_\mu s_\Omega + d_\mu s_\Omega d^\nu a_{\Omega\nu})$	72	$V_\Omega^{\mu\nu} V_{\Omega\mu}{}^\lambda a_{\Omega\lambda} a_{\Omega\nu}$
9	$a_\Omega^\mu a_\Omega^\nu (d_\mu a_{\Omega\nu} d^\lambda a_{\Omega\lambda} + d^\lambda a_{\Omega\lambda} d_\nu a_{\Omega\mu})$	41	$(a_\Omega^2)^2 s_\Omega$	73	$V_\Omega^{\mu\nu} (a_{\Omega\mu} V_{\Omega\nu}{}^\lambda a_{\Omega\lambda} - a_\Omega^\lambda V_{\Omega\mu\lambda} a_{\Omega\nu})$
10	$a_\Omega^\mu a_\Omega^\nu d_\mu a_\Omega^\lambda d_\nu a_{\Omega\lambda}$	42	$a_\Omega^\mu a_\Omega^\nu a_{\Omega\mu} a_{\Omega\nu} s_\Omega$	74	$V_\Omega^{\mu\nu} a_\Omega^\lambda V_{\Omega\mu\nu} a_{\Omega\lambda}$
11	$a_\Omega^\mu a_\Omega^\nu (d_\mu a_\Omega^\lambda d_\lambda a_{\Omega\nu} + d^\lambda a_{\Omega\mu} d_\nu a_{\Omega\lambda})$	43	$a_\Omega^\mu a_\Omega^2 a_{\Omega\mu} s_\Omega$	75	$V_\Omega^{\mu\nu} V_{\Omega\mu\nu} s_\Omega$
12	$a_\Omega^\mu a_\Omega^\nu (d_\nu a_{\Omega\mu} d^\lambda a_{\Omega\lambda} + d^\lambda a_{\Omega\lambda} d_\mu a_{\Omega\nu})$	44	$ia_\Omega^\mu (d_\mu a_\Omega^\nu d^\lambda V_{\Omega\nu\lambda} + d^\nu V_{\Omega\nu}{}^\lambda d_\mu a_{\Omega\lambda})$	76	$iV_\Omega^{\mu\nu} (a_{\Omega\mu} d_\nu p_\Omega + d_\mu p_\Omega a_{\Omega\nu})$
13	$a_\Omega^\mu a_\Omega^\nu d_\nu a_\Omega^\lambda d_\mu a_{\Omega\lambda}$	45	$ia_\Omega^\mu (d^\nu a_{\Omega\mu} d^\lambda V_{\Omega\nu\lambda} + d^\nu V_{\Omega\nu}{}^\lambda d_\lambda a_{\Omega\mu})$	77	$iV^{\mu\nu} (p_\Omega d_\mu a_{\Omega\nu} - d_\mu a_{\Omega\nu} p_\Omega)$
14	$a_\Omega^\mu a_\Omega^\nu (d_\nu a_\Omega^\lambda d_\lambda a_{\Omega\mu} + d^\lambda a_{\Omega\nu} d_\mu a_{\Omega\lambda})$	46	$ia_\Omega^\mu (d^\nu a_{\Omega\nu} d^\lambda V_{\Omega\mu\lambda} - d^\nu V_{\Omega\mu\nu} d^\lambda a_{\Omega\lambda})$	78	$iV_\Omega^{\mu\nu} (d_\mu a_{\Omega\nu} d^\lambda a_{\Omega\lambda} - d^\lambda a_{\Omega\lambda} d_\mu a_{\Omega\nu})$
15	$a_\Omega^\mu a_\Omega^\nu d^\lambda a_{\Omega\mu} d_\lambda a_{\Omega\nu}$	47	$ia_\Omega^\mu (d^\nu a_\Omega^\lambda d_\mu V_{\Omega\nu\lambda} - d_\mu V_\Omega^{\nu\lambda} d_\nu a_{\Omega\lambda})$	79	$iV_\Omega^{\mu\nu} d_\mu a_\Omega^\lambda d_\nu a_{\Omega\lambda}$
16	$a_\Omega^\mu a_\Omega^\nu d^\lambda a_{\Omega\nu} d_\lambda a_{\Omega\mu}$	48	$ia_\Omega^\mu (d^\nu a_\Omega^\lambda d_\nu V_{\Omega\mu\lambda} - d^\nu V_{\Omega\mu}{}^\lambda d_\nu a_{\Omega\lambda})$	80	$iV_\Omega^{\mu\nu} (d_\mu a_\Omega^\lambda d_\lambda a_{\Omega\nu} + d^\lambda a_{\Omega\mu} d_\nu a_{\Omega\lambda})$
17	$a_\Omega^\mu (d_\mu a_\Omega^\nu a_{\Omega\nu} + d^\nu a_{\Omega\mu} a_{\Omega\nu}) d^\lambda a_{\Omega\lambda}$	49	$ia_\Omega^\mu (d^\nu a_\Omega^\lambda d_\lambda V_{\Omega\mu\nu} - d^\nu V_{\Omega\mu}{}^\lambda d_\lambda a_{\Omega\nu})$	81	$iV_\Omega^{\mu\nu} d^\lambda a_{\Omega\mu} d_\lambda a_{\Omega\nu}$
18	$a_\Omega^\mu (d_\mu a_\Omega^\nu a_\Omega^\lambda d_\nu a_{\Omega\lambda} + d^\nu a_\Omega^\lambda a_{\Omega\nu} d_\lambda a_{\Omega\mu})$	50	$d^\mu V_{\Omega\mu}{}^\nu d^\lambda V_{\Omega\nu\lambda}$	82	$iV_\Omega^{\mu\nu} (a_{\Omega\mu} a_{\Omega\nu} s_\Omega + s_\Omega a_{\Omega\mu} a_{\Omega\nu})$
19	$a_\Omega^\mu (d_\mu a_\Omega^\nu a_\Omega^\lambda d_\lambda a_{\Omega\nu} + d^\nu a_\Omega^\lambda a_{\Omega\nu} d_\mu a_{\Omega\lambda})$	51	$d^\mu V_\Omega^{\nu\lambda} d_\mu V_{\Omega\nu\lambda}$	83	$iV_\Omega^{\mu\nu} a_{\Omega\mu} s_\Omega a_{\Omega\nu}$
20	$a_\Omega^\mu (d^\nu a_{\Omega\mu} a_\Omega^\lambda d_\nu a_{\Omega\lambda} + d^\nu a_\Omega^\lambda a_{\Omega\lambda} d_\nu a_{\Omega\mu})$	52	$d^\mu V_\Omega^{\nu\lambda} d_\nu V_{\Omega\mu\lambda}$	84	$iV_\Omega^{\mu\nu} (a_{\Omega\mu} a_{\Omega\nu} a_\Omega^2 + a_\Omega^2 a_{\Omega\mu} a_{\Omega\nu})$
21	$a_\Omega^\mu d^\nu a_{\Omega\nu} a_{\Omega\mu} d^\lambda a_{\Omega\lambda}$	53	$d^2 a_\Omega^\nu d_\nu d^\lambda a_{\Omega\lambda}$	85	$iV_\Omega^{\mu\nu} (a_{\Omega\mu} a_\Omega^\lambda a_{\Omega\nu} a_{\Omega\lambda} + a_\Omega^\lambda a_{\Omega\mu} a_{\Omega\lambda} a_{\Omega\nu})$
22	$a_\Omega^\mu d^\nu a_\Omega^\lambda a_{\Omega\mu} d_\nu a_{\Omega\lambda}$	54	$d^2 a_\Omega^\nu d^\lambda d_\nu a_{\Omega\lambda}$	86	$iV_\Omega^{\mu\nu} a_{\Omega\mu} a_\Omega^2 a_{\Omega\nu}$
23	$a_\Omega^\mu d^\nu a_\Omega^\lambda a_{\Omega\mu} d_\lambda a_{\Omega\nu}$	55	$d^2 a_\Omega^\nu d^2 a_{\Omega\nu}$	87	$iV_\Omega^{\mu\nu} a_\Omega^\lambda a_{\Omega\mu} a_{\Omega\nu} a_{\Omega\lambda}$
24	$a_\Omega^2 s_\Omega^2$	56	$d^\mu d^\nu a_{\Omega\mu} d_\nu d^\lambda a_{\Omega\lambda}$	88	s_Ω^3
25	$a_\Omega^2 p_\Omega^2$	57	$d^\mu d^\nu a_{\Omega\mu} d^\lambda d_\nu a_{\Omega\lambda}$	89	$s_\Omega p_\Omega^2$
26	$a_\Omega^\mu s_\Omega a_{\Omega\mu} s_\Omega$	58	$d^\mu d^\nu a_{\Omega\nu} d_\mu d^\lambda a_{\Omega\lambda}$	90	$s_\Omega p_\Omega d^\mu a_{\Omega\mu}$
27	$a_\Omega^\mu p_\Omega a_{\Omega\mu} p_\Omega$	59	$d^\mu d^\nu a_\Omega^\lambda d_\mu d_\nu a_{\Omega\lambda}$	91	$s_\Omega d^\mu a_{\Omega\mu} p_\Omega$
28	$a_\Omega^\mu (s_\Omega d_\mu p_\Omega + d_\mu p_\Omega s_\Omega)$	60	$d^\mu d^\nu a_\Omega^\lambda d_\mu d_\lambda a_{\Omega\nu}$	92	$s_\Omega d^\mu a_\Omega^\nu d_\mu a_{\Omega\nu}$
29	$a_\Omega^\mu (p_\Omega d_\mu s_\Omega + d_\mu s_\Omega p_\Omega)$	61	$d^\mu d^\nu a_\Omega^\lambda d_\nu d_\mu a_{\Omega\lambda}$	93	$s_\Omega d^\mu a_\Omega^\nu d_\nu a_{\Omega\mu}$
30	$a_\Omega^2 d^\nu a_{\Omega\nu} p_\Omega$	62	$d^\mu d^\nu a_\Omega^\lambda d_\nu d_\lambda a_{\Omega\mu}$	94	$s_\Omega (d^\mu a_{\Omega\mu})^2$
31	$a_\Omega^2 p_\Omega d^\nu a_{\Omega\nu}$	63	$d^\mu d^\nu a_\Omega^\lambda d_\lambda d_\nu a_{\Omega\mu}$		
32	$a_\Omega^2 a_\Omega^\nu d_\nu p_\Omega + a_\Omega^\mu a_\Omega^2 d_\mu p_\Omega$	64	$d^\mu d^\nu a_{\Omega\mu} d_\nu p_\Omega$		

where some operators have i in front of them to insure their coefficients being real. In Ref.[14], p^6 order operator was denoted by Y_i for the case of n flavor with coefficient K_i [15], O_i for the case of three flavor with coefficient C_i and

P_i for the case of two flavors with coefficient c_i,

$$S_{\rm eff}\Big|_{p^6,\ \rm normal}=\int d^4x\ \begin{cases}\sum\limits_{i=1}^{112}K_iY_i+3\ \text{contact terms} & \text{n flavors}\\ \sum\limits_{i=1}^{90}C_iO_i+4\ \text{contact terms} & \text{three flavors}\\ \sum\limits_{i=1}^{53}c_iP_i+4\ \text{contact terms} & \text{two flavors}\end{cases}\ . \tag{56}$$

Consider that our parametrization of the p^6 order chiral Lagrangian (55) is general to the case of n flavor quarks, there exist some relations among our coefficients and n flavor coefficients given in (56). With the help of computer derivations, we have worked out these relations and list them in ApendixC. As a check, we vanish the quark self energy Σ in the codes which corresponds to take $m=0$ before other further calculations and find null p^6 result. This verify the analytical result discussed in Sec.IV that the anomaly part contributions do not the contribute to normal part of chiral Lagrangian. Another consistency check is done for those operators which have two terms combined together by C and P symmetry requirements. For n flavor case, such operators are $\bar{O}_9$, $\bar{O}_{11}$, $\bar{O}_{12}$, $\bar{O}_{14}$, $\bar{O}_{17}$, $\bar{O}_{18}$, $\bar{O}_{19}$, $\bar{O}_{20}$, $\bar{O}_{28}$, $\bar{O}_{29}$, $\bar{O}_{32}$, $\bar{O}_{34}$, $\bar{O}_{35}$, $\bar{O}_{37}$, $\bar{O}_{38}$, $\bar{O}_{39}$, $\bar{O}_{40}$, $\bar{O}_{44}$, $\bar{O}_{45}$, $\bar{O}_{46}$, $\bar{O}_{47}$, $\bar{O}_{48}$, $\bar{O}_{49}$, $\bar{O}_{73}$, $\bar{O}_{76}$, $\bar{O}_{77}$, $\bar{O}_{78}$, $\bar{O}_{80}$, $\bar{O}_{82}$, $\bar{O}_{84}$, $\bar{O}_{85}$. Since in each of these operators, there are two terms, we can compute the coefficients in front of each terms and check if they are same. We have done the checks for all these operators and all obtain the same analytical expressions for the two terms in the same operator. This partly verifies the correctness of our result given in (B1). From n flavors to three flavors, there are some extra constraints (see (B1) in Ref.[14])which make some operators depending on others. Further from three flavors to two flavors, there are also some extra constraints (see (B3) in Ref.[14])which make some more operators depending on others. The sequence number for n flavors, three flavors and two flavors are different, their comparisons are list in Table 2 in Ref.[14].

VI. NUMERICAL VALUES OF p^6 ORDER LECS: NORMAL PART

With all above preparations in previous sections, we now come to the stage of giving numerical values to the p^6 order LECs in the normal part of the chiral Lagrangian. Note the necessary input and process of the present computations for the p^6 order LECs are the same as those for the p^2 and p^4 order LECs given in the end of Sec.IV, we list the numerical result in Table.III, as done in Table.I, the result LECs are taken for the values at $\Lambda=1$GeV with superscript the difference caused at $\Lambda=1.1$GeV and subscript the difference caused at $\Lambda=0.9$GeV,

$$C_{\Lambda=1\rm GeV}\Big|^{C_{\Lambda=1.1\rm GeV}-C_{\Lambda=1\rm GeV}}_{C_{\Lambda=0.9\rm GeV}-C_{\Lambda=1\rm GeV}}\qquad\qquad c_{\Lambda=1\rm GeV}\Big|^{c_{\Lambda=1.1\rm GeV}-c_{\Lambda=1\rm GeV}}_{c_{\Lambda=0.9\rm GeV}-c_{\Lambda=1\rm GeV}}\ .$$

We further list result of the p^6 order LECs at $\Lambda=\infty$ in Table.IV. Consider that in the limit of $\Lambda=\infty$, dropping out momentum total derivative terms in Eq.(14) is problematic, we only take result LECs at $\Lambda=\infty$ as a reference. Since the terms of three flavors and two flavors may have different sequence numbers, as done in Ref.[14], we put them in the same line in our table. Since the number of independent operators in the two flavors is smaller than that in the three flavors, there are some operators in three flavors being independent operators, but being dependent in two flavors, then these operators will not have their two flavor counter parts in our table, these leave the r.h.s. some empty blanks in the corresponding two flavor columns. For two flavor case, Ref.[16] further propose a new relation among operators,

$$\begin{aligned}0\ =\ & 8P_1-2P_2+6P_3-12P_{13}+8P_{14}-3P_{15}-2P_{16}-20P_{24}+8P_{25}+12P_{26}-12P_{27}-28P_{28}+8P_{36}-8P_{37}\\ & -8P_{39}+2P_{40}+8P_{41}-8P_{42}-6P_{43}+4P_{48}\ ,\end{aligned}\tag{57}$$

which implies that one of the operators appears in above formula should be further dependent operator. Due to ignorance of the values of the coefficients in front of these operators, Ref.[16] arbitrarily chooses this operator being P_{27}. Now our computations show that $c_{27}\neq 0$, so original choice is not suitable. Considering that $c_{37}=0$ in our computation, we instead now take P_{37} as that dependent operator. P_{37} now is a dependent operator, its name then is deleted in our Table.III.

To verify our choice of $F_0=87$MeV will really results in experimental value of F_π, we exploit the relation between F_0 and F_π given in Ref.[17]

$$\frac{F_\pi}{F_0}=1+x_2(l_4^r-L)+x_2^2\bigg[\frac{1}{16\pi^2}(-\frac{1}{2}l_1^r-l_2^r+\frac{29}{12}L)-\frac{13}{192}\frac{1}{(16\pi^2)^2}+\frac{7}{4}k_1+k_2-2l_3^rl_4^r+2(l_4^r)^2-\frac{5}{4}k_4+r_F^r\bigg]+O(x_2^3)\ ,\tag{58}$$

$$x_2 = \frac{M_\pi^2}{F_\pi^2} \qquad L = \frac{1}{16\pi^2}\ln\frac{M_\pi^2}{\mu^2} \qquad k_i = (4l_i^r - \gamma_i L)L \qquad r_F^r = (8c_7 + 16c_8 + 8c_9)F_0^2 \quad \text{from Ref.[15]}\,, \tag{59}$$

in which l_i^r and γ_i for $i = 1, 2, \ldots, 7$ are defined in Ref.[2]. Scale μ is taken to be ρ mass $\mu = M_\rho$ =770MeV. Numerical calculations show that for $\Lambda = 1000^{+100}_{-100}$MeV, the contributions up to order of p^4 (ignoring x_2^2 terms in (58)) give result $F_\pi = 92.99^{+.00}_{-.03}$MeV and the contributions up to order of p^6 (ignoring x_2^3 terms in (58)) give result $F_\pi = 92.97^{+.00}_{-.04}$MeV with $r_F^r = -5.036^{+0.730}_{-1.290} \times 10^{-5}$. We see that the p^6 order contributions to F_π are very small and $F_0 = 87$MeV is directly relate to $F_\pi = 93$MeV.

TABLE III. The obtained values of the p^6 order LECs $C_1 \cdots, C_{90}$ for three flavor and $c_1 \cdots, c_{53}$ for two flavors. The LECs are in units of 10^{-3}GeV^{-2}. The result LECs are taken the values at $\Lambda = 1$GeV with superscript the difference caused at $\Lambda = 1.1$GeV and subscript the difference caused at $\Lambda = 0.9$GeV. The value $\equiv 0$ means that the constants vanish at large N_c limit.

i	C_i	j	c_j	i	C_i	j	c_j	i	C_i	j	c_j
1	$3.79^{+0.10}_{-0.17}$	1	$3.58^{+0.09}_{-0.15}$	31	$-0.63^{+0.05}_{-0.09}$	17	$-1.10^{+0.12}_{-0.19}$	61	$2.88^{-0.22}_{+0.26}$	34	$2.84^{-0.22}_{+0.26}$
2	$\equiv 0$			32	$0.18^{-0.03}_{+0.04}$	18	$0.43^{-0.07}_{+0.08}$	62	$\equiv 0$		
3	$-0.05^{+0.01}_{-0.01}$	2	$-0.03^{+0.01}_{-0.01}$	33	$0.09^{-0.00}_{+0.03}$	19	$0.41^{-0.06}_{+0.10}$	63	$2.99^{-0.24}_{+0.30}$		
4	$3.10^{+0.09}_{-0.15}$	3	$2.89^{+0.08}_{-0.13}$	34	$1.59^{-0.10}_{+0.16}$	20	$1.56^{-0.10}_{+0.17}$	64	$\equiv 0$		
5	$-1.01^{+0.08}_{-0.11}$	4	$1.21^{-0.07}_{+0.06}$	35	$0.17^{-0.12}_{+0.17}$	21	$0.29^{-0.18}_{+0.24}$	65	$-2.43^{+0.15}_{-0.16}$	35	$3.39^{-0.32}_{+0.41}$
6	$\equiv 0$			36	$\equiv 0$			66	$1.71^{+0.07}_{-0.12}$	36	$1.57^{+0.06}_{-0.10}$
7	$\equiv 0$			37	$-0.56^{+0.09}_{-0.11}$			67	$\equiv 0$		
8	$2.31^{-0.16}_{+0.18}$			38	$0.41^{-0.08}_{+0.07}$	22	$-1.32^{+0.18}_{-0.25}$	68	$\equiv 0$		
9	$\equiv 0$			39	$\equiv 0$	23	$0.86^{-0.12}_{+0.15}$	69	$-0.86^{-0.04}_{+0.06}$	38	$-0.68^{-0.03}_{+0.05}$
10	$-1.05^{+0.08}_{-0.09}$	5	$-0.98^{+0.07}_{-0.09}$	40	$-6.35^{-0.18}_{+0.32}$	24	$-4.84^{-0.14}_{+0.25}$	70	$1.73^{-0.08}_{+0.07}$	39	$1.81^{-0.08}_{+0.07}$
11	$\equiv 0$			41	$\equiv 0$			71	$\equiv 0$		
12	$-0.34^{+0.02}_{-0.01}$	6	$-0.33^{+0.01}_{-0.01}$	42	$0.60^{+0.00}_{-0.00}$			72	$-3.30^{+0.05}_{-0.00}$	40	$-3.17^{+0.05}_{-0.02}$
13	$\equiv 0$			43	$\equiv 0$			73	$0.50^{+0.43}_{-0.56}$	41	$0.30^{+0.42}_{-0.54}$
14	$-0.83^{+0.12}_{-0.19}$	7	$-1.72^{+0.25}_{-0.35}$	44	$6.32^{+0.20}_{-0.36}$	25	$6.03^{+0.19}_{-0.33}$	74	$-5.07^{-0.16}_{+0.27}$	42	$-4.74^{-0.14}_{+0.24}$
15	$\equiv 0$	8	$0.86^{-0.12}_{+0.15}$	45	$\equiv 0$			75	$\equiv 0$		
16	$\equiv 0$			46	$-0.60^{-0.02}_{+0.04}$	26	$-1.14^{-0.05}_{+0.07}$	76	$-1.44^{-0.23}_{+0.31}$	43	$-1.29^{-0.23}_{+0.30}$
17	$0.01^{-0.01}_{-0.01}$	9	$-0.84^{+0.12}_{-0.17}$	47	$0.08^{+0.01}_{-0.00}$			77	$\equiv 0$		
18	$-0.56^{+0.09}_{-0.11}$			48	$3.41^{+0.06}_{-0.10}$			78	$17.51^{+1.02}_{-1.59}$	44	$16.16^{+0.94}_{-1.45}$
19	$-0.48^{+0.09}_{-0.13}$	10	$-0.37^{+0.07}_{-0.10}$	49	$\equiv 0$			79	$-0.56^{-0.30}_{+0.40}$	45	$0.26^{-0.26}_{+0.34}$
20	$0.18^{-0.03}_{+0.04}$	11	$\equiv 0$	50	$8.71^{+0.78}_{-1.12}$	27	$13.57^{+1.41}_{-2.00}$	80	$0.87^{-0.04}_{+0.03}$	46	$0.85^{-0.04}_{+0.02}$
21	$-0.06^{+0.01}_{-0.01}$			51	$-11.49^{+0.18}_{-0.09}$	28	$0.93^{+0.98}_{-1.25}$	81	$\equiv 0$		
22	$0.27^{+0.19}_{-0.25}$	12	$0.15^{+0.18}_{-0.24}$	52	$-5.04^{-0.67}_{+0.93}$			82	$-7.13^{-0.32}_{+0.51}$	47	$-6.73^{-0.29}_{+0.47}$
23	$\equiv 0$			53	$-11.99^{-0.87}_{+1.33}$	29	$-11.01^{-0.81}_{+1.23}$	83	$0.07^{+0.20}_{-0.27}$	48	$-0.22^{+0.18}_{-0.25}$
24	$1.62^{+0.04}_{-0.07}$			54	$\equiv 0$			84	$\equiv 0$		
25	$-5.98^{-0.49}_{+0.72}$	13	$-5.39^{-0.45}_{+0.66}$	55	$16.79^{+0.96}_{-1.49}$	30	$15.72^{+0.89}_{-1.38}$	85	$-0.82^{+0.03}_{-0.02}$	49	$-0.78^{+0.03}_{-0.01}$
26	$3.35^{+0.29}_{-0.47}$	14	$4.17^{+0.30}_{-0.49}$	56	$19.34^{+0.52}_{-0.98}$	31	$17.57^{+0.42}_{-0.82}$	86	$\equiv 0$		
27	$-1.54^{+0.15}_{-0.18}$	15	$-2.71^{+0.21}_{-0.25}$	57	$7.92^{+1.34}_{-1.85}$	32	$7.18^{+1.28}_{-1.76}$	87	$7.57^{+0.37}_{-0.60}$	50	$7.18^{+0.34}_{-0.55}$
28	$0.30^{+0.01}_{-0.01}$			58	$\equiv 0$			88	$-5.47^{-0.73}_{+1.03}$	51	$-4.85^{-0.69}_{+0.97}$
29	$-3.08^{-0.26}_{+0.32}$	16	$-2.22^{-0.22}_{+0.27}$	59	$-22.49^{-1.21}_{+1.89}$	33	$-21.19^{-1.12}_{+1.76}$	89	$34.74^{+1.61}_{-2.62}$	52	$32.19^{+1.46}_{-2.37}$
30	$0.60^{+0.02}_{-0.03}$			60	$\equiv 0$			90	$2.44^{-0.38}_{+0.46}$	53	$2.51^{-0.37}_{+0.46}$

TABLE IV. The obtained values of the p^6 order LECs $C_1 \cdots, C_{90}$ for three flavor and $c_1 \cdots, c_{53}$ for two flavors. The LECs are in units of 10^{-3}GeV^{-2} and are taken the values at $\Lambda = \infty$. The value $\equiv 0$ means that the constants vanish at large N_c.

i	C_i	j	c_j	i	C_i	j	c_j	i	C_i	j	c_j
1	3.61	1	3.39	31	-0.22	17	-0.22	61	1.36	34	1.45
2	$\equiv 0$			32	0.02	18	0.09	62	$\equiv 0$		
3	-0.01	2	0.00	33	0.08	19	0.09	63	1.41		
4	2.98	3	2.77	34	1.03	20	0.97	64	$\equiv 0$		
5	-0.51	4	0.66	35	-0.40	21	-0.46	65	-1.28	35	1.56
6	$\equiv 0$			36	$\equiv 0$			66	1.73	36	1.58
7	$\equiv 0$			37	-0.06			67	$\equiv 0$		
8	1.16			38	-0.01	22	-0.25	68	$\equiv 0$		
9	$\equiv 0$			39	$\equiv 0$	23	0.20	69	-0.90	38	-0.71
10	-0.49	5	-0.49	40	-6.10	24	-4.70	70	0.91	39	1.08
11	$\equiv 0$			41	$\equiv 0$			71	$\equiv 0$		
12	-0.19	6	-0.20	42	0.49			72	-2.43	40	-2.37
13	$\equiv 0$			43	$\equiv 0$			73	2.47	41	2.08
14	-0.26	7	-0.42	44	6.17	25	5.86	74	-4.96	42	-4.61
15	$\equiv 0$	8	0.20	45	$\equiv 0$			75	$\equiv 0$		
16	$\equiv 0$			46	-0.58	26	-1.11	76	-2.33	43	-2.08
17	-0.15	9	-0.29	47	0.08			77	$\equiv 0$		
18	-0.06			48	3.13			78	18.97	44	17.41
19	-0.08	10	-0.09	49	$\equiv 0$			79	-1.81	45	-0.89
20	0.02	11	$\equiv 0$	50	10.73	27	17.28	80	0.49	46	0.52
21	-0.01			51	-8.65	28	4.93	81	$\equiv 0$		
22	1.11	12	0.91	52	-7.24			82	-7.27	47	-6.83
23	$\equiv 0$			53	-13.65	29	-12.49	83	0.96	48	0.59
24	1.55			54	$\equiv 0$			84	$\equiv 0$		
25	-7.21	13	-6.46	55	18.10	30	16.83	85	-0.47	49	-0.49
26	3.93	14	4.68	56	17.99	31	16.33	86	$\equiv 0$		
27	-0.60	15	-1.42	57	12.69	32	11.45	87	7.83	50	7.39
28	0.29			58	$\equiv 0$			88	-7.83	51	-6.96
29	-3.81	16	-2.78	59	-23.88	33	-22.35	89	35.69	52	32.93
30	0.58			60	$\equiv 0$			90	0.25	53	0.51

VII. COMPARISONS WITH EXPERIMENT AND MODEL RESULTS

As we have mentioned in the introduction of this paper, present experiment data is far enough to fix the p^6 order LECs. But there do exist some combinations of the LECs which already have their experiment or model calculation values. Usually, these LECs are labeled by dimensionless parameters with convention [4]of $C_i^r \equiv C_i F_0^2$ or $c_i^r \equiv c_i F_0^2$. In this section, we collect those combinations of LECs in the literature which have their experiment or model calculation values and compare them with our numerical results obtained in the last section with finite cutoff [5] as the check of our computations.

---

[4] An alternative convention is that C_i^r and c_i^r are used to denote the renormalized LECs in some literatures.

[5] If the LECs at finite cutoff are replaced with those at $\Lambda = \infty$, we have checked that qualitative feature of the comparisons results of this section will not change.

A. $\pi\pi$ and πK scattering

From the investigation of $\pi\pi$ scattering amplitudes, one can work out the values of some combinations of p^6 order LECs. Ref.[15] introduces following combinations,

$$\begin{aligned}
r_1^r &= 64c_1^r - 64c_2^r + 32c_4^r - 32c_5^r + 32c_6^r - 64c_7^r - 128c_8^r - 64c_9^r + 96c_{10}^r + 192c_{11}^r - 64c_{14}^r + 64c_{16}^r + 96c_{17}^r + 192c_{18}^r \\
r_2^r &= -96c_1^r + 96c_2^r + 32c_3^r - 32c_4^r + 32c_5^r - 64c_6^r + 32c_7^r + 64c_8^r + 32c_9^r - 32c_{13}^r + 32c_{14}^r - 64c_{16}^r \\
r_3^r &= 48c_1^r - 48c_2^r - 40c_3^r + 8c_4^r - 4c_5^r + 8c_6^r - 8c_{12}^r + 20c_{13}^r \\
r_4^r &= -8c_3^r + 4c_5^r - 8c_6^r + 8c_{12}^r - 4c_{13}^r \\
r_5^r &= -8c_1^r + 10c_2^r + 14c_3^r \\
r_6^r &= 6c_2^r + 2c_3^r
\end{aligned} \tag{60}$$

and gives the values of them by two theoretical methods of the resonance-saturation (RS)[18] and pure dimensional analysis (ND) which only accounts for the order of magnitude and in Table.V.

TABLE V. The obtained values for the combinations of the p^6 order LECs from $\pi\pi$ scattering and our work. The coefficients in the table are in units of 10^{-4}

	r_1^r	r_2^r	r_3^r	r_4^r	r_5^r	r_6^r
RS in Ref.[15]	-0.6	1.3	-1.7	-1.0	1.1	0.3
ND in Ref.[15]	80	40	20	3	6	2
ours	$-9.32^{-2.62}_{+3.51}$	$8.93^{+3.12}_{-4.27}$	$-3.06^{-0.81}_{+1.11}$	$-0.12^{+.022}_{-0.29}$	$0.87^{+0.04}_{-0.06}$	$0.42^{+0.02}_{-0.03}$

We see that all coefficients obtained from our calculations are consistent with those more precise RS results given in Ref.[15]. With our predictions for p^4 and p^6 order LECs, we can directly calculate the scattering lengths a_l^I and slope parameters b_l^I which relate to p^4 and p^6 order LECs through formulae given in Appendix C and D. of Ref.[18]. We list experimental and our results in Table.VI. In our results, as done in Table.III, we take $\mu = 770$MeV, but to match the result given in Ref.[18] where μ is taken at $\mu = 1$GeV, we also take $\mu = 1000$MeV for comparison. We take two options, one only includes p^4 order contributions and the other combines in p^6 order contributions. For p^6 order contributions, for comparisons, we consider the cases of without and with r_i^r coefficients.

TABLE VI. The obtained values for a_l^I and b_l^I in $\pi\pi$ scattering from experimental values given by Ref.[19] and our work.

	a_0^0	b_0^0	$-10a_0^2$	$-10b_0^2$	$10a_1^1$	$10^2b_1^1$	$10^2a_2^0$	$10^3a_2^2$
Ref.[19]	$.26 \pm .05$	$.25 \pm .03$	$.28 \pm .12$	$.82 \pm .08$	$.38 \pm .02$		$.17 \pm .03$	$.13 \pm .30$
p^4 $\mu = 10^3$MeV	$.210^{-.000}_{+.000}$	$.260^{-.000}_{+.000}$	$.406^{+.001}_{-.001}$	$.662^{-.002}_{+.003}$	$.405^{+.001}_{-.002}$	$.772^{+.015}_{-.020}$	$.264^{+.002}_{-.003}$	$.195^{-.009}_{+.012}$
p^4 $\mu = 770$MeV	$.204^{-.000}_{+.000}$	$.248^{-.000}_{+.000}$	$.411^{+.001}_{-.001}$	$.685^{-.002}_{+.003}$	$.401^{+.001}_{-.002}$	$.772^{+.015}_{-.020}$	$.235^{+.002}_{-.003}$	$.076^{-.009}_{+.012}$
p^6 $\mu = 10^3$MeV $r_i^r \neq 0$	$.237^{-.000}_{+.000}$	$.307^{-.000}_{+.000}$	$.394^{+.001}_{-.001}$	$.637^{-.004}_{+.005}$	$.447^{+.002}_{-.003}$	$1.255^{+.029}_{-.037}$	$.421^{+.005}_{-.008}$	$.339^{-.011}_{+.011}$
p^6 $\mu = 10^3$MeV $r_i^r = 0$	$.237^{-.000}_{+.000}$	$.305^{-.000}_{-.000}$	$.392^{+.001}_{-.001}$	$.629^{-.003}_{+.004}$	$.445^{+.002}_{-.002}$	$1.217^{+.019}_{-.024}$	$.409^{+.004}_{-.006}$	$.337^{-.005}_{+.003}$
p^6 $\mu = 770$MeV $r_i^r \neq 0$	$.228^{-.000}_{+.000}$	$.287^{-.000}_{+.000}$	$.402^{+.001}_{-.001}$	$.665^{-.003}_{+.005}$	$.435^{+.002}_{-.003}$	$1.164^{+.028}_{-.037}$	$.363^{+.005}_{-.008}$	$.212^{-.012}_{+.012}$
p^6 $\mu = 770$MeV $r_i^r = 0$	$.227^{-.000}_{+.000}$	$.285^{-.000}_{-.000}$	$.400^{+.001}_{-.001}$	$.657^{-.003}_{+.004}$	$.433^{+.002}_{-.002}$	$1.125^{+.018}_{-.023}$	$.352^{+.004}_{-.006}$	$.210^{-.006}_{+.004}$

We see that the contributions from p^6 order LECs are rather small and only change the third digit of the result.

Further, Ref.[20] introduce coefficients in πK scattering

$$\begin{aligned}
c_{01}^- &= 32m_{K^+}^3(-C_1^r + 2C_3^r + 2C_4^r)\,, \qquad c_{20}^- = 6m_{K^+}(-C_1^r + 2C_3^r + 2C_4^r)\,, \\
c_{11}^+ &= 8m_{K^+}^2(3C_1^r + 6C_3^r - 2C_4^r)\,, \qquad c_{30}^+ = \frac{1}{2}(-7C_1^r - 32C_2^r + 2C_3^r + 10C_4^r)\,, \\
c_{01}^+ &= 16m_{K^+}^2m_{\pi^+}^2(C_6^r + C_8^r + C_{10}^r + 2C_{11}^r - 2C_{12}^r - 2C_{13}^r + 2C_{22}^r + 4C_{23}^r) + 16m_{K^+}^4(C_5^r + 2C_6^r + C_{10}^r \\
&\quad +4C_{11}^r - 2C_{12}^r - 4C_{13}^r + 2C_{22}^r + 4C_{23}^r)\,, \\
c_{10}^- &= 8m_{K^+}m_{\pi^+}^2(-4C_4^r - C_6^r - C_8^r + C_{10}^r + 2C_{11}^r - 2C_{12}^r - 6C_{13}^r + 2C_{22}^r - 2C_{25}^r) + 8m_{K^+}^3(-4C_4^r - C_5^r \\
&\quad -2C_6^r + C_{10}^r + 4C_{11}^r - 2C_{12}^r - 12C_{13}^r + 2C_{22}^r - 2C_{25}^r)\,, \\
c_{20}^+ &= m_{K^+}^2(12C_1^r + 48C_2^r - 8C_4^r + C_5^r + 10C_6^r + 8C_7^r + 4C_8^r + C_{10}^r + 4C_{11}^r - 2C_{12}^r - 4C_{13}^r + 2C_{22}^r \\
&\quad -4C_{23}^r + 4C_{25}^r) + m_{\pi^+}^2(12C_1^r + 48C_2^r - 8C_4^r + 4C_5^r + 5C_6^r + 8C_7^r + C_8^r + C_{10}^r + 2C_{11}^r - 2C_{12}^r \\
&\quad -10C_{13}^r + 2C_{22}^r - 4C_{23}^r + 4C_{25}^r)\,.
\end{aligned} \tag{61}$$

In the table 1. of Ref.[21], in terms of $c^+_{30}, c^+_{11}, c^-_{20}, c^-_{01}$, three constraints of p^6 order LECs are fixed from πK subthreshold parameters, $\pi\pi$ amplitude and a resonance model. And in the table 2. of Ref.[21], in terms of $c^+_{20}, c^+_{01}, c^-_{10}$, another three constraints of p^6 order LECs are fixed from the dispersive calculations and a resonance model,

TABLE VII. The obtained values for the combinations of the p^6 order LECs from πK, $\pi\pi$ scattering and our work. The coefficients in the l.h.s. of the table are in units of $10^{-4}\mathrm{GeV}^{-2}$

	$C_1 + 4C_3$	C_2	$C_4 + 3C_3$	$C_1 + 4C_3 + 2C_2$		$c^+_{20}\frac{m^4_\pi}{F^4_\pi}$	$c^+_{01}\frac{m^2_\pi}{F^4_\pi}$	$c^-_{10}\frac{m^3_\pi}{F^4_\pi}$
input $c^+_{30}, c^+_{11}, c^-_{20}$	20.7 ± 4.9	-9.2 ± 4.9	9.9 ± 2.5	2.3 ± 10.8				
input $c^+_{30}, c^+_{11}, c^-_{01}$	28.1 ± 4.9	-7.4 ± 4.9	21.0 ± 2.5	13.4 ± 10.8	Dispersive	0.024 ± 0.006	2.07 ± 0.10	0.31 ± 0.01
$\pi\pi$ amplitude			23.5 ± 2.3	18.8 ± 7.2				
Resonance model	7.2	-0.5	10.0	6.2	Resonance model	0.003	3.8	0.09
ours	$35.9^{+1.3}_{-2.1}$	$0.0^{+0.0}_{-0.0}$	$29.5^{+1.1}_{-1.9}$	$35.9^{+1.3}_{-2.1}$	ours	$0.006^{-0.002}_{+0.003}$	$-0.159^{+0.133}_{-0.178}$	$0.020^{+0.037}_{-0.050}$

In which for l.h.s. of the Table VII., except C_2, all other LECs or combinations of LECs obtained by us have the same signs and orders of magnitudes as those from Ref.[21]. While for r.h.s. of the table, our results are not consistent with those obtained from the dispersive calculations.

B. Form factors

In Ref.[15], in dealing with the vector form factor of the pion, r^r_{V1} and r^r_{V2} are introduced into theory which relate to p^6 order LECs through

$$r^r_{V1} = -16c^r_6 - 4c^r_{35} - 8c^r_{53} \,, \qquad r^r_{V2} = -4c^r_{51} - 4c^r_{53} \,. \tag{62}$$

While for the scalar form factor, people introduce r^r_{S2} and r^r_{S3} relate to p^6 order LECs by

$$r^r_{S2} = 32c^r_6 + 16c^r_7 + 32c^r_8 + 16c^r_9 + 16c^r_{20} \,, \qquad r^r_{S3} = -8c^r_6 \,. \tag{63}$$

In Ref.[15], discussion of the decay of $\pi(p) \to e\nu\gamma(q)$ further introduces r^r_{A1} and r^r_{A2} relate to p^6 order LECs by

$$r^r_{A1} = 48c^r_6 - 16c^r_{34} + 8c^r_{35} - 8c^r_{44} + 16c^r_{46} - 16c^r_{47} + 8c^r_{50} \,, \qquad r^r_{A2} = 8c^r_{44} - 16c^r_{50} + 4c^r_{51} \,. \tag{64}$$

In Ref.[22], a naive estimation of C^r_{12} is made from scalar meson dominance (SMD) of the pion scalar form-factor and $2C^r_{12} + C^r_{34}$ is estimated through λ_0 in K_{l3} measurements (see Eq.(8.11) in Ref.[22]). While in Ref.[23], C^r_{12} and $C^r_{12} + C^r_{34}$ are also estimated from the πK form factors. In Table.VIII, we list the numerical results for above combinations of LECs given by our calculations based on Table.III in last section and by Ref.[15],[22],[23].

TABLE VIII. The obtained values for the combinations of the p^6 order LECs appear in vector and scalar form factor of pion. the coefficients in the table are in units of 10^{-4}

	ours	Ref.[15]		ours	Ref.[15]		ours	Ref.[15]
r^r_{V1}	$-2.13^{+0.30}_{-0.39}$	-2.5	r^r_{S2}	$0.07^{+0.05}_{-0.08}$	-0.3	r^r_{A1}	$1.14^{+0.07}_{-0.09}$	-0.5
r^r_{V2}	$2.23^{+0.10}_{-0.16}$	2.6	r^r_{S3}	$0.20^{-0.01}_{+0.01}$	0.6	r^r_{A2}	$-0.38^{-0.06}_{+0.08}$	1.1

	ours	Ref.[22]		ours	Ref.[23]
C^r_{12}	$-0.026^{+0.001}_{-0.001}$	-0.1	C^r_{12}	$-0.026^{+0.001}_{-0.001}$	$(0.3 \pm 5.4) \times 10^{-3}$
$2C^r_{12}+ C^r_{34}$	$0.068^{-0.006}_{+0.010}$	-0.10 ± 0.17	$C^r_{12}+ C^r_{34}$	$0.094^{-0.007}_{+0.011}$	$(3.2 \pm 1.5) \times 10^{-2}$

From which we see that among ten parameters between our predictions and values given in the literature, four of them have the same orders of magnitudes and signs (r^r_{V1}, r^r_{V2}, r^r_{S3} and $C^r_{12}+ C^r_{34}$), another one of them has different orders of magnitudes but the same signs (C^r_{12} in Ref.[22]) , the left five of them have opposite signs (r^r_{S2}, r^r_{A1}, r^r_{A2}, $2C^r_{12}+ C^r_{34}$ and C^r_{12} in Ref.[23]).

Further in Fig.1, we compare the experimental data for vector form factors collected in Figure 4. and Figure 5. of Ref.[17] with our results. In obtaining our numerical predictions, we have exploited the formula given by Eq.(3.16) in Ref.[17] which especially depends on p^6 order LECs through r^r_{V1}, r^r_{V2} defined in (62) and we input the formula p^4 and p^6 LECs obtained in Table.III of the last section.

From Fig.1, we see that p^6 order LECs explicitly improve the p^4 and p^2 order chiral perturbation predictions and making them being more consistent with experimental data.

FIG. 1: The space like and time like data for the vector form factor. The red solid curve corresponds to predictions from chiral perturbation up to p^6 order with LECs obtained in Table.III of this paper. The red dashed line is the result by vanishing p^6 order LECs in corresponding red solid curve. The blue dot-dashed curve corresponds to predictions from chiral perturbation up to p^4 order with LECs obtained in Table.I of this paper. The blue dotted line is the result by vanishing p^4 order LECs in corresponding blue dot-dashed curve.The black x-axis of with $|F_\pi^V|^2 = 1.0$ corresponds to predictions from p^2 order chiral perturbation.



C. Photon-Photon Collisions

In Ref.[24], discussion of the photon-photon collision $\gamma\gamma \to \pi^0\pi^0$ introduces a_1^r, a_2^r and b^r relate to p^6 order LECs by

$$a_1^r = 4096\pi^4(-c_{29}^r - c_{30}^r + c_{34}^r) \qquad a_2^r = 256\pi^4(8c_{29}^r + 8c_{30}^r + c_{31}^r + c_{32}^r + 2c_{33}^r) \qquad b^r = -128\pi^4(c_{31}^r + c_{32}^r + 2c_{33}^r)\ . \tag{65}$$

While in Ref.[25], calculation of the photon-photon collision $\gamma\gamma \to \pi^+\pi^-$ introduces another type of a_1^r, a_2^r and b^r relate to p^6 order LECs by

$$\begin{aligned} a_1^r &= -4096\pi^4(6c_6^r + c_{29}^r - c_{30}^r - 3c_{34}^r + c_{35}^r + 2c_{46}^r - 4c_{47}^r + c_{50}^r)\ , \\ a_2^r &= 256\pi^4(8c_{29}^r - 8c_{30}^r + c_{31}^r + c_{32}^r - 2c_{33}^r + 4c_{44}^r + 8c_{50}^r - 4c_{51}^r)\ , \\ b^r &= -128\pi^4(c_{31}^r + c_{32}^r - 2c_{33}^r - 4c_{44}^r)\ . \end{aligned} \tag{66}$$

In Table.IX, we list the numerical results for above combinations of LECs given by our calculations based on Table.III in last section and by Ref.[24] and [25].

TABLE IX. The obtained values for the combinations of the p^6 order LECs appear in photon-photon collisions.

	ours	Ref.[24]		ours	Ref.[25]
a_1^r	$-5.65^{-0.91}_{+1.23}$	-14 ± 5	a_1^r	$-5.86^{-0.49}_{+0.58}$	-3.2
a_2^r	$3.79^{+0.02}_{-0.05}$	7 ± 3	a_2^r	$-0.98^{-0.07}_{+0.12}$	0.7
b^r	$1.66^{+0.05}_{-0.09}$	3 ± 1	b^r	$-0.23^{-0.01}_{+0.02}$	0.4

For which we see that among six parameters between our predictions and values given in the literature, except two have opposite signs, other four all have the same orders of magnitudes and signs.

D. Radiative pion decay

In Ref.[26], through reanalysis of the radiative pion decay, a group of p^6 order LECs are fixed.

TABLE X. The obtained values for the combinations of the p^6 order LECs from pion radiative decay and our work. The coefficients in the table are in units of 10^{-5}

	C^r_{12}	C^r_{13}	C^r_{61}	C^r_{62}	$2C^r_{63}-C^r_{65}$	C^r_{64}
Ref.[26]	-0.6 ± 0.3	0 ± 0.2	1.0 ± 0.3	0 ± 0.2	1.8 ± 0.7	0 ± 0.2
ours	$-0.26^{+0.01}_{-0.01}$	$0.0^{+0.0}_{-0.0}$	$2.18^{-0.17}_{+0.20}$	$0.0^{+0.0}_{-0.0}$	$6.36^{-0.42}_{+0.56}$	$0.0^{+0.0}_{-0.0}$

	C^r_{78}	C^r_{80}	C^r_{81}	C^r_{82}	C^r_{87}	C^r_{88}
Ref.[26]	10.0 ± 3.0	1.8 ± 0.4	0 ± 0.2	-3.5 ± 1.0	3.6 ± 1.0	-3.5 ± 1.0
ours	$13.26^{+0.77}_{-1.20}$	$0.66^{-0.03}_{+0.02}$	$0.0^{+0.0}_{-0.0}$	$-5.39^{-0.24}_{+0.39}$	$5.73^{+0.28}_{-0.45}$	$-4.14^{-0.55}_{+0.78}$

We find that all LECs and combination of LECs from our predictions have the same signs and orders of magnitudes as those from experiment values.

E. Model calculations

Except above phenomenological estimations on the values of some LECs, there are model calculations for some others of them and most of these analysis use a (single) resonance approximation. In contrast, our calculations do not rely on the assumption of existence of resonances. In this subsection, we list down these calculation values we can collect from the literature and compare with our results.

Ref.[27] estimates values of some LECs.

TABLE XI. The obtained values for the p^6 order LEC in Ref.[27] and our works
The coefficients in the table are in units of 10^{-3}GeV^{-2}

	C^r_{14}	C^r_{19}	C^r_{38}	C^r_{61}	C^r_{80}	C^r_{87}
Ref.[27]	-4.3	-2.8	1.2	1.9	1.9	7.6
ours	$-0.83^{+0.12}_{-0.19}$	$-0.48^{+0.09}_{-0.13}$	$0.41^{-0.08}_{+0.07}$	$2.88^{-0.22}_{+0.26}$	$0.87^{-0.04}_{+0.03}$	$7.57^{+0.37}_{-0.60}$

For C^r_{63} and C^r_{65}, Ref.[28] gives the value for their combination $2C^r_{63}-C^r_{65}=(1.8\pm0.7)\times10^{-5}$ which, compares to our result of $6.36^{-0.48}_{+0.56}\times10^{-5}$, is at the same order of magnitude and has the same sign.

For C^r_{87}, there are several works to estimate its values, we list them in Table.XII.

TABLE XII. The obtained values for the p^6 order LEC C^r_{87}
The coefficients in the table are in units of 10^{-5}

	ours	Ref.[29]	Ref.[30]	Ref.[31]
C^r_{87}	$5.73^{+0.28}_{-0.45}$	3.1 ± 1.1	4.3 ± 0.4	3.70 ± 0.14

where C^r_{87} given in Ref.[30] and [31] are in form of C_{87} in unit of GeV^{-2}, we have transformed them into our expression of C^r_{87} with $C^r_{87}=C_{87}F_0^2$.

Further, Ref.[32] exploits resonance Lagrangian estimates values of LECs C_{78}, C_{82}, C_{87}, C_{88}, C_{89}, C_{90}.

TABLE XIII. The obtained values for the p^6 order LEC from resonance Lagrangian given by Ref.[32] and our work
The coefficients in the table are in units of $10^{-4}/F_0^2$

	C_{78}	C_{82}	C_{87}	C_{88}	C_{89}	C_{90}
Lowest Meson Dominance	1.09	-0.36	0.40	-0.52	1.97	0.0
Resonance Lagrangian I	1.09	-0.29	0.47	-0.16	2.29	0.33
Resonance Lagrangian II	1.49	-0.39	0.65	-0.14	3.22	0.51
ours	$1.326^{+0.077}_{-0.120}$	$-0.539^{-0.024}_{+0.039}$	$0.573^{+0.028}_{-0.045}$	$-0.414^{-0.055}_{+0.078}$	$2.630^{+0.122}_{-0.198}$	$0.185^{-0.029}_{+0.035}$

We find that our results are consistent with those obtained from resonance Lagrangian.

Ref.[33] estimates the value of C_{38} and gives $C^r_{38}=(2\pm6)\times10^{-6}$ which is also consistent with our result of $C^r_{38}=3.1^{-0.6}_{+0.6}\times10^{-6}$.

In terms of resonance exchange, Ref.[34] proposes some relations among different p^6 order LECs,

$$C_{20} = -3C_{21} = C_{32} = \frac{1}{6}C_{35} \qquad\qquad C_{24} = 6C_{28} = 3C_{30}\ . \tag{67}$$

To check the validity of these relations for our results, in Table. XIV, we write corresponding values obtained in our calculations

TABLE XIV. The obtained values for the p^6 order LEC from our work
The coefficients in the table are in units of $10^{-3}\mathrm{GeV}^{-2}$

C_{20}	$-3C_{21}$	C_{32}	$\frac{1}{6}C_{35}$	C_{24}	$6C_{28}$	$3C_{30}$
$0.18^{-0.03}_{+0.04}$	$0.18^{-0.03}_{+0.03}$	$0.18^{-0.03}_{+0.04}$	$0.028^{-0.020}_{+0.028}$	$1.62^{+0.04}_{-0.07}$	$1.80^{+0.06}_{-0.06}$	$1.80^{+0.06}_{-0.09}$

We see that except C_{35}, all the other LECs satisfy the relations.

VIII. SUMMARY

In this paper, we revise our original formulation of calculating LECs from the first principle of QCD to a chiral covariant one suitable to computerize. With the help of computer, we successfully obtain the analytical expressions for all the p^6 order LECs in the normal part of chiral Lagrangian for pseudo scalar mesons on the quark self energy $\Sigma(k^2)$. The ambiguities for anomaly part contributions to the normal part of the chiral Lagrangian are clarified and we prove that this part totally should vanish and therefore need not to be considered in our computations. Since our calculation is done under large N_c limit, only operators of p^6 order with one trace and some multi-traces from the equation of motion survive in our formulation. We set up relations among the coefficients in front of these operators and LECs defined in Ref.[14]. Then with input of F_0 =87MeV to fix the $\Lambda_{\rm QCD}$ in the running coupling constant of $\alpha_s(k^2)$ appear in the kernel of SDE and choose cutoff of the theory being $\Lambda = 1000^{+100}_{-100}$MeV and $\Lambda = \infty$, we calculate all p^6 order LECs numerically both for two flavor and three flavor cases. Compare our result LECs with those combinations which we can find experimental or model calculation values in the literature, we find that except few of them have wrong signs, most of our predicted combinations of p^6 order LECs have the same signs and orders of magnitudes with experiment or model calculation values. This sets the solid basis for our p^6 order computations. For those combinations with wrong signs or wrong order of magnitudes with experiment values, we need further investigations. Based on these obtained p^6 order LECs, we expect a very large number of predictions for various pseudo scalar meson physics in the near future.

Acknowledgments

This work was supported by National Science Foundation of China (NSFC) under Grant No.10875065. We thank Prof. Y.P.Kuang for the helpful discussions.

---

[1] S.Weinberg, Physica, **96A**, 327 (1979).
[2] J.Gasser and H.Leutwyler, Ann. Phys. **158**, 142 (1984); Nucl. Phys. **B 250**, 465 (1985).
[3] J.Bijnens, Prog. Part. Nucl. Phys. **58**, 521(2007).
[4] H. Yang, Q. Wang, Y-P.Kuang and Q. Lu, Phys. Rev. **D66**, 014019(2002).
[5] Q. Wang, Y-P. Kuang, X-L. Wang and M. Xiao, Phys. Rev. **D61**, 054011(2000).
[6] H. Yang, Q. Wang and Q. Lu, Phys.Lett. **B532**, 240(2002).
[7] Q. Lu, H. Yang and Q. Wang, Commun. Theor. Phys. **38**, 185(2002).
[8] Y-H. An, H. Yang and Q, Wang, Eur. Phys. J. **C29**, 65(2003).
[9] Y. Zhang and Q. Wang, Chin. Phys. Lett. **25**, 1227(2008).
[10] Q. Lu, Y. Zhang and Q. Wang, Commun. Theor. Phys. **49**, 431(2008).
[11] Y-L. Ma and Q. Wang, Phys. Lett. **B560**, 188(2003).
[12] Q. Wang, Int. J. Mod. Phys. **A20**, 1627(2005).
[13] H. W. Fearing and S. Scherer, Phys. Rev. **D53**, 315(1996).
[14] J. Bijnens, G. Colangelo and G. Ecker, JHEP**02**, 020(1999).
[15] J. Bijnens, G. Colangelo and G. Ecker, Ann. Phys. **280**, 100(2000).
[16] C.Haefeli, M. A. Ivanov, M. Schmid, and G. Ecker, arXiv:0705.0576 [hep-ph].

[17] J. Bijnens, G. Colangelo and P. Talavera, JHEP**05**, 014(1998).
[18] J.Bijnens, G.Colangelo, G.Ecker, J.Gasser and M.E.Sainio, Nucl. Phys. B508,263(1997),Erratum, *ibid.* **B517**, 639(1998).
[19] O. Dumbrajs et al. Nucl. Phys. **B216**, 277(1983).
[20] J.Bijnens, P.Dhonte, P.Talaveta, JHEP**0405**, 036(2004).
[21] K. Kampf and B. Moussallam, Eur. Phys. J. **C47**, 723(2006).
[22] J. Bijnens and P. Talavera, Nucl. Phys. **B669**, 341(2003).
[23] M. Jamin, J. A. Oller and A. Pich, JHEP**02**, 047(2004).
[24] J. Gasser, M.A. Ivanov and M.E. Sainio, Nucl. Phys. **B728**, 31(2005).
[25] J. Gasser, M.A. Ivanov and M.E. Sainio, Nucl. Phys. **B745**, 84(2006).
[26] R. Unterdorfer and Hannes Pichl, Eur. Phys. J. **C55**, 273(2008).
[27] G. Amorós, J. Bijnens and P. Talavera, Nucl. Phys. **B568**, 319(2000).
[28] J. Prades, PoSKAON:022,(2008), arXiv:0707.1789[hep-ph].
[29] A. Pich, I. Rosell and J. J. Sanz-Cillero, JHEP**07**, 014(2008).
[30] P. Masjuan and S. Peris, Phys. Lett. **B663**, 61(2008).
[31] M. González-Alonso, A. Pich and J. Prades, Phys. Rev. **D78**, 116012(2008).
[32] C. Q. Geng, I-L. Ho and T. H. Wu, Nucl. Phys. **B684**, 281(2004).
[33] I. Rosell, A. Pich and J. J. Sanz-Cillero, JHEP**01**, 039(2007).
[34] V. Cirigliano, G. Ecker, M. Eidemüller, R. Kaiser, A. Pich and J. Portolés, Nucl. Phys. **B753**, 139(2006).

APPENDIX A: LOW ENERGY EXPANSION FOR e^B, $\Sigma\big((k+\tilde{F})^2\big)$ AND B

In this appendix, we first list down the p^3, p^4, p^5 and p^6 order low energy expansion result for e^B used in (20).

$$\begin{aligned}\frac{d^3}{dt^3}e^{B(t)}\bigg|_{t=0} &= \frac{d^2}{dt^2}e^{B(t)}\bigg|_{t=0}f[Ad(-B_0)](B_1)+\frac{d}{dt}e^{B(t)}\bigg|_{t=0}\bigg\{2\frac{df}{dt}[Ad(-B(t))]\bigg|_{t=0}(B_1)+2f[Ad(-B_0)](B_2)\bigg\}\\&\quad+e^{B_0}\bigg\{\frac{d^2f}{dt^2}[Ad(-B(t))]\bigg|_{t=0}(B_1)+2\frac{df}{dt}[Ad(-B(t))]\bigg|_{t=0}(B_2)+f[Ad(-B_0)](B_3)\bigg\}\,,\end{aligned}\qquad\text{(A1)}$$

$$\begin{aligned}\frac{d^4}{dt^4}e^{B(t)}\bigg|_{t=0} &= \frac{d^3}{dt^3}e^{B(t)}\bigg|_{t=0}f[Ad(-B_0)](B_1)+\frac{d^2}{dt^2}e^{B(t)}\bigg|_{t=0}\bigg\{3\frac{df}{dt}[Ad(-B(t))]\bigg|_{t=0}(B_1)+3f[Ad(-A_0)](B_2)\bigg\}\\&\quad+\frac{d}{dt}e^{B(t)}\bigg|_{t=0}\bigg\{3\frac{d^2f}{dt^2}[Ad(-B(t))]\bigg|_{t=0}(B_1)+6\frac{df}{dt}[Ad(-B(t))]\bigg|_{t=0}(B_2)+3f[Ad(-B_0)](B_3)\bigg\}\\&\quad+e^{B_0}\bigg\{\frac{d^3f}{dt^3}[Ad(-B(t))]\bigg|_{t=0}(B_1)+3\frac{d^2f}{dt^2}[Ad(-B(t))]\bigg|_{t=0}(B_2)\\&\quad+3\frac{df}{dt}[Ad(-B(t))]\bigg|_{t=0}(B_3)+f[Ad(-B_0)](B_4)\bigg\}\,,\end{aligned}\qquad\text{(A2)}$$

$$\begin{aligned}\frac{d^5}{dt^5}e^{B(t)}\bigg|_{t=0} &= \frac{d^4}{dt^4}e^{B(t)}\bigg|_{t=0}f[Ad(-B_0)](B_1)+\frac{d^3}{dt^3}e^{B(t)}\bigg|_{t=0}\bigg\{4\frac{df}{dt}[Ad(-B(t))]\bigg|_{t=0}(B_1)+4f[Ad(-A_0)](B_2)\bigg\}\\&\quad+\frac{d^2}{dt^2}e^{B(t)}\bigg|_{t=0}\bigg\{6\frac{d^2f}{dt^2}[Ad(-B(t))]\bigg|_{t=0}(B_1)+12\frac{df}{dt}[Ad(-B(t))]\bigg|_{t=0}(B_2)+6f[Ad(-B_0)](B_3)\bigg\}\\&\quad+\frac{d}{dt}e^{B(t)}\bigg|_{t=0}\bigg\{4\frac{d^3f}{dt^3}[Ad(-B(t))]\bigg|_{t=0}(B_1)+12\frac{d^2f}{dt^2}[Ad(-B(t))]\bigg|_{t=0}(B_2)+12\frac{df}{dt}[Ad(-B(t))]\bigg|_{t=0}(B_3)\\&\quad+4f[Ad(-B_0)](B_4)\bigg\}+e^{B_0}\bigg\{\frac{d^4f}{dt^4}[Ad(-B(t))]\bigg|_{t=0}(B_1)+4\frac{d^3f}{dt^3}[Ad(-B(t))]\bigg|_{t=0}(B_2)\\&\quad+6\frac{d^2f}{dt^2}[Ad(-B(t))]\bigg|_{t=0}(B_3)+4\frac{df}{dt}[Ad(-B(t))]\bigg|_{t=0}(B_4)+f[Ad(-B_0)](B_5)\bigg\}\,,\end{aligned}\qquad\text{(A3)}$$

$$\begin{aligned}\frac{d^6}{dt^6}e^{B(t)}\bigg|_{t=0} &= \frac{d^5}{dt^5}e^{B(t)}\bigg|_{t=0}f[Ad(-B_0)](B_1)+\frac{d^4}{dt^4}e^{B(t)}\bigg|_{t=0}\bigg\{5\frac{df}{dt}[Ad(-B(t))]\bigg|_{t=0}(B_1)+5f[Ad(-B_0)](B_2)\bigg\}\\&\quad+\frac{d^3}{dt^3}e^{B(t)}\bigg|_{t=0}\bigg\{10\frac{d^2f}{dt^2}[Ad(-B(t))]\bigg|_{t=0}(B_1)+20\frac{df}{dt}[Ad(-B(t))]\bigg|_{t=0}(B_2)+10f[Ad(-B_0)](B_3)\bigg\}\end{aligned}$$

$$
\begin{aligned}
&+\frac{d^2}{dt^2}e^{B(t)}\Big|_{t=0}\Bigg\{10\frac{d^3f}{dt^3}[Ad(-B(t))]\Big|_{t=0}(B_1)+30\frac{d^2f}{dt^2}[Ad(-B(t))]\Big|_{t=0}(B_2)\\
&+30\frac{df}{dt}[Ad(-B(t))]\Big|_{t=0}(B_3)+10f[Ad(-B_0)](B_4)\Bigg\}+\frac{d}{dt}e^{B(t)}\Big|_{t=0}\Bigg\{5\frac{d^4f}{dt^4}[Ad(-B(t))]\Big|_{t=0}(B_1)\\
&+20\frac{d^3f}{dt^3}[Ad(-B(t))]\Big|_{t=0}(B_2)+30\frac{d^2f}{dt^2}[Ad(-B(t))]\Big|_{t=0}(B_3)+20\frac{df}{dt}[Ad(-B(t))]\Big|_{t=0}(B_4)\\
&+5f[Ad(-B_0)](B_5)\Bigg\}+e^{B_0}\Bigg\{\frac{d^5f}{dt^5}[Ad(-B(t))]\Big|_{t=0}(B_1)+5\frac{d^4f}{dt^4}[Ad(-B(t))]\Big|_{t=0}(B_2)\\
&+10\frac{d^3f}{dt^3}[Ad(-B(t))]\Big|_{t=0}(B_3)+10\frac{d^2f}{dt^2}[Ad(-B(t))]\Big|_{t=0}(B_4)+5\frac{df}{dt}[Ad(-B(t))]\Big|_{t=0}(B_5)\\
&+f[Ad(-B_0)](B_6)\Bigg\}\ . \qquad\qquad (A4)
\end{aligned}
$$

Then, we list down the p^3, p^4, p^5 and p^6 order low energy expansion result for $\Sigma\big((k+\tilde{F})^2\big)$ used in (32). Note traceless terms in p^5 and p^6 orders are dropped out.

$$
\begin{aligned}
\frac{1}{6}\left[\frac{d^3}{dt^3}\Sigma[A(t)]\right]_{t=0} &= \frac{1}{6}e^{Ad(A_0\frac{\partial}{\partial s})}\Bigg[e^{-A_0\frac{\partial}{\partial s}}\frac{d^2}{dt^2}e^{A(t)\frac{\partial}{\partial s}}\Big|_{t=0}f[Ad(-A_0\frac{\partial}{\partial s})](A_1\frac{\partial}{\partial s})\\
&\quad +e^{-A_0\frac{\partial}{\partial s}}\frac{d}{dt}e^{A(t)\frac{\partial}{\partial s}}\Big|_{t=0}\Bigg\{2\frac{df}{dt}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_1\frac{\partial}{\partial s})+2f[Ad(-A_0\frac{\partial}{\partial s})](A_2\frac{\partial}{\partial s})\Bigg\}\\
&\quad +\Bigg\{\frac{d^2f}{dt^2}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_1\frac{\partial}{\partial s})+2\frac{df}{dt}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_2\frac{\partial}{\partial s})\\
&\quad +f[Ad(-A_0\frac{\partial}{\partial s})](A_3\frac{\partial}{\partial s})\Bigg\}\Bigg]\Sigma(s+A(t))\Big|_{s=0}\\
&= -\frac{i}{3}(\mu\underline{\mu}\nu)k_\nu\Sigma''_k+\frac{2i}{3}(\mu\nu\lambda)k_\mu k_\nu\Sigma''_k\frac{\partial}{\partial k^\lambda}+\frac{2i}{3}(\mu\nu\lambda)k_\nu\Sigma'_k\frac{\partial^2}{\partial k^\mu\partial k^\lambda}+\frac{i}{3}(\mu\underline{\mu}\nu)\Sigma'_k\frac{\partial}{\partial k^\nu}\ , \qquad (A5)
\end{aligned}
$$

$$
\begin{aligned}
\left[\frac{d^4}{dt^4}\Sigma[A(t)]\right]_{t=0} &= e^{Ad(A_0\frac{\partial}{\partial s})}\Bigg[e^{-A_0\frac{\partial}{\partial s}}\frac{d^3}{dt^3}e^{A(t)\frac{\partial}{\partial s}}\Big|_{t=0}f[Ad(-A_0\frac{\partial}{\partial s})](A_1\frac{\partial}{\partial s})\\
&\quad +e^{-A_0\frac{\partial}{\partial s}}\frac{d^2}{dt^2}e^{A(t)\frac{\partial}{\partial s}}\Big|_{t=0}\Bigg\{3\frac{df}{dt}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_1\frac{\partial}{\partial s})+3f[Ad(-A_0\frac{\partial}{\partial s})](A_2\frac{\partial}{\partial s})\Bigg\}\\
&\quad +e^{-A_0\frac{\partial}{\partial s}}\frac{d}{dt}e^{A(t)\frac{\partial}{\partial s}}\Big|_{t=0}\Bigg\{3\frac{d^2f}{dt^2}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_1\frac{\partial}{\partial s})+6\frac{df}{dt}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_2\frac{\partial}{\partial s})\\
&\quad +3f[Ad(-A_0\frac{\partial}{\partial s})](A_3\frac{\partial}{\partial s})\Bigg\}+\Bigg\{\frac{d^3f}{dt^3}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_1\frac{\partial}{\partial s})+3\frac{d^2f}{dt^2}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_2\frac{\partial}{\partial s})\\
&\quad +3\frac{df}{dt}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_3\frac{\partial}{\partial s})+f[Ad(-A_0\frac{\partial}{\partial s})](A_4\frac{\partial}{\partial s})\Bigg\}\Bigg]_{t=0}\Sigma(s+A(t))\Big|_{s=0}\\
&= -\frac{1}{4}(\mu\nu)(\underline{\mu}\lambda)k_\nu\Sigma''_k\frac{\partial}{\partial k^\lambda}+\frac{1}{2}(\mu\nu)(\lambda\rho)k_\mu k_\lambda\Sigma''_k\frac{\partial^2}{\partial k^\nu\partial k^\rho}-\frac{1}{8}(\mu\nu\underline{\nu}\lambda)k_\lambda\Sigma''_k\frac{\partial}{\partial k^\mu}\\
&\quad -\frac{1}{8}(\mu\nu\underline{\mu}\lambda)k_\lambda\Sigma''_k\frac{\partial}{\partial k^\nu}+\frac{1}{4}(\mu\underline{\mu}\nu\lambda)k_\nu\Sigma''_k\frac{\partial}{\partial k^\lambda}+\frac{1}{4}(\mu\nu\lambda\rho)k_\nu k_\lambda\Sigma''_k\frac{\partial^2}{\partial k^\mu\partial k^\rho}\\
&\quad +\frac{1}{4}(\mu\nu\lambda\rho)k_\mu k_\lambda\Sigma''_k\frac{\partial^2}{\partial k^\nu\partial k^\rho}+\frac{1}{4}(\mu\nu\lambda\rho)k_\lambda\Sigma'_k\frac{\partial^3}{\partial k^\mu\partial k^\nu\partial k^\rho}+\frac{1}{4}(\mu\nu)(\underline{\mu}\underline{\nu})\Sigma''_k\\
&\quad +\frac{1}{4}(\mu\nu)(\underline{\mu}\lambda)k_\lambda\Sigma''_k\frac{\partial}{\partial k^\nu}+\frac{1}{4}(\mu\nu)(\underline{\mu}\lambda)\Sigma'_k\frac{\partial^2}{\partial k^\nu\partial k^\lambda}+\frac{1}{8}(\mu\nu\underline{\nu}\lambda)k_\mu\Sigma''_k\frac{\partial}{\partial k^\lambda}\\
&\quad +\frac{1}{8}(\mu\nu\underline{\nu}\lambda)\Sigma'_k\frac{\partial^2}{\partial k^\mu\partial k^\lambda}+\frac{1}{8}(\mu\nu\underline{\mu}\lambda)k_\nu\Sigma''_k\frac{\partial}{\partial k^\lambda}+\frac{1}{8}(\mu\nu\underline{\mu}\lambda)\Sigma'_k\frac{\partial^2}{\partial k^\nu\partial k^\lambda}\\
&\quad -\frac{1}{6}(\mu\nu\underline{\nu}\lambda)k_\mu k_\lambda\Sigma'''_k-\frac{1}{6}(\mu\nu\underline{\mu}\lambda)k_\nu k_\lambda\Sigma'''_k+\frac{1}{3}(\mu\nu\lambda\rho)k_\mu k_\nu k_\lambda\Sigma'''_k\frac{\partial}{\partial k^\rho}+\frac{1}{3}(\mu\nu)(\underline{\mu}\lambda)k_\nu k_\lambda\Sigma'''_k\ , \qquad (A6)
\end{aligned}
$$

$$
\begin{aligned}
&\frac{1}{5!}\left[\frac{d^5}{dt^5}\Sigma[A(t)]\right]_{t=0}\\
&=\frac{1}{5!}e^{Ad(A_0\frac{\partial}{\partial s})}\Big[e^{-A_0\frac{\partial}{\partial s}}\frac{d^4}{dt^4}e^{A(t)\frac{\partial}{\partial s}}\Big|_{t=0}f[Ad(-A_0\frac{\partial}{\partial s})](A_1\frac{\partial}{\partial s})+e^{-A_0\frac{\partial}{\partial s}}\frac{d^3}{dt^3}e^{A(t)\frac{\partial}{\partial s}}\Big|_{t=0}\Big\{4\frac{df}{dt}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_1\frac{\partial}{\partial s})\\
&\quad+4f[Ad(-A_0\frac{\partial}{\partial s})](A_2\frac{\partial}{\partial s})\Big\}+e^{-A_0\frac{\partial}{\partial s}}\frac{d^2}{dt^2}e^{A(t)\frac{\partial}{\partial s}}\Big|_{t=0}\Big\{6\frac{d^2f}{dt^2}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_1\frac{\partial}{\partial s})\\
&\quad+12\frac{df}{dt}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_2\frac{\partial}{\partial s})+6f[Ad(-A_0\frac{\partial}{\partial s})](A_3\frac{\partial}{\partial s})\Big\}+e^{-A_0\frac{\partial}{\partial s}}\frac{d}{dt}e^{A(t)\frac{\partial}{\partial s}}\Big|_{t=0}\Big\{4\frac{d^3f}{dt^3}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_1\frac{\partial}{\partial s})\\
&\quad+12\frac{d^2f}{dt^2}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_2\frac{\partial}{\partial s})+12\frac{df}{dt}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_3\frac{\partial}{\partial s})+4f[Ad(-A_0\frac{\partial}{\partial s})](A_4\frac{\partial}{\partial s})\Big\}\\
&\quad+\Big\{\frac{d^4f}{dt^4}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_1\frac{\partial}{\partial s})+4\frac{d^3f}{dt^3}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_2\frac{\partial}{\partial s})+6\frac{d^2f}{dt^2}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_3\frac{\partial}{\partial s})\\
&\quad+4\frac{df}{dt}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_4\frac{\partial}{\partial s})+f[Ad(-A_0\frac{\partial}{\partial s})](A_5\frac{\partial}{\partial s})\Big\}\Big]\Sigma(s+A(t))\Big|_{s=0}\\
&=\text{traceless terms}\ ,
\end{aligned}
\qquad\text{(A7)}
$$

$$
\begin{aligned}
&\left[\frac{d^6}{dt^6}\Sigma[A(t)]\right]_{t=0}\\
&=e^{Ad(A_0\frac{\partial}{\partial s})}\Big[e^{-A_0\frac{\partial}{\partial s}}\frac{d^5}{dt^5}e^{A(t)\frac{\partial}{\partial s}}\Big|_{t=0}[Ad(-A_0\frac{\partial}{\partial s})](A_1\frac{\partial}{\partial s})+e^{-A_0\frac{\partial}{\partial s}}\frac{d^4}{dt^4}e^{A(t)\frac{\partial}{\partial s}}\Big|_{t=0}\Big\{5\frac{df}{dt}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_1\frac{\partial}{\partial s})\\
&\quad+5f[Ad(-A_0\frac{\partial}{\partial s})]\Big|_{t=0}(A_2\frac{\partial}{\partial s})\Big\}+e^{-A_0\frac{\partial}{\partial s}}\frac{d^3}{dt^3}e^{A(t)\frac{\partial}{\partial s}}\Big|_{t=0}\Big\{10\frac{d^2f}{dt^2}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_1\frac{\partial}{\partial s})\\
&\quad+20\frac{df}{dt}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_2\frac{\partial}{\partial s})+10f[Ad(-A_0\frac{\partial}{\partial s})](A_3\frac{\partial}{\partial s})\Big\}\\
&\quad+e^{-A_0\frac{\partial}{\partial s}}\frac{d^2}{dt^2}e^{A(t)\frac{\partial}{\partial s}}\Big|_{t=0}\Big\{10\frac{d^3f}{dt^3}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_1\frac{\partial}{\partial s})+30\frac{d^2f}{dt^2}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_2\frac{\partial}{\partial s})\\
&\quad+30\frac{df}{dt}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_3\frac{\partial}{\partial s})+10f[Ad(-A_0\frac{\partial}{\partial s})](A_4\frac{\partial}{\partial s})\Big\}\\
&\quad+e^{-A_0\frac{\partial}{\partial s}}\frac{d}{dt}e^{A(t)\frac{\partial}{\partial s}}\Big|_{t=0}\Big\{5\frac{d^4f}{dt^4}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_1\frac{\partial}{\partial s})+20\frac{d^3f}{dt^3}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_2\frac{\partial}{\partial s})\\
&\quad+30\frac{d^2f}{dt^2}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_3\frac{\partial}{\partial s})+20\frac{df}{dt}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_4\frac{\partial}{\partial s})+5f[Ad(-A_0\frac{\partial}{\partial s})](A_5\frac{\partial}{\partial s})\Big\}\\
&\quad+\Big\{\frac{d^5f}{dt^5}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_1\frac{\partial}{\partial s})+5\frac{d^4f}{dt^4}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_2\frac{\partial}{\partial s})+10\frac{d^3f}{dt^3}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_3\frac{\partial}{\partial s})\\
&\quad+10\frac{d^2f}{dt^2}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_4\frac{\partial}{\partial s})+5\frac{df}{dt}[Ad(-A(t)\frac{\partial}{\partial s})]\Big|_{t=0}(A_5\frac{\partial}{\partial s})+f[Ad(-A_0\frac{\partial}{\partial s})](A_6\frac{\partial}{\partial s})\Big\}\Big]\Sigma(s+A_0)\Big|_{s=0}\\
&=\frac{1}{9}(\mu\underline{\mu}\nu)(\lambda\underline{\nu\lambda})\Sigma_k'''-\frac{1}{6}(\mu\underline{\mu}\nu\lambda)(\underline{\nu\lambda})\Sigma_k'''-\frac{1}{6}(\mu\nu\underline{\mu}\lambda)(\underline{\nu\lambda})\Sigma_k'''-\frac{1}{6}(\mu\nu\underline{\nu}\lambda)(\underline{\mu\lambda})\Sigma_k'''-\frac{4}{27}(\mu\nu\lambda)(\underline{\mu\nu\lambda})\Sigma_k'''-\frac{4}{27}(\mu\nu\lambda)(\underline{\nu\mu\lambda})\Sigma_k'''\\
&\quad-\frac{1}{24}(\mu\nu\underline{\nu}\lambda)(\underline{\mu}\rho)k_\lambda k_\rho\Sigma_k''''-\frac{1}{24}(\mu\nu\underline{\mu}\lambda)(\underline{\nu}\rho)k_\lambda k_\rho\Sigma_k''''-\frac{1}{18}(\mu\underline{\mu}\nu)(\lambda\underline{\lambda}\rho)k_\nu k_\rho\Sigma_k''''-\frac{1}{4}(\mu\nu\lambda\rho)(\underline{\lambda\rho})k_\mu k_\nu\Sigma_k''''\\
&\quad+\frac{1}{4}(\mu\nu\lambda\rho)(\underline{\nu\lambda})k_\mu k_\rho\Sigma_k''''+\frac{1}{4}(\mu\nu\lambda\rho)(\underline{\mu\lambda})k_\nu k_\rho\Sigma_k''''-\frac{1}{4}(\mu\underline{\mu}\nu\lambda)(\underline{\nu}\rho)k_\lambda k_\rho\Sigma_k''''-\frac{7}{54}(\mu\nu\lambda)(\rho\underline{\nu\rho})k_\mu k_\lambda\Sigma_k''''\\
&\quad-\frac{2}{9}(\mu\nu\lambda)(\rho\underline{\nu\lambda})k_\mu k_\rho\Sigma_k''''+\frac{2}{9}(\mu\nu\lambda)(\rho\underline{\mu\nu})k_\lambda k_\rho\Sigma_k''''+\frac{2}{9}(\mu\nu\lambda)(\underline{\nu\lambda}\rho)k_\mu k_\rho\Sigma_k''''-\frac{2}{9}(\mu\nu\lambda)(\underline{\mu\nu}\rho)k_\lambda k_\rho\Sigma_k''''\\
&\quad+\frac{11}{54}(\mu\underline{\mu}\nu)(\lambda\underline{\nu}\rho)k_\lambda k_\rho\Sigma_k''''+\frac{5}{24}(\mu\nu\underline{\nu}\lambda)(\underline{\lambda}\rho)k_\mu k_\rho\Sigma_k''''+\frac{5}{24}(\mu\nu\underline{\mu}\lambda)(\underline{\lambda}\rho)k_\nu k_\rho\Sigma_k''''-\frac{1}{12}(\mu\nu)(\underline{\mu}\lambda)(\underline{\lambda}\rho)k_\nu k_\rho\Sigma_k''''\\
&\quad-\frac{1}{12}(\mu\nu)(\lambda\rho)(\underline{\mu\lambda})k_\nu k_\rho\Sigma_k''''+\frac{1}{8}(\mu\nu\underline{\nu}\lambda)(\underline{\lambda}\rho)k_\rho\Sigma_k'''\frac{\partial}{\partial k^\mu}+\frac{1}{12}(\mu\nu\underline{\nu}\lambda)(\underline{\lambda}\rho)k_\mu\Sigma_k'''\frac{\partial}{\partial k^\rho}+\frac{1}{24}(\mu\nu\underline{\nu}\lambda)(\underline{\mu}\rho)k_\rho\Sigma_k'''\frac{\partial}{\partial k^\lambda}
\end{aligned}
$$

$$
\begin{aligned}
&+\frac{1}{12}(\mu\nu\underline{\nu}\lambda)(\underline{\mu}\rho)k_\lambda\Sigma_k'''\frac{\partial}{\partial k^\rho}+\frac{1}{8}(\mu\nu\underline{\mu}\lambda)(\underline{\lambda}\rho)k_\rho\Sigma_k'''\frac{\partial}{\partial k^\nu}+\frac{1}{12}(\mu\nu\underline{\mu}\lambda)(\underline{\lambda}\rho)k_\nu\Sigma_k'''\frac{\partial}{\partial k^\rho}+\frac{1}{24}(\mu\nu\underline{\mu}\lambda)(\underline{\nu}\rho)k_\rho\Sigma_k'''\frac{\partial}{\partial k^\lambda}\\
&+\frac{1}{12}(\mu\nu\underline{\mu}\lambda)(\underline{\nu}\rho)k_\lambda\Sigma_k'''\frac{\partial}{\partial k^\rho}+\frac{1}{18}(\mu\underline{\mu}\nu)(\lambda\underline{\lambda}\rho)k_\rho\Sigma_k'''\frac{\partial}{\partial k^\nu}+\frac{1}{18}(\mu\underline{\mu}\nu)(\lambda\underline{\lambda}\rho)k_\nu\Sigma_k'''\frac{\partial}{\partial k^\rho}-\frac{1}{6}(\mu\nu\lambda\rho)(\underline{\lambda\rho})k_\nu\Sigma_k'''\frac{\partial}{\partial k^\mu}\\
&-\frac{1}{6}(\mu\nu\lambda\rho)(\underline{\lambda\rho})k_\mu\Sigma_k'''\frac{\partial}{\partial k^\nu}+\frac{1}{6}(\mu\nu\lambda\rho)(\underline{\nu\lambda})k_\rho\Sigma_k'''\frac{\partial}{\partial k^\mu}+\frac{1}{6}(\mu\nu\lambda\rho)(\underline{\nu\lambda})k_\mu\Sigma_k'''\frac{\partial}{\partial k^\rho}+\frac{1}{6}(\mu\nu\lambda\rho)(\underline{\mu\lambda})k_\rho\Sigma_k'''\frac{\partial}{\partial k^\nu}\\
&+\frac{1}{6}(\mu\nu\lambda\rho)(\underline{\mu\lambda})k_\nu\Sigma_k'''\frac{\partial}{\partial k^\rho}-\frac{1}{12}(\mu\underline{\mu}\nu\lambda)(\underline{\nu}\rho)k_\rho\Sigma_k'''\frac{\partial}{\partial k^\lambda}-\frac{2}{27}(\mu\nu\lambda)(\rho\underline{\nu\rho})k_\lambda\Sigma_k'''\frac{\partial}{\partial k^\mu}-\frac{4}{27}(\mu\nu\lambda)(\rho\underline{\nu\rho})k_\mu\Sigma_k'''\frac{\partial}{\partial k^\lambda}\\
&-\frac{4}{27}(\mu\nu\lambda)(\rho\underline{\nu\lambda})k_\rho\Sigma_k'''\frac{\partial}{\partial k^\mu}-\frac{4}{27}(\mu\nu\lambda)(\rho\underline{\nu\lambda})k_\mu\Sigma_k'''\frac{\partial}{\partial k^\rho}+\frac{4}{27}(\mu\nu\lambda)(\rho\underline{\mu\nu})k_\rho\Sigma_k'''\frac{\partial}{\partial k^\lambda}+\frac{4}{27}(\mu\nu\lambda)(\rho\underline{\mu\nu})k_\lambda\Sigma_k'''\frac{\partial}{\partial k^\rho}\\
&+\frac{4}{27}(\mu\nu\lambda)(\underline{\nu\lambda}\rho)k_\rho\Sigma_k'''\frac{\partial}{\partial k^\mu}+\frac{4}{27}(\mu\nu\lambda)(\underline{\nu\lambda}\rho)k_\mu\Sigma_k'''\frac{\partial}{\partial k^\rho}-\frac{4}{27}(\mu\nu\lambda)(\underline{\mu\nu}\rho)k_\rho\Sigma_k'''\frac{\partial}{\partial k^\lambda}+\frac{4}{27}(\mu\underline{\mu}\nu)(\lambda\underline{\nu}\rho)k_\rho\Sigma_k'''\frac{\partial}{\partial k^\lambda}\\
&+\frac{2}{27}(\mu\underline{\mu}\nu)(\lambda\underline{\nu}\rho)k_\lambda\Sigma_k'''\frac{\partial}{\partial k^\rho}-\frac{2}{27}(\mu\nu\lambda)(\rho\underline{\mu\rho})k_\nu\Sigma_k'''\frac{\partial}{\partial k^\lambda}+\frac{4}{27}(\mu\nu\lambda)(\underline{\nu\mu}\rho)k_\lambda\Sigma_k'''\frac{\partial}{\partial k^\rho}-\frac{2}{27}(\mu\underline{\mu}\nu)(\underline{\nu}\lambda\rho)k_\lambda\Sigma_k'''\frac{\partial}{\partial k^\rho}\\
&-\frac{1}{6}(\mu\nu)(\underline{\mu\nu})(\lambda\rho)k_\lambda\Sigma_k'''\frac{\partial}{\partial k^\rho}-\frac{1}{12}(\mu\nu)(\lambda\rho)(\underline{\mu\lambda})k_\nu\Sigma_k'''\frac{\partial}{\partial k^\rho}-\frac{1}{12}(\mu\nu)(\lambda\rho)(\underline{\lambda\rho})k_\mu\Sigma_k'''\frac{\partial}{\partial k^\nu}-\frac{1}{12}(\mu\nu)(\underline{\mu}\lambda)(\underline{\lambda}\rho)k_\nu\Sigma_k'''\frac{\partial}{\partial k^\rho}\\
&+\frac{1}{16}(\mu\nu\underline{\nu}\lambda)(\underline{\lambda}\rho)\Sigma_k''\frac{\partial^2}{\partial k^\mu\partial k^\rho}-\frac{1}{16}(\mu\nu\underline{\nu}\lambda)(\underline{\mu}\rho)\Sigma_k''\frac{\partial^2}{\partial k^\lambda\partial k^\rho}+\frac{1}{16}(\mu\nu\underline{\mu}\lambda)(\underline{\lambda}\rho)\Sigma_k''\frac{\partial^2}{\partial k^\nu\partial k^\rho}-\frac{1}{16}(\mu\nu\underline{\mu}\lambda)(\underline{\nu}\rho)\Sigma_k''\frac{\partial^2}{\partial k^\lambda\partial k^\rho}\\
&-\frac{1}{18}(\mu\underline{\mu}\nu)(\lambda\underline{\lambda}\rho)\Sigma_k''\frac{\partial^2}{\partial k^\nu\partial k^\rho}-\frac{1}{8}(\mu\nu\lambda\rho)(\underline{\lambda\rho})\Sigma_k''\frac{\partial^2}{\partial k^\mu\partial k^\nu}+\frac{1}{8}(\mu\nu\lambda\rho)(\underline{\nu\lambda})\Sigma_k''\frac{\partial^2}{\partial k^\mu\partial k^\rho}+\frac{1}{8}(\mu\nu\lambda\rho)(\underline{\mu\lambda})\Sigma_k''\frac{\partial^2}{\partial k^\nu\partial k^\rho}\\
&-\frac{1}{8}(\mu\underline{\mu}\nu\lambda)(\underline{\nu}\rho)\Sigma_k''\frac{\partial^2}{\partial k^\lambda\partial k^\rho}-\frac{1}{9}(\mu\nu\lambda)(\rho\underline{\nu\rho})\Sigma_k''\frac{\partial^2}{\partial k^\mu\partial k^\lambda}-\frac{1}{9}(\mu\nu\lambda)(\rho\underline{\nu\lambda})\Sigma_k''\frac{\partial^2}{\partial k^\mu\partial k^\rho}+\frac{1}{9}(\mu\nu\lambda)(\rho\underline{\mu\nu})\Sigma_k''\frac{\partial^2}{\partial k^\lambda\partial k^\rho}\\
&+\frac{1}{9}(\mu\nu\lambda)(\underline{\nu\lambda}\rho)\Sigma_k''\frac{\partial^2}{\partial k^\mu\partial k^\rho}-\frac{1}{9}(\mu\nu\lambda)(\underline{\mu\nu}\rho)\Sigma_k''\frac{\partial^2}{\partial k^\lambda\partial k^\rho}-\frac{1}{6}(\mu\nu)(\underline{\mu}\lambda)(\underline{\nu}\rho)k_\lambda\Sigma_k'''\frac{\partial}{\partial k^\rho}-\frac{1}{8}(\mu\nu)(\underline{\mu}\lambda)(\underline{\lambda}\rho)\Sigma_k''\frac{\partial^2}{\partial k^\nu\partial k^\rho}\\
&-\frac{1}{8}(\mu\nu)(\underline{\mu}\lambda)(\underline{\nu}\rho)\Sigma_k''\frac{\partial^2}{\partial k^\lambda\partial k^\rho}-\frac{16}{45}(\mu\nu\lambda)(\rho\underline{\nu}\sigma)k_\mu k_\lambda k_\rho k_\sigma\Sigma_k'''''-\frac{2}{5}(\mu\nu\lambda\rho)(\underline{\lambda}\sigma)k_\mu k_\nu k_\rho k_\sigma\Sigma_k'''''\\
&-\frac{1}{4}(\mu\nu\lambda\rho)(\underline{\lambda}\sigma)k_\nu k_\rho k_\sigma\Sigma_k''''\frac{\partial}{\partial k^\mu}-\frac{1}{4}(\mu\nu\lambda\rho)(\underline{\lambda}\sigma)k_\mu k_\rho k_\sigma\Sigma_k''''\frac{\partial}{\partial k^\nu}-\frac{2}{9}(\mu\nu\lambda)(\rho\underline{\nu}\sigma)k_\lambda k_\rho k_\sigma\Sigma_k''''\frac{\partial}{\partial k^\mu}\\
&-\frac{2}{9}(\mu\nu\lambda)(\rho\underline{\nu}\sigma)k_\mu k_\lambda k_\sigma\Sigma_k''''\frac{\partial}{\partial k^\rho}-\frac{1}{27}(\mu\nu\lambda)(\rho\underline{\nu}\sigma)k_\mu k_\lambda k_\rho\Sigma_k''''\frac{\partial}{\partial k^\sigma}+\frac{1}{12}(\mu\nu\lambda\rho)(\underline{\nu}\sigma)k_\mu k_\lambda k_\sigma\Sigma_k''''\frac{\partial}{\partial k^\rho}\\
&+\frac{1}{12}(\mu\nu\lambda\rho)(\underline{\mu}\sigma)k_\nu k_\lambda k_\sigma\Sigma_k''''\frac{\partial}{\partial k^\rho}+\frac{1}{6}(\mu\nu\underline{\nu}\lambda)(\rho\sigma)k_\mu k_\lambda k_\rho\Sigma_k''''\frac{\partial}{\partial k^\sigma}+\frac{1}{6}(\mu\nu\underline{\mu}\lambda)(\rho\sigma)k_\nu k_\lambda k_\rho\Sigma_k''''\frac{\partial}{\partial k^\sigma}\\
&+\frac{1}{27}(\mu\nu\lambda)(\rho\underline{\mu}\sigma)k_\nu k_\rho k_\sigma\Sigma_k''''\frac{\partial}{\partial k^\lambda}+\frac{1}{9}(\mu\nu\lambda)(\rho\underline{\rho}\sigma)k_\mu k_\nu k_\sigma\Sigma_k''''\frac{\partial}{\partial k^\lambda}+\frac{1}{9}(\mu\underline{\mu}\nu)(\lambda\rho\sigma)k_\nu k_\lambda k_\rho\Sigma_k''''\frac{\partial}{\partial k^\sigma}\\
&-\frac{1}{4}(\mu\nu)(\underline{\mu}\lambda)(\rho\sigma)k_\nu k_\lambda k_\rho\Sigma_k''''\frac{\partial}{\partial k^\sigma}-\frac{1}{12}(\mu\nu)(\lambda\rho)(\underline{\lambda}\sigma)k_\mu k_\rho k_\sigma\Sigma_k''''\frac{\partial}{\partial k^\nu}-\frac{5}{27}(\mu\nu\lambda)(\rho\underline{\nu}\sigma)k_\mu k_\rho k_\sigma\Sigma_k''''\frac{\partial}{\partial k^\lambda}\\
&+\frac{5}{27}(\mu\nu\lambda)(\underline{\nu}\rho\sigma)k_\mu k_\lambda k_\rho\Sigma_k''''\frac{\partial}{\partial k^\sigma}-\frac{1}{6}(\mu\nu\lambda\rho)(\underline{\lambda}\sigma)k_\mu k_\nu k_\sigma\Sigma_k''''\frac{\partial}{\partial k^\rho}-\frac{1}{12}(\mu\nu\lambda\rho)(\underline{\lambda}\sigma)k_\nu k_\sigma\Sigma_k'''\frac{\partial^2}{\partial k^\mu\partial k^\rho}\\
&-\frac{1}{12}(\mu\nu\lambda\rho)(\underline{\lambda}\sigma)k_\mu k_\sigma\Sigma_k'''\frac{\partial^2}{\partial k^\nu\partial k^\rho}-\frac{4}{27}(\mu\nu\lambda)(\rho\underline{\nu}\sigma)k_\lambda k_\sigma\Sigma_k'''\frac{\partial^2}{\partial k^\mu\partial k^\rho}+\frac{2}{27}(\mu\nu\lambda)(\rho\underline{\nu}\sigma)k_\mu k_\lambda\Sigma_k'''\frac{\partial^2}{\partial k^\rho\partial k^\sigma}\\
&+\frac{1}{12}(\mu\nu\lambda\rho)(\underline{\nu}\sigma)k_\lambda k_\sigma\Sigma_k'''\frac{\partial^2}{\partial k^\mu\partial k^\rho}-\frac{1}{6}(\mu\nu\lambda\rho)(\underline{\nu}\sigma)k_\mu k_\lambda\Sigma_k'''\frac{\partial^2}{\partial k^\rho\partial k^\sigma}+\frac{1}{12}(\mu\nu\lambda\rho)(\underline{\mu}\sigma)k_\lambda k_\sigma\Sigma_k'''\frac{\partial^2}{\partial k^\nu\partial k^\rho}\\
&-\frac{1}{6}(\mu\nu\lambda\rho)(\underline{\mu}\sigma)k_\nu k_\lambda\Sigma_k'''\frac{\partial^2}{\partial k^\rho\partial k^\sigma}+\frac{1}{8}(\mu\nu\underline{\nu}\lambda)(\rho\sigma)k_\lambda k_\rho\Sigma_k'''\frac{\partial^2}{\partial k^\mu\partial k^\sigma}-\frac{1}{8}(\mu\nu\underline{\nu}\lambda)(\rho\sigma)k_\mu k_\rho\Sigma_k'''\frac{\partial^2}{\partial k^\lambda\partial k^\sigma}\\
&+\frac{1}{8}(\mu\nu\underline{\mu}\lambda)(\rho\sigma)k_\lambda k_\rho\Sigma_k'''\frac{\partial^2}{\partial k^\nu\partial k^\sigma}-\frac{1}{8}(\mu\nu\underline{\mu}\lambda)(\rho\sigma)k_\nu k_\rho\Sigma_k'''\frac{\partial^2}{\partial k^\lambda\partial k^\sigma}-\frac{4}{27}(\mu\nu\lambda)(\rho\underline{\mu}\sigma)k_\nu k_\rho\Sigma_k'''\frac{\partial^2}{\partial k^\lambda\partial k^\sigma}\\
&+\frac{1}{9}(\mu\nu\lambda)(\rho\underline{\rho}\sigma)k_\nu k_\sigma\Sigma_k'''\frac{\partial^2}{\partial k^\mu\partial k^\lambda}-\frac{1}{9}(\mu\nu\lambda)(\rho\underline{\rho}\sigma)k_\mu k_\nu\Sigma_k'''\frac{\partial^2}{\partial k^\lambda\partial k^\sigma}-\frac{1}{9}(\mu\underline{\mu}\nu)(\lambda\rho\sigma)k_\lambda k_\rho\Sigma_k'''\frac{\partial^2}{\partial k^\nu\partial k^\sigma}\\
&+\frac{1}{9}(\mu\underline{\mu}\nu)(\lambda\rho\sigma)k_\nu k_\rho\Sigma_k'''\frac{\partial^2}{\partial k^\lambda\partial k^\sigma}-\frac{1}{6}(\mu\nu)(\underline{\mu}\lambda)(\rho\sigma)k_\lambda k_\rho\Sigma_k'''\frac{\partial^2}{\partial k^\nu\partial k^\sigma}-\frac{1}{12}(\mu\nu)(\lambda\rho)(\underline{\lambda}\sigma)k_\mu k_\sigma\Sigma_k'''\frac{\partial^2}{\partial k^\nu\partial k^\rho}\\
&+\frac{1}{12}(\mu\nu)(\lambda\rho)(\underline{\lambda}\sigma)k_\mu k_\rho\Sigma_k'''\frac{\partial^2}{\partial k^\nu\partial k^\sigma}-\frac{1}{4}(\mu\underline{\mu}\nu\lambda)(\rho\sigma)k_\nu k_\rho\Sigma_k'''\frac{\partial^2}{\partial k^\lambda\partial k^\sigma}+\frac{4}{27}(\mu\nu\lambda)(\underline{\nu}\rho\sigma)k_\lambda k_\rho\Sigma_k'''\frac{\partial^2}{\partial k^\mu\partial k^\sigma}
\end{aligned}
$$

$$
\begin{aligned}
&-\frac{4}{27}(\mu\nu\lambda)(\underline{\mu}\rho\sigma)k_\nu k_\rho\Sigma_k'''\frac{\partial^2}{\partial k^\lambda\partial k^\sigma}-\frac{2}{27}(\mu\nu\lambda)(\rho\underline{\nu}\sigma)k_\rho k_\sigma\Sigma_k'''\frac{\partial^2}{\partial k^\mu\partial k^\lambda}-\frac{1}{6}(\mu\nu\lambda\rho)(\underline{\lambda}\sigma)k_\mu k_\nu\Sigma_k'''\frac{\partial^2}{\partial k^\rho\partial k^\sigma}\\
&-\frac{4}{27}(\mu\nu\lambda)(\rho\underline{\nu}\sigma)k_\mu k_\sigma\Sigma_k'''\frac{\partial^2}{\partial k^\lambda\partial k^\rho}-\frac{4}{27}(\mu\nu\lambda)(\rho\underline{\nu}\sigma)k_\mu k_\rho\Sigma_k'''\frac{\partial^2}{\partial k^\lambda\partial k^\sigma}-\frac{1}{6}(\mu\nu\lambda\rho)(\underline{\lambda}\sigma)k_\rho k_\sigma\Sigma_k'''\frac{\partial^2}{\partial k^\mu\partial k^\nu}\\
&-\frac{1}{8}(\mu\nu\lambda\rho)(\underline{\lambda}\sigma)k_\nu\Sigma_k''\frac{\partial^3}{\partial k^\mu\partial k^\rho\partial k^\sigma}-\frac{1}{8}(\mu\nu\lambda\rho)(\underline{\lambda}\sigma)k_\mu\Sigma_k''\frac{\partial^3}{\partial k^\nu\partial k^\rho\partial k^\sigma}-\frac{1}{9}(\mu\nu\lambda)(\rho\underline{\nu}\sigma)k_\sigma\Sigma_k''\frac{\partial^3}{\partial k^\mu\partial k^\lambda\partial k^\rho}\\
&-\frac{1}{9}(\mu\nu\lambda)(\rho\underline{\nu}\sigma)k_\rho\Sigma_k''\frac{\partial^3}{\partial k^\mu\partial k^\lambda\partial k^\sigma}+\frac{1}{9}(\mu\nu\lambda)(\rho\underline{\nu}\sigma)k_\lambda\Sigma_k''\frac{\partial^3}{\partial k^\mu\partial k^\rho\partial k^\sigma}-\frac{1}{9}(\mu\nu\lambda)(\rho\underline{\nu}\sigma)k_\mu\Sigma_k''\frac{\partial^3}{\partial k^\lambda\partial k^\rho\partial k^\sigma}\\
&-\frac{1}{8}(\mu\nu\lambda\rho)(\underline{\nu}\sigma)k_\lambda\Sigma_k''\frac{\partial^3}{\partial k^\mu\partial k^\rho\partial k^\sigma}-\frac{1}{8}(\mu\nu\lambda\rho)(\underline{\mu}\sigma)k_\lambda\Sigma_k''\frac{\partial^3}{\partial k^\nu\partial k^\rho\partial k^\sigma}-\frac{1}{8}(\mu\nu\underline{\nu}\lambda)(\rho\sigma)k_\rho\Sigma_k''\frac{\partial^3}{\partial k^\mu\partial k^\lambda\partial k^\sigma}\\
&-\frac{1}{8}(\mu\nu\underline{\mu}\lambda)(\rho\sigma)k_\rho\Sigma_k''\frac{\partial^3}{\partial k^\nu\partial k^\lambda\partial k^\sigma}-\frac{2}{9}(\mu\nu\lambda)(\rho\underline{\mu}\sigma)k_\nu\Sigma_k''\frac{\partial^3}{\partial k^\lambda\partial k^\rho\partial k^\sigma}-\frac{1}{9}(\mu\nu\lambda)(\rho\underline{\rho}\sigma)k_\nu\Sigma_k''\frac{\partial^3}{\partial k^\mu\partial k^\lambda\partial k^\sigma}\\
&-\frac{1}{9}(\mu\underline{\mu}\nu)(\lambda\rho\sigma)k_\rho\Sigma_k''\frac{\partial^3}{\partial k^\nu\partial k^\lambda\partial k^\sigma}-\frac{1}{8}(\mu\nu)(\underline{\mu}\lambda)(\rho\sigma)k_\rho\Sigma_k''\frac{\partial^3}{\partial k^\nu\partial k^\lambda\partial k^\sigma}-\frac{1}{8}(\mu\nu)(\lambda\rho)(\underline{\lambda}\sigma)k_\mu\Sigma_k''\frac{\partial^3}{\partial k^\nu\partial k^\rho\partial k^\sigma}\\
&-\frac{1}{8}(\mu\nu\lambda\rho)(\underline{\lambda}\sigma)\Sigma_k'\frac{\partial^4}{\partial k^\mu\partial k^\nu\partial k^\rho\partial k^\sigma}-\frac{1}{9}(\mu\nu\lambda)(\rho\underline{\nu}\sigma)\Sigma_k'\frac{\partial^4}{\partial k^\mu\partial k^\lambda\partial k^\rho\partial k^\sigma}+\frac{1}{6}(\mu\nu)(\lambda\rho)(\underline{\mu}\sigma)k_\nu k_\lambda\Sigma_k'''\frac{\partial^2}{\partial k^\rho\partial k^\sigma}\\
&-\frac{1}{3}(\mu\nu\lambda\rho)(\sigma\delta)k_\mu k_\nu k_\lambda k_\sigma\Sigma_k''''\frac{\partial^2}{\partial k^\rho\partial k^\delta}-\frac{2}{9}(\mu\nu\lambda)(\rho\sigma\delta)k_\mu k_\nu k_\rho k_\sigma\Sigma_k''''\frac{\partial^2}{\partial k^\lambda\partial k^\delta}-\frac{1}{4}(\mu\nu\lambda\rho)(\sigma\delta)k_\nu k_\lambda k_\sigma\Sigma_k'''\frac{\partial^3}{\partial k^\mu\partial k^\rho\partial k^\delta}\\
&-\frac{1}{4}(\mu\nu\lambda\rho)(\sigma\delta)k_\mu k_\lambda k_\sigma\Sigma_k'''\frac{\partial^3}{\partial k^\nu\partial k^\rho\partial k^\delta}-\frac{2}{9}(\mu\nu\lambda)(\rho\sigma\delta)k_\nu k_\rho k_\sigma\Sigma_k'''\frac{\partial^3}{\partial k^\mu\partial k^\lambda\partial k^\delta}-\frac{2}{9}(\mu\nu\lambda)(\rho\sigma\delta)k_\mu k_\nu k_\sigma\Sigma_k'''\frac{\partial^3}{\partial k^\lambda\partial k^\rho\partial k^\delta}\\
&-\frac{1}{4}(\mu\nu\lambda\rho)(\sigma\delta)k_\lambda k_\sigma\Sigma_k''\frac{\partial^4}{\partial k^\mu\partial k^\nu\partial k^\rho\partial k^\delta}-\frac{2}{9}(\mu\nu\lambda)(\rho\sigma\delta)k_\nu k_\sigma\Sigma_k''\frac{\partial^4}{\partial k^\mu\partial k^\lambda\partial k^\rho\partial k^\delta}-\frac{1}{6}(\mu\nu)(\lambda\rho)(\sigma\delta)k_\mu k_\lambda k_\sigma\Sigma_k'''\frac{\partial^3}{\partial k^\nu\partial k^\rho\partial k^\delta}\\
&+\text{traceless terms}\ .
\end{aligned}
\tag{A8}
$$

Finally, we list down the p^3, p^4, p^5, p^6 order low energy expansion result for B used in (18),

$$
\begin{aligned}
B_3 \ = \ &-6ds_\Omega^\mu\gamma_\mu\tau+6idp_\Omega^\mu\gamma_\mu\gamma_5\tau-6ia_\Omega^\mu s\gamma_\mu\gamma_5\tau-6a_\Omega^\mu p\gamma_\mu\tau-6is_\Omega a_\Omega^\mu\gamma_\mu\gamma_5\tau-6p_\Omega a_\Omega^\mu\gamma_\mu\tau\\
&-3i(\mu\nu\lambda)\gamma_\nu\gamma_\lambda\tau\frac{\partial}{\partial k^\mu}+3ia_\Omega^\mu(\nu a_\Omega^\lambda)\gamma_\mu\gamma_\lambda\tau\frac{\partial}{\partial k^\nu}+3i(\mu a_\Omega^\nu)a_\Omega^\lambda\gamma_\nu\gamma_\lambda\tau\frac{\partial}{\partial k^\mu}-3ia_\Omega^\mu(\nu a_\Omega^\lambda)\gamma_\lambda\gamma_\mu\tau\frac{\partial}{\partial k^\nu}\\
&-3i(\mu a_\Omega^\nu)a_\Omega^\lambda\gamma_\lambda\gamma_\nu\tau\frac{\partial}{\partial k^\mu}-3(\mu\nabla_{a_\Omega}^{\ \nu}\nabla_{a_\Omega}^{\ \lambda})\gamma_\nu\gamma_\lambda\gamma_5\tau\frac{\partial}{\partial k^\mu}-2i(\mu\underline{\mu}\nu)\tau\frac{\partial}{\partial k^\nu}+6ia_\Omega^\mu(\nu a_{\Omega\mu})\tau\frac{\partial}{\partial k^\nu}\\
&+6i(\mu a_\Omega^\nu)a_{\Omega\nu}\tau\frac{\partial}{\partial k^\mu}-12i(\mu s_\Omega)\tau k_\mu\Sigma_k'+12(\mu p_\Omega)\gamma_5\tau k_\mu\Sigma_k'-12i(\mu s_\Omega)\tau\Sigma_k\frac{\partial}{\partial k^\mu}\\
&+4i(\mu\underline{\mu}\nu)\tau k_\nu\Sigma_k\Sigma_k''+4i(\mu\underline{\mu}\nu)\tau k_\nu\Sigma_k'^2-4i(\mu\nu\lambda)\tau k_\nu\frac{\partial^2}{\partial k^\mu\partial k^\lambda}-4i(\mu\underline{\mu}\nu)\tau\Sigma_k\Sigma_k'\frac{\partial}{\partial k^\nu}\\
&-6i(\mu\underline{\mu}a_\Omega^\nu)\gamma_\nu\gamma_5\tau\Sigma_k'-12i(\mu\nu a_\Omega^\lambda)\gamma_\lambda\gamma_5\tau k_\mu k_\nu\Sigma_k''-6i(\mu\nu a_\Omega^\lambda)\gamma_\lambda\gamma_5\tau k_\mu\Sigma_k'\frac{\partial}{\partial k^\nu}-6i(\mu\nu a_\Omega^\lambda)\gamma_\lambda\gamma_5\tau k_\nu\Sigma_k'\frac{\partial}{\partial k^\mu}\\
&-6i(\mu\nu a_\Omega^\lambda)\gamma_\lambda\gamma_5\tau\Sigma_k\frac{\partial^2}{\partial k^\mu\partial k^\nu}+3(\mu\nu)a_{\Omega\mu}\gamma_5\tau\frac{\partial}{\partial k^\nu}+3a_\Omega^\mu(\underline{\mu}\nu)\gamma_5\tau\frac{\partial}{\partial k^\nu}-6i(\mu\nu)a_\Omega^\lambda\gamma_\lambda\gamma_5\tau k_\mu\Sigma_k'\frac{\partial}{\partial k^\nu}\\
&+3(\mu\nu a_{\Omega\mu})\gamma_5\tau\frac{\partial}{\partial k^\nu}+3(\mu\nu a_{\Omega\nu})\gamma_5\tau\frac{\partial}{\partial k^\mu}+6(\mu\nu a_\Omega^\lambda)\gamma_5\tau k_\lambda\frac{\partial^2}{\partial k^\mu\partial k^\nu}-6(\mu\nu\lambda)\gamma_\mu\tau k_\nu\Sigma_k'\frac{\partial}{\partial k^\lambda}\\
&-6(\mu\underline{\mu}\nu)\gamma_\nu\tau\Sigma_k'+12(\mu\nu\lambda)\gamma_\nu\tau k_\mu k_\lambda\Sigma_k''+6(\mu\nu\lambda)\gamma_\nu\tau k_\mu\Sigma_k'\frac{\partial}{\partial k^\lambda}+6(\mu\nu\lambda)\gamma_\nu\tau k_\lambda\Sigma_k'\frac{\partial}{\partial k^\mu}\\
&-6ia_\Omega^\mu(\nu\lambda)\gamma_\mu\gamma_5\tau k_\nu\Sigma_k'\frac{\partial}{\partial k^\lambda}-8i(\mu\nu\lambda)\tau k_\mu k_\nu\Sigma_k\Sigma_k''\frac{\partial}{\partial k^\lambda}-8i(\mu\nu\lambda)\tau k_\mu k_\nu\Sigma_k'^2\frac{\partial}{\partial k^\lambda}-8i(\mu\nu\lambda)\tau k_\nu\Sigma_k\Sigma_k'\frac{\partial^2}{\partial k^\mu\partial k^\lambda}\ ,
\end{aligned}
\tag{A9}
$$

$$
\begin{aligned}
B_4 \ = \ &-24s_\Omega^2\tau-24p_\Omega^2\tau+24i[s_\Omega,p_\Omega]\gamma_5\tau+24i(\mu d^\nu s_\Omega)\gamma_\nu\tau\frac{\partial}{\partial k^\mu}+24(\mu d^\nu p_\Omega)\gamma_\nu\gamma_5\tau\frac{\partial}{\partial k^\mu}-24a_\Omega^\mu(\nu s_\Omega)\gamma_\mu\gamma_5\tau\frac{\partial}{\partial k^\nu}\\
&-24(\mu a_\Omega^\nu)s_\Omega\gamma_\nu\gamma_5\tau\frac{\partial}{\partial k^\mu}+24ia_\Omega^\mu(\nu p_\Omega)\gamma_\mu\tau\frac{\partial}{\partial k^\nu}+24i(\mu a_\Omega^\nu)p_\Omega\gamma_\nu\tau\frac{\partial}{\partial k^\mu}-24s_\Omega(\mu a_\Omega^\nu)\gamma_\nu\gamma_5\tau\frac{\partial}{\partial k^\mu}\\
&-24(\mu s_\Omega)a_\Omega^\nu\gamma_\nu\gamma_5\tau\frac{\partial}{\partial k^\mu}+24ip_\Omega(\mu a_\Omega^\nu)\gamma_\nu\tau\frac{\partial}{\partial k^\mu}+24i(\mu p_\Omega)a_\Omega^\nu\gamma_\nu\tau\frac{\partial}{\partial k^\mu}-6(\mu\nu\lambda\rho)\gamma_\lambda\gamma_\rho\tau\frac{\partial^2}{\partial k^\mu\partial k^\nu}\\
&+6a_\Omega^\mu(\nu\lambda a_\Omega^\rho)\gamma_\mu\gamma_\rho\tau\frac{\partial^2}{\partial k^\nu\partial k^\lambda}+12(\mu a_\Omega^\nu)(\lambda a_\Omega^\rho)\gamma_\nu\gamma_\rho\tau\frac{\partial^2}{\partial k^\mu\partial k^\lambda}+6(\mu\nu a_\Omega^\lambda)a_\Omega^\rho\gamma_\lambda\gamma_\rho\tau\frac{\partial^2}{\partial k^\mu\partial k^\nu}
\end{aligned}
$$

$$-6a_\Omega^\mu(\nu\lambda a_\Omega^\rho)\gamma_\rho\gamma_\mu\tau\frac{\partial^2}{\partial k^\nu\partial k^\lambda} - 12(\mu a_\Omega^\nu)(\lambda a_\Omega^\rho)\gamma_\rho\gamma_\nu\tau\frac{\partial^2}{\partial k^\mu\partial k^\lambda} - 6(\mu\nu a_\Omega^\lambda)a_\Omega^\rho\gamma_\rho\gamma_\lambda\tau\frac{\partial^2}{\partial k^\mu\partial k^\nu}$$

$$+6i(\mu\nu(d^\lambda a_\Omega^\rho - d^\rho a_\Omega^\lambda))\gamma_\lambda\gamma_\rho\gamma_5\tau\frac{\partial^2}{\partial k^\mu\partial k^\nu} - 3(\mu\nu\underline{\nu}\lambda)\tau\frac{\partial^2}{\partial k^\mu\partial k^\lambda} - 3(\mu\nu\underline{\mu}\lambda)\tau\frac{\partial^2}{\partial k^\nu\partial k^\lambda} + 12a_\Omega^\mu(\nu\lambda a_{\Omega\mu})\tau\frac{\partial^2}{\partial k^\nu\partial k^\lambda}$$

$$+24(\mu a_\Omega^\nu)(\lambda a_{\Omega\nu})\tau\frac{\partial^2}{\partial k^\mu\partial k^\lambda} + 12(\mu\nu a_\Omega^\lambda)a_{\Omega\lambda}\tau\frac{\partial^2}{\partial k^\mu\partial k^\nu} - 12(\mu\nu)(\underline{\mu}\underline{\nu})\tau\Sigma_k\Sigma_k'' - 12(\mu\nu)(\underline{\mu}\underline{\nu})\tau\Sigma_k'^2$$

$$-6(\mu\nu)(\underline{\mu}\lambda)\tau\frac{\partial^2}{\partial k^\nu\partial k^\lambda} + 8(\mu\underline{\mu}\nu)a_\Omega^\lambda\gamma_\lambda\gamma_5\tau k_\nu\Sigma_k'' - 8(\mu\underline{\mu}\nu)a_\Omega^\lambda\gamma_\lambda\gamma_5\tau\Sigma_k'\frac{\partial}{\partial k^\nu} - 24(\mu\underline{\mu}s_\Omega)\tau\Sigma_k' - 24i(\mu\underline{\mu}p)\gamma_5\tau\Sigma_k'$$

$$-48(\mu\nu s_\Omega)\tau k_\mu k_\nu\Sigma_k'' - 48i(\mu\nu p_\Omega)\gamma_5\tau k_\mu k_\nu\Sigma_k'' - 24(\mu\nu s_\Omega)\tau k_\mu\Sigma_k'\frac{\partial}{\partial k^\nu} - 24i(\mu\nu p_\Omega)\gamma_5\tau k_\mu\Sigma_k'\frac{\partial}{\partial k^\nu}$$

$$-24(\mu\nu s_\Omega)\tau k_\nu\Sigma_k'\frac{\partial}{\partial k^\mu} - 24i(\mu\nu p_\Omega)\gamma_5\tau k_\nu\Sigma_k'\frac{\partial}{\partial k^\mu} - 24(\mu\nu s_\Omega)\tau\Sigma_k\frac{\partial^2}{\partial k^\mu\partial k^\nu} - 8i(\mu\nu\underline{\nu}\lambda)\gamma_\mu\tau k_\lambda\Sigma_k''$$

$$+8i(\mu\nu\underline{\nu}\lambda)\gamma_\mu\tau\Sigma_k'\frac{\partial}{\partial k^\lambda} + 8a_\Omega^\mu(\nu\underline{\nu}\lambda)\gamma_\mu\gamma_5\tau k_\lambda\Sigma_k'' - 8a_\Omega^\mu(\nu\underline{\nu}\lambda)\gamma_\mu\gamma_5\tau\Sigma_k'\frac{\partial}{\partial k^\lambda} + 8(\mu\nu\underline{\nu}\lambda)\tau k_\mu k_\lambda\Sigma_k\Sigma_k'''$$

$$+8(\mu\nu\underline{\mu}\lambda)\tau k_\nu k_\lambda\Sigma_k\Sigma_k''' + 24(\mu\nu\underline{\nu}\lambda)\tau k_\mu k_\lambda\Sigma_k'\Sigma_k'' + 24(\mu\nu\underline{\mu}\lambda)\tau k_\nu k_\lambda\Sigma_k'\Sigma_k'' + 6(\mu\nu\underline{\nu}\lambda)\tau k_\lambda\Sigma_k\Sigma_k''\frac{\partial}{\partial k^\mu}$$

$$+6(\mu\nu\underline{\mu}\lambda)\tau k_\lambda\Sigma_k\Sigma_k''\frac{\partial}{\partial k^\nu} - 12(\mu\underline{\mu}\nu\lambda)\tau k_\nu\Sigma_k\Sigma_k''\frac{\partial}{\partial k^\lambda} - 6(\mu\nu\underline{\nu}\lambda)\tau k_\mu\Sigma_k\Sigma_k''\frac{\partial}{\partial k^\lambda} - 6(\mu\nu\underline{\mu}\lambda)\tau k_\nu\Sigma_k\Sigma_k''\frac{\partial}{\partial k^\lambda}$$

$$+6(\mu\nu\underline{\nu}\lambda)\tau k_\lambda\Sigma_k'^2\frac{\partial}{\partial k^\mu} + 6(\mu\nu\underline{\mu}\lambda)\tau k_\lambda\Sigma_k'^2\frac{\partial}{\partial k^\nu} - 12(\mu\underline{\mu}\nu\lambda)\tau k_\nu\Sigma_k'^2\frac{\partial}{\partial k^\lambda} - 6(\mu\nu\underline{\nu}\lambda)\tau k_\mu\Sigma_k'^2\frac{\partial}{\partial k^\lambda}$$

$$-6(\mu\nu\underline{\mu}\lambda)\tau k_\nu\Sigma_k'^2\frac{\partial}{\partial k^\lambda} - 24(\mu\nu)s_\Omega\tau k_\mu\Sigma_k'\frac{\partial}{\partial k^\nu} + 24i(\mu\nu)p_\Omega\gamma_5\tau k_\mu\Sigma_k'\frac{\partial}{\partial k^\nu} - 6(\mu\nu\lambda\rho)\tau k_\lambda\frac{\partial^3}{\partial k^\mu\partial k^\nu\partial k^\rho}$$

$$-6(\mu\nu\underline{\nu}\lambda)\tau\Sigma_k\Sigma_k'\frac{\partial^2}{\partial k^\mu\partial k^\lambda} - 6(\mu\nu\underline{\mu}\lambda)\tau\Sigma_k\Sigma_k'\frac{\partial^2}{\partial k^\nu\partial k^\lambda} - 12i(\mu\nu)(\lambda a_{\Omega\mu})\gamma_5\tau\frac{\partial^2}{\partial k^\nu\partial k^\lambda} - 16(\mu\nu\underline{\nu}a_\Omega^\lambda)\gamma_\lambda\gamma_5\tau k_\mu\Sigma_k''$$

$$-8(\mu\nu\underline{\nu}a_\Omega^\lambda)\gamma_\lambda\gamma_5\tau\Sigma_k'\frac{\partial}{\partial k^\mu} - 16(\mu\nu\underline{\mu}a_\Omega^\lambda)\gamma_\lambda\gamma_5\tau k_\nu\Sigma_k'' - 16(\mu\underline{\mu}\nu a_\Omega^\lambda)\gamma_\lambda\gamma_5\tau k_\nu\Sigma_k'' - 32(\mu\nu\lambda a^\rho)\gamma_\rho\gamma_5\tau k_\mu k_\nu k_\lambda\Sigma_k'''$$

$$-16(\mu\nu\lambda a_\Omega^\rho)\gamma_\rho\gamma_5\tau k_\nu k_\lambda\Sigma_k''\frac{\partial}{\partial k^\mu} - 8(\mu\nu\underline{\mu}a_\Omega^\lambda)\gamma_\lambda\gamma_5\tau\Sigma_k'\frac{\partial}{\partial k^\nu} - 16(\mu\nu\lambda a_\Omega^\rho)\gamma_\rho\gamma_5\tau k_\mu k_\lambda\Sigma_k''\frac{\partial}{\partial k^\nu}$$

$$-8(\mu\nu\lambda a_\Omega^\rho)\gamma_\rho\gamma_5\tau k_\lambda\Sigma_k'\frac{\partial^2}{\partial k^\mu\partial k^\nu} - 8(\mu\underline{\mu}\nu a_\Omega^\lambda)\gamma_\lambda\gamma_5\tau\Sigma_k'\frac{\partial}{\partial k^\nu} - 16(\mu\nu\lambda a_\Omega^\rho)\gamma_\rho\gamma_5\tau k_\mu k_\nu\Sigma_k''\frac{\partial}{\partial k^\lambda}$$

$$-8(\mu\nu\lambda a^\rho)\gamma_\rho\gamma_5\tau k_\nu\Sigma_k'\frac{\partial^2}{\partial k^\mu\partial k^\lambda} - 8(\mu\nu\lambda a_\Omega^\rho)\gamma_\rho\gamma_5\tau k_\mu\Sigma_k'\frac{\partial^2}{\partial k^\nu\partial k^\lambda} - 8(\mu\nu\lambda a_\Omega^\rho)\gamma_\rho\gamma_5\tau\Sigma_k\frac{\partial^3}{\partial k^\mu\partial k^\nu\partial k^\lambda}$$

$$-8i(\mu\nu\lambda)a_{\Omega\nu}\gamma_5\tau\frac{\partial^2}{\partial k^\mu\partial k^\lambda} - 12i(\mu a_\Omega^\nu)(\underline{\nu}\lambda)\gamma_5\tau\frac{\partial^2}{\partial k^\mu\partial k^\lambda} - 8ia_\Omega^\mu(\nu\underline{\mu}\lambda)\gamma_5\tau\frac{\partial^2}{\partial k^\nu\partial k^\lambda} - 24s_\Omega(\mu\nu)\tau k_\mu\Sigma_k'\frac{\partial}{\partial k^\nu}$$

$$-24ip_\Omega(\mu\nu)\gamma_5\tau k_\mu\Sigma_k'\frac{\partial}{\partial k^\nu} - 16(\mu\nu)(\underline{\mu}\lambda)\tau k_\nu k_\lambda\Sigma_k\Sigma_k''' - 48(\mu\nu)(\underline{\mu}\lambda)\tau k_\nu k_\lambda\Sigma_k'\Sigma_k'' + 12(\mu\nu)(\underline{\mu}\lambda)\tau k_\nu\Sigma_k\Sigma_k''\frac{\partial}{\partial k^\lambda}$$

$$-12(\mu\nu)(\underline{\mu}\lambda)\tau k_\lambda\Sigma_k\Sigma_k''\frac{\partial}{\partial k^\nu} + 12(\mu\nu)(\underline{\mu}\lambda)\tau k_\nu\Sigma_k'^2\frac{\partial}{\partial k^\lambda} - 12(\mu\nu)(\underline{\mu}\lambda)\tau k_\lambda\Sigma_k'^2\frac{\partial}{\partial k^\nu}$$

$$-12(\mu\nu)(\underline{\mu}\lambda)\tau\Sigma_k\Sigma_k'\frac{\partial^2}{\partial k^\nu\partial k^\lambda} - 16(\mu\nu\lambda)a_\Omega^\rho\gamma_\rho\gamma_5\tau k_\mu k_\nu\Sigma_k''\frac{\partial}{\partial k^\lambda} - 24(\mu\nu)(\lambda a_\Omega^\rho)\gamma_\rho\gamma_5\tau k_\mu\Sigma_k'\frac{\partial^2}{\partial k^\nu\partial k^\lambda}$$

$$-16(\mu\nu\lambda)a_\Omega^\rho\gamma_\rho\gamma_5\tau k_\nu\Sigma_k'\frac{\partial^2}{\partial k^\mu\partial k^\lambda} - 24(\mu a_\Omega^\nu)(\underline{\mu}\lambda)\gamma_\nu\gamma_5\tau\Sigma_k'\frac{\partial}{\partial k^\lambda} - 48(\mu a_\Omega^\nu)(\lambda\rho)\gamma_\nu\gamma_5\tau k_\mu k_\lambda\Sigma_k''\frac{\partial}{\partial k^\rho}$$

$$-24(\mu a_\Omega^\nu)(\lambda\rho)\gamma_\nu\gamma_5\tau k_\lambda\Sigma_k'\frac{\partial^2}{\partial k^\mu\partial k^\rho} - 4i(\mu\nu\lambda a_{\Omega\mu})\gamma_5\tau\frac{\partial^2}{\partial k^\nu\partial k^\lambda} - 4i(\mu\nu\lambda a_{\Omega\nu})\gamma_5\tau\frac{\partial^2}{\partial k^\mu\partial k^\lambda}$$

$$-4i(\mu\nu\lambda a_{\Omega\lambda})\gamma_5\tau\frac{\partial^2}{\partial k^\mu\partial k^\nu} - 8i(\mu\nu\lambda a_\Omega^\rho)\gamma_5\tau k_\rho\frac{\partial^3}{\partial k^\mu\partial k^\nu\partial k^\lambda} + 16i(\mu\nu\lambda\rho)\gamma_\mu\tau k_\nu k_\lambda\Sigma_k''\frac{\partial}{\partial k^\rho}$$

$$+16i(\mu\nu\lambda\rho)\gamma_\mu\tau k_\lambda\Sigma_k'\frac{\partial^2}{\partial k^\nu\partial k^\rho} - 24i(\mu\nu)(\lambda\rho)\gamma_\mu\tau k_\lambda\Sigma_k'\frac{\partial^2}{\partial k^\nu\partial k^\rho} + 24i(\mu\nu)(\lambda\rho)\gamma_\lambda\tau k_\mu\Sigma_k'\frac{\partial^2}{\partial k^\nu\partial k^\rho}$$

$$-16i(\mu\underline{\mu}\nu\lambda)\gamma_\nu\tau k_\lambda\Sigma_k'' - 8i(\mu\underline{\mu}\nu\lambda)\gamma_\nu\tau\Sigma_k'\frac{\partial}{\partial k^\lambda} + 16i(\mu\nu\underline{\mu}\lambda)\gamma_\lambda\tau k_\nu\Sigma_k'' + 16i(\mu\nu\underline{\nu}\lambda)\gamma_\lambda\tau k_\mu\Sigma_k''$$

$$-32i(\mu\nu\lambda\rho)\gamma_\lambda\tau k_\mu k_\nu k_\rho\Sigma_k''' - 16i(\mu\nu\lambda\rho)\gamma_\lambda\tau k_\mu k_\nu\Sigma_k''\frac{\partial}{\partial k^\rho} + 8i(\mu\nu\underline{\mu}\lambda)\gamma_\lambda\tau\Sigma_k'\frac{\partial}{\partial k^\nu} - 16i(\mu\nu\lambda\rho)\gamma_\lambda\tau k_\mu k_\rho\Sigma_k''\frac{\partial}{\partial k^\nu}$$

$$
\begin{aligned}
&-8i(\mu\nu\lambda\rho)\gamma_\lambda\tau k_\mu\Sigma'_k\frac{\partial^2}{\partial k^\nu\partial k^\rho}+8i(\mu\nu\underline{\nu}\lambda)\gamma_\lambda\tau\Sigma'_k\frac{\partial}{\partial k^\mu}-16i(\mu\nu\lambda\rho)\gamma_\lambda\tau k_\nu k_\rho\Sigma''_k\frac{\partial}{\partial k^\mu}-8i(\mu\nu\lambda\rho)\gamma_\lambda\tau k_\nu\Sigma'_k\frac{\partial^2}{\partial k^\mu\partial k^\rho}\\
&-8i(\mu\nu\lambda\rho)\gamma_\lambda\tau k_\rho\Sigma'_k\frac{\partial^2}{\partial k^\mu\partial k^\nu}-16a^\mu(\nu\lambda\rho)\gamma_\mu\gamma_5\tau k_\nu k_\lambda\Sigma''_k\frac{\partial}{\partial k^\rho}-16a^\mu(\nu\lambda\rho)\gamma_\mu\gamma_5\tau k_\lambda\Sigma'_k\frac{\partial^2}{\partial k^\nu\partial k^\rho}\\
&-16(\mu\nu\lambda\rho)\tau k_\mu k_\nu k_\lambda\Sigma_k\Sigma'''_k\frac{\partial}{\partial k^\rho}-48(\mu\nu\lambda\rho)\tau k_\mu k_\nu k_\lambda\Sigma'_k\Sigma''_k\frac{\partial}{\partial k^\rho}-12(\mu\nu\lambda\rho)\tau k_\nu k_\lambda\Sigma_k\Sigma''_k\frac{\partial^2}{\partial k^\mu\partial k^\rho}\\
&-12(\mu\nu\lambda\rho)\tau k_\mu k_\lambda\Sigma_k\Sigma''_k\frac{\partial^2}{\partial k^\nu\partial k^\rho}-12(\mu\nu\lambda\rho)\tau k_\nu k_\lambda\Sigma'^2_k\frac{\partial^2}{\partial k^\mu\partial k^\rho}-12(\mu\nu\lambda\rho)\tau k_\mu k_\lambda\Sigma'^2_k\frac{\partial^2}{\partial k^\nu\partial k^\rho}\\
&-12(\mu\nu\lambda\rho)\tau k_\lambda\Sigma_k\Sigma'_k\frac{\partial^3}{\partial k^\mu\partial k^\nu\partial k^\rho}+24i(\mu\nu)(\underline{\mu}\lambda)\gamma_\nu\tau\Sigma'_k\frac{\partial}{\partial k^\lambda}-48i(\mu\nu)(\lambda\rho)\gamma_\mu\tau k_\nu k_\lambda\Sigma''_k\frac{\partial}{\partial k^\rho}\\
&-24(\mu\nu)(\lambda\rho)\tau k_\mu k_\lambda\Sigma_k\Sigma''_k\frac{\partial^2}{\partial k^\nu\partial k^\rho}-24(\mu\nu)(\lambda\rho)\tau k_\mu k_\lambda\Sigma'^2_k\frac{\partial^2}{\partial k^\nu\partial k^\rho}\ ,
\end{aligned}
\tag{A10}
$$

$$
\begin{aligned}
B_5\ =\ &120is(\mu s)\tau\frac{\partial}{\partial k^\mu}+120i(\mu s)s\tau\frac{\partial}{\partial k^\mu}+120ip(\mu p)\tau\frac{\partial}{\partial k^\mu}+120i(\mu p)p\tau\frac{\partial}{\partial k^\mu}+120s(\mu p)\gamma_5\tau\frac{\partial}{\partial k^\mu}+120(\mu s)p\gamma_5\tau\frac{\partial}{\partial k^\mu}\\
&-120p(\mu s)\gamma_5\tau\frac{\partial}{\partial k^\mu}-120(\mu p)s\gamma_5\tau\frac{\partial}{\partial k^\mu}+60(\mu\nu ds^\lambda)\gamma_\lambda\tau\frac{\partial^2}{\partial k^\mu\partial k^\nu}-60i(\mu\nu dp^\lambda)\gamma_\lambda\gamma_5\tau\frac{\partial^2}{\partial k^\mu\partial k^\nu}\\
&+60ia^\mu(\nu\lambda s)\gamma_\mu\gamma_5\tau\frac{\partial^2}{\partial k^\nu\partial k^\lambda}+120i(\mu a^\nu)(\lambda s)\gamma_\nu\gamma_5\tau\frac{\partial^2}{\partial k^\mu\partial k^\lambda}+60i(\mu\nu a^\lambda)s\gamma_\lambda\gamma_5\tau\frac{\partial^2}{\partial k^\mu\partial k^\nu}+60a^\mu(\nu\lambda p)\gamma_\mu\tau\frac{\partial^2}{\partial k^\nu\partial k^\lambda}\\
&+120(\mu a^\nu)(\lambda p)\gamma_\nu\tau\frac{\partial^2}{\partial k^\mu\partial k^\lambda}+60(\mu\nu a^\lambda)p\gamma_\lambda\tau\frac{\partial^2}{\partial k^\mu\partial k^\nu}+60is(\mu\nu a^\lambda)\gamma_\lambda\gamma_5\tau\frac{\partial^2}{\partial k^\mu\partial k^\nu}+120i(\mu s)(\nu a^\lambda)\gamma_\lambda\gamma_5\tau\frac{\partial^2}{\partial k^\mu\partial k^\nu}\\
&+60i(\mu\nu s)a^\lambda\gamma_\lambda\gamma_5\tau\frac{\partial^2}{\partial k^\mu\partial k^\nu}+60p(\mu\nu a^\lambda)\gamma_\lambda\tau\frac{\partial^2}{\partial k^\mu\partial k^\nu}+120(\mu p)(\nu a^\lambda)\gamma_\lambda\tau\frac{\partial^2}{\partial k^\mu\partial k^\nu}+60(\mu\nu p)a^\lambda\gamma_\lambda\tau\frac{\partial^2}{\partial k^\mu\partial k^\nu}\\
&+30i(\mu\nu)(\underline{\mu\nu})a^\lambda\gamma_\lambda\gamma_5\tau\Sigma''_k-40i(\mu\underline{\mu}\nu)s\tau k_\nu\Sigma''_k-40(\mu\underline{\mu}\nu)p\gamma_5\tau k_\nu\Sigma''_k+40i(\mu\underline{\mu}\nu)s\tau\Sigma'_k\frac{\partial}{\partial k^\nu}+40(\mu\underline{\mu}\nu)p\gamma_5\tau\Sigma'_k\frac{\partial}{\partial k^\nu}\\
&+10i(\mu\nu\lambda\rho\sigma)\gamma_\rho\gamma_\sigma\tau\frac{\partial^3}{\partial k^\mu\partial k^\nu\partial k^\lambda}-10ia^\mu(\nu\lambda\rho a^\sigma)\gamma_\mu\gamma_\sigma\tau\frac{\partial^3}{\partial k^\nu\partial k^\lambda\partial k^\rho}-30i(\mu a^\nu)(\lambda\rho a^\sigma)\gamma_\nu\gamma_\sigma\tau\frac{\partial^3}{\partial k^\mu\partial k^\lambda\partial k^\rho}\\
&-30i(\mu\nu a^\lambda)(\rho a^\sigma)\gamma_\lambda\gamma_\sigma\tau\frac{\partial^3}{\partial k^\mu\partial k^\nu\partial k^\rho}-10i(\mu\nu\lambda a^\rho)a^\sigma\gamma_\rho\gamma_\sigma\tau\frac{\partial^3}{\partial k^\mu\partial k^\nu\partial k^\lambda}+10ia^\mu(\nu\lambda\rho a^\sigma)\gamma_\sigma\gamma_\mu\tau\frac{\partial^3}{\partial k^\nu\partial k^\lambda\partial k^\rho}\\
&+30i(\mu a^\nu)(\lambda\rho a^\sigma)\gamma_\sigma\gamma_\nu\tau\frac{\partial^3}{\partial k^\mu\partial k^\lambda\partial k^\rho}+30i(\mu\nu a^\lambda)(\rho a^\sigma)\gamma_\sigma\gamma_\lambda\tau\frac{\partial^3}{\partial k^\mu\partial k^\nu\partial k^\rho}+10i(\mu\nu\lambda a^\rho)a^\sigma\gamma_\sigma\gamma_\rho\tau\frac{\partial^3}{\partial k^\mu\partial k^\nu\partial k^\lambda}\\
&+10(\mu\nu\lambda{\nabla_a}^\rho{\nabla_a}^\sigma)\gamma_\rho\gamma_\sigma\gamma_5\tau\frac{\partial^3}{\partial k^\mu\partial k^\nu\partial k^\lambda}-20ia^\mu(\nu\lambda\rho a_\mu)\tau\frac{\partial^3}{\partial k^\nu\partial k^\lambda\partial k^\rho}-60i(\mu a^\nu)(\lambda\rho a_\nu)\tau\frac{\partial^3}{\partial k^\mu\partial k^\lambda\partial k^\rho}\\
&-60i(\mu\nu a^\lambda)(\rho a_\lambda)\tau\frac{\partial^3}{\partial k^\mu\partial k^\nu\partial k^\rho}-20i(\mu\nu\lambda a^\rho)a_\rho\tau\frac{\partial^3}{\partial k^\mu\partial k^\nu\partial k^\lambda}+30(\mu\nu)(\lambda\underline{\mu\nu})\gamma_\lambda\tau\Sigma''_k+30(\mu\nu\lambda)(\underline{\nu\lambda})\gamma_\mu\tau\Sigma''_k\\
&+30ia^\mu(\nu\lambda)(\underline{\nu\lambda})\gamma_\mu\gamma_5\tau\Sigma''_k-40is(\mu\underline{\mu}\nu)\tau k_\nu\Sigma''_k+40p(\mu\underline{\mu}\nu)\gamma_5\tau k_\nu\Sigma''_k+40is(\mu\underline{\mu}\nu)\tau\Sigma'_k\frac{\partial}{\partial k^\nu}-40p(\mu\underline{\mu}\nu)\gamma_5\tau\Sigma'_k\frac{\partial}{\partial k^\nu}\\
&+20i(\mu\nu)(\lambda\underline{\mu}\rho)\tau\frac{\partial^3}{\partial k^\nu\partial k^\lambda\partial k^\rho}+20i(\mu\nu\lambda)(\underline{\nu}\rho)\tau\frac{\partial^3}{\partial k^\mu\partial k^\lambda\partial k^\rho}-20i(\mu\nu\underline{\nu}\lambda)a^\rho\gamma_\rho\gamma_5\tau k_\mu k_\lambda\Sigma'''_k-20i(\mu\nu\underline{\mu}\lambda)a^\rho\gamma_\rho\gamma_5\tau k_\nu k_\lambda\Sigma'''_k\\
&-40i(\mu\underline{\mu}\nu)(\lambda a^\rho)\gamma_\rho\gamma_5\tau k_\nu\Sigma''_k\frac{\partial}{\partial k^\lambda}-15i(\mu\nu\underline{\nu}\lambda)a^\rho\gamma_\rho\gamma_5\tau k_\lambda\Sigma''_k\frac{\partial}{\partial k^\mu}-15i(\mu\nu\underline{\mu}\lambda)a^\rho\gamma_\rho\gamma_5\tau k_\lambda\Sigma''_k\frac{\partial}{\partial k^\nu}\\
&+30i(\mu\underline{\mu}\nu\lambda)a^\rho\gamma_\rho\gamma_5\tau k_\nu\Sigma''_k\frac{\partial}{\partial k^\lambda}+15i(\mu\nu\underline{\nu}\lambda)a^\rho\gamma_\rho\gamma_5\tau k_\mu\Sigma''_k\frac{\partial}{\partial k^\lambda}+15i(\mu\nu\underline{\mu}\lambda)a^\rho\gamma_\rho\gamma_5\tau k_\nu\Sigma''_k\frac{\partial}{\partial k^\lambda}\\
&+40i(\mu\underline{\mu}\nu)(\lambda a^\rho)\gamma_\rho\gamma_5\tau\Sigma'_k\frac{\partial^2}{\partial k^\nu\partial k^\lambda}+15i(\mu\nu\underline{\nu}\lambda)a^\rho\gamma_\rho\gamma_5\tau\Sigma'_k\frac{\partial^2}{\partial k^\mu\partial k^\lambda}+15i(\mu\nu\underline{\mu}\lambda)a^\rho\gamma_\rho\gamma_5\tau\Sigma'_k\frac{\partial^2}{\partial k^\nu\partial k^\lambda}\\
&+40i(\mu a^\nu)(\lambda\underline{\mu\lambda})\gamma_\nu\gamma_5\tau\Sigma''_k-80i(\mu a^\nu)(\lambda\underline{\lambda}\rho)\gamma_\nu\gamma_5\tau k_\mu k_\rho\Sigma'''_k-40i(\mu a^\nu)(\lambda\underline{\lambda}\rho)\gamma_\nu\gamma_5\tau k_\rho\Sigma''_k\frac{\partial}{\partial k^\mu}\\
&+80i(\mu a^\nu)(\lambda\underline{\lambda}\rho)\gamma_\nu\gamma_5\tau k_\mu\Sigma''_k\frac{\partial}{\partial k^\rho}+40i(\mu a^\nu)(\lambda\underline{\lambda}\rho)\gamma_\nu\gamma_5\tau\Sigma'_k\frac{\partial^2}{\partial k^\mu\partial k^\rho}+80i(\mu\nu\underline{\nu}s)\tau k_\mu\Sigma''_k-80(\mu\nu\underline{\nu}p)\gamma_5\tau k_\mu\Sigma''_k\\
&+40i(\mu\nu\underline{\nu}s)\tau\Sigma'_k\frac{\partial}{\partial k^\mu}-40(\mu\nu\underline{\nu}p)\gamma_5\tau\Sigma'_k\frac{\partial}{\partial k^\mu}+80i(\mu\nu\underline{\mu}s)\tau k_\nu\Sigma''_k-80(\mu\nu\underline{\mu}p)\gamma_5\tau k_\nu\Sigma''_k+80i(\mu\underline{\mu}\nu s)\tau k_\nu\Sigma''_k\\
&-80(\mu\underline{\mu}\nu p)\gamma_5\tau k_\nu\Sigma''_k+160i(\mu\nu\lambda s)\tau k_\mu k_\nu k_\lambda\Sigma'''_k-160(\mu\nu\lambda p)\gamma_5\tau k_\mu k_\nu k_\lambda\Sigma'''_k+80i(\mu\nu\lambda s)\tau k_\nu k_\lambda\Sigma''_k\frac{\partial}{\partial k^\mu}
\end{aligned}
$$

$$
\begin{aligned}
&-80(\mu\nu\lambda p)\gamma_5\tau k_\nu k_\lambda\Sigma''_k\frac{\partial}{\partial k^\mu}+40i(\mu\nu\underline{\mu}s)\tau\Sigma'_k\frac{\partial}{\partial k^\nu}-40(\mu\nu\underline{\mu}p)\gamma_5\tau\Sigma'_k\frac{\partial}{\partial k^\nu}+80i(\mu\nu\lambda s)\tau k_\mu k_\lambda\Sigma''_k\frac{\partial}{\partial k^\nu}\\
&-80(\mu\nu\lambda p)\gamma_5\tau k_\mu k_\lambda\Sigma''_k\frac{\partial}{\partial k^\nu}+40i(\mu\nu\lambda s)\tau k_\lambda\Sigma'_k\frac{\partial^2}{\partial k^\mu\partial k^\nu}-40(\mu\nu\lambda p)\gamma_5\tau k_\lambda\Sigma'_k\frac{\partial^2}{\partial k^\mu\partial k^\nu}+40i(\mu\underline{\mu}\nu s)\tau\Sigma'_k\frac{\partial}{\partial k^\nu}\\
&-40(\mu\underline{\mu}\nu p)\gamma_5\tau\Sigma'_k\frac{\partial}{\partial k^\nu}+80i(\mu\nu\lambda s)\tau k_\mu k_\nu\Sigma''_k\frac{\partial}{\partial k^\lambda}-80(\mu\nu\lambda p)\gamma_5\tau k_\mu k_\nu\Sigma''_k\frac{\partial}{\partial k^\lambda}+40i(\mu\nu\lambda s)\tau k_\nu\Sigma'_k\frac{\partial^2}{\partial k^\mu\partial k^\lambda}\\
&-40(\mu\nu\lambda p)\gamma_5\tau k_\nu\Sigma'_k\frac{\partial^2}{\partial k^\mu\partial k^\lambda}+40i(\mu\nu\lambda s)\tau k_\mu\Sigma'_k\frac{\partial^2}{\partial k^\nu\partial k^\lambda}-40(\mu\nu\lambda p)\gamma_5\tau k_\mu\Sigma'_k\frac{\partial^2}{\partial k^\nu\partial k^\lambda}\\
&+40i(\mu\nu\lambda s)\tau\Sigma_k\frac{\partial^3}{\partial k^\mu\partial k^\nu\partial k^\lambda}-20(\mu\nu\lambda\underline{\lambda}\rho)\gamma_\mu\tau k_\nu k_\rho\Sigma'''_k-20(\mu\nu\lambda\underline{\nu}\rho)\gamma_\mu\tau k_\lambda k_\rho\Sigma'''_k-15(\mu\nu\lambda\underline{\lambda}\rho)\gamma_\mu\tau k_\rho\Sigma''_k\frac{\partial}{\partial k^\nu}\\
&-15(\mu\nu\lambda\underline{\nu}\rho)\gamma_\mu\tau k_\rho\Sigma''_k\frac{\partial}{\partial k^\lambda}+30(\mu\nu\underline{\nu}\lambda\rho)\gamma_\mu\tau k_\lambda\Sigma''_k\frac{\partial}{\partial k^\rho}+15(\mu\nu\lambda\underline{\lambda}\rho)\gamma_\mu\tau k_\nu\Sigma''_k\frac{\partial}{\partial k^\rho}+15(\mu\nu\lambda\underline{\nu}\rho)\gamma_\mu\tau k_\lambda\Sigma''_k\frac{\partial}{\partial k^\rho}\\
&+40(\mu\nu)(\lambda\underline{\lambda}\rho)\gamma_\mu\tau k_\rho\Sigma''_k\frac{\partial}{\partial k^\nu}-40(\mu\underline{\mu}\nu)(\lambda\rho)\gamma_\lambda\tau k_\nu\Sigma''_k\frac{\partial}{\partial k^\rho}+15(\mu\nu\lambda\underline{\lambda}\rho)\gamma_\mu\tau\Sigma'_k\frac{\partial^2}{\partial k^\nu\partial k^\rho}+15(\mu\nu\lambda\underline{\nu}\rho)\gamma_\mu\tau\Sigma'_k\frac{\partial^2}{\partial k^\lambda\partial k^\rho}\\
&-40(\mu\nu)(\lambda\underline{\lambda}\rho)\gamma_\mu\tau\Sigma'_k\frac{\partial^2}{\partial k^\nu\partial k^\rho}+40(\mu\underline{\mu}\nu)(\lambda\rho)\gamma_\lambda\tau\Sigma'_k\frac{\partial^2}{\partial k^\nu\partial k^\rho}-20ia^\mu(\nu\lambda\underline{\lambda}\rho)\gamma_\mu\gamma_5\tau k_\nu k_\rho\Sigma'''_k\\
&-20ia^\mu(\nu\lambda\underline{\nu}\rho)\gamma_\mu\gamma_5\tau k_\lambda k_\rho\Sigma'''_k-15ia^\mu(\nu\lambda\underline{\lambda}\rho)\gamma_\mu\gamma_5\tau k_\rho\Sigma''_k\frac{\partial}{\partial k^\nu}-15ia^\mu(\nu\lambda\underline{\nu}\rho)\gamma_\mu\gamma_5\tau k_\rho\Sigma''_k\frac{\partial}{\partial k^\lambda}\\
&+30ia^\mu(\nu\underline{\nu}\lambda\rho)\gamma_\mu\gamma_5\tau k_\lambda\Sigma''_k\frac{\partial}{\partial k^\rho}+15ia^\mu(\nu\lambda\underline{\lambda}\rho)\gamma_\mu\gamma_5\tau k_\nu\Sigma''_k\frac{\partial}{\partial k^\rho}+15ia^\mu(\nu\lambda\underline{\nu}\rho)\gamma_\mu\gamma_5\tau k_\lambda\Sigma''_k\frac{\partial}{\partial k^\rho}\\
&+15ia^\mu(\nu\lambda\underline{\lambda}\rho)\gamma_\mu\gamma_5\tau\Sigma'_k\frac{\partial^2}{\partial k^\nu\partial k^\rho}+15ia^\mu(\nu\lambda\underline{\nu}\rho)\gamma_\mu\gamma_5\tau\Sigma'_k\frac{\partial^2}{\partial k^\lambda\partial k^\rho}+40i(\mu\nu)(\underline{\mu}\lambda)a^\rho\gamma_\rho\gamma_5\tau k_\nu k_\lambda\Sigma'''_k\\
&-30i(\mu\nu)(\underline{\mu}\lambda)a^\rho\gamma_\rho\gamma_5\tau k_\nu\Sigma''_k\frac{\partial}{\partial k^\lambda}+30i(\mu\nu)(\underline{\mu}\lambda)a^\rho\gamma_\rho\gamma_5\tau k_\lambda\Sigma''_k\frac{\partial}{\partial k^\nu}+30i(\mu\nu)(\underline{\mu}\lambda)a^\rho\gamma_\rho\gamma_5\tau\Sigma'_k\frac{\partial^2}{\partial k^\nu\partial k^\lambda}\\
&+80i(\mu\nu\lambda)s\tau k_\mu k_\nu\Sigma''_k\frac{\partial}{\partial k^\lambda}+80(\mu\nu\lambda)p\gamma_5\tau k_\mu k_\nu\Sigma''_k\frac{\partial}{\partial k^\lambda}+120i(\mu\nu)(\lambda s)\tau k_\mu\Sigma'_k\frac{\partial^2}{\partial k^\nu\partial k^\lambda}\\
&+120(\mu\nu)(\lambda p)\gamma_5\tau k_\mu\Sigma'_k\frac{\partial^2}{\partial k^\nu\partial k^\lambda}+80i(\mu\nu\lambda)s\tau k_\nu\Sigma'_k\frac{\partial^2}{\partial k^\mu\partial k^\lambda}+80(\mu\nu\lambda)p\gamma_5\tau k_\nu\Sigma'_k\frac{\partial^2}{\partial k^\mu\partial k^\lambda}\\
&+120i(\mu s)(\underline{\mu}\nu)\tau\Sigma'_k\frac{\partial}{\partial k^\nu}-120(\mu p)(\underline{\mu}\nu)\gamma_5\tau\Sigma'_k\frac{\partial}{\partial k^\nu}+240i(\mu s)(\nu\lambda)\tau k_\mu k_\nu\Sigma''_k\frac{\partial}{\partial k^\lambda}\\
&-240(\mu p)(\nu\lambda)\gamma_5\tau k_\mu k_\nu\Sigma''_k\frac{\partial}{\partial k^\lambda}+120i(\mu s)(\nu\lambda)\tau k_\nu\Sigma'_k\frac{\partial^2}{\partial k^\mu\partial k^\lambda}-120(\mu p)(\nu\lambda)\gamma_5\tau k_\nu\Sigma'_k\frac{\partial^2}{\partial k^\mu\partial k^\lambda}\\
&-30(\mu\nu)(\lambda\rho a_\mu)\gamma_5\tau\frac{\partial^3}{\partial k^\nu\partial k^\lambda\partial k^\rho}-40(\mu\nu\lambda)(\rho a_\nu)\gamma_5\tau\frac{\partial^3}{\partial k^\mu\partial k^\lambda\partial k^\rho}+20i(\mu\underline{\mu}\nu\underline{\nu}a^\lambda)\gamma_\lambda\gamma_5\tau\Sigma''_k\\
&+40i(\mu\nu\lambda\underline{\lambda}a^\rho)\gamma_\rho\gamma_5\tau k_\mu k_\nu\Sigma'''_k+20i(\mu\nu\lambda\underline{\lambda}a^\rho)\gamma_\rho\gamma_5\tau k_\nu\Sigma''_k\frac{\partial}{\partial k^\mu}+20i(\mu\nu\lambda\underline{\lambda}a^\rho)\gamma_\rho\gamma_5\tau k_\mu\Sigma''_k\frac{\partial}{\partial k^\nu}\\
&+10i(\mu\nu\lambda\underline{\lambda}a^\rho)\gamma_\rho\gamma_5\tau\Sigma'_k\frac{\partial^2}{\partial k^\mu\partial k^\nu}+20i(\mu\nu\underline{\nu}\underline{\mu}a^\lambda)\gamma_\lambda\gamma_5\tau\Sigma''_k+40i(\mu\nu\underline{\nu}\lambda a^\rho)\gamma_\rho\gamma_5\tau k_\mu k_\lambda\Sigma'''_k\\
&+20i(\mu\nu\underline{\nu}\lambda a^\rho)\gamma_\rho\gamma_5\tau k_\lambda\Sigma''_k\frac{\partial}{\partial k^\mu}+20i(\mu\nu\underline{\mu}\underline{\nu}a^\lambda)\gamma_\lambda\gamma_5\tau\Sigma''_k+40i(\mu\nu\lambda\underline{\nu}a^\rho)\gamma_\rho\gamma_5\tau k_\mu k_\lambda\Sigma'''_k\\
&+20i(\mu\nu\lambda\underline{\nu}a^\rho)\gamma_\rho\gamma_5\tau k_\lambda\Sigma''_k\frac{\partial}{\partial k^\mu}+40i(\mu\nu\underline{\mu}\lambda a^\rho)\gamma_\rho\gamma_5\tau k_\nu k_\lambda\Sigma'''_k+40i(\mu\nu\lambda\underline{\mu}a^\rho)\gamma_\rho\gamma_5\tau k_\nu k_\lambda\Sigma'''_k\\
&+40i(\mu\underline{\mu}\nu\lambda a^\rho)\gamma_\rho\gamma_5\tau k_\nu k_\lambda\Sigma'''_k+80i(\mu\nu\lambda\rho a^\sigma)\gamma_\sigma\gamma_5\tau k_\mu k_\nu k_\lambda k_\rho\Sigma''''_k+40i(\mu\nu\lambda\rho a^\sigma)\gamma_\sigma\gamma_5\tau k_\nu k_\lambda k_\rho\Sigma'''_k\frac{\partial}{\partial k^\mu}\\
&+20i(\mu\nu\underline{\mu}\lambda a^\rho)\gamma_\rho\gamma_5\tau k_\lambda\Sigma''_k\frac{\partial}{\partial k^\nu}+20i(\mu\nu\lambda\underline{\mu}a^\rho)\gamma_\rho\gamma_5\tau k_\lambda\Sigma''_k\frac{\partial}{\partial k^\nu}+40i(\mu\nu\lambda\rho a^\sigma)\gamma_\sigma\gamma_5\tau k_\mu k_\lambda k_\rho\Sigma'''_k\frac{\partial}{\partial k^\nu}\\
&+20i(\mu\nu\lambda\rho a^\sigma)\gamma_\sigma\gamma_5\tau k_\lambda k_\rho\Sigma''_k\frac{\partial^2}{\partial k^\mu\partial k^\nu}+20i(\mu\nu\underline{\nu}\lambda a^\rho)\gamma_\rho\gamma_5\tau k_\mu\Sigma''_k\frac{\partial}{\partial k^\lambda}+10i(\mu\nu\underline{\nu}\lambda a^\rho)\gamma_\rho\gamma_5\tau\Sigma'_k\frac{\partial^2}{\partial k^\mu\partial k^\lambda}\\
&+20i(\mu\nu\underline{\mu}\lambda a^\rho)\gamma_\rho\gamma_5\tau k_\nu\Sigma''_k\frac{\partial}{\partial k^\lambda}+20i(\mu\underline{\mu}\nu\lambda a^\rho)\gamma_\rho\gamma_5\tau k_\nu\Sigma''_k\frac{\partial}{\partial k^\lambda}+40i(\mu\nu\lambda\rho a^\sigma)\gamma_\sigma\gamma_5\tau k_\mu k_\nu k_\lambda\Sigma'''_k\frac{\partial}{\partial k^\rho}\\
&+20i(\mu\nu\lambda\rho a^\sigma)\gamma_\sigma\gamma_5\tau k_\nu k_\lambda\Sigma''_k\frac{\partial^2}{\partial k^\mu\partial k^\rho}+10i(\mu\nu\underline{\mu}\lambda a^\rho)\gamma_\rho\gamma_5\tau\Sigma'_k\frac{\partial^2}{\partial k^\nu\partial k^\lambda}+20i(\mu\nu\lambda\rho a^\sigma)\gamma_\sigma\gamma_5\tau k_\mu k_\lambda\Sigma''_k\frac{\partial^2}{\partial k^\nu\partial k^\rho}
\end{aligned}
$$

$$+10i(\mu\nu\lambda\rho a^{\sigma})\gamma_{\sigma}\gamma_5\tau k_{\lambda}\Sigma'_k\frac{\partial^3}{\partial k^{\mu}\partial k^{\nu}\partial k^{\rho}}+20i(\mu\nu\lambda\underline{\nu}a^{\rho})\gamma_{\rho}\gamma_5\tau k_{\mu}\Sigma''_k\frac{\partial}{\partial k^{\lambda}}+10i(\mu\nu\lambda\underline{\nu}a^{\rho})\gamma_{\rho}\gamma_5\tau\Sigma'_k\frac{\partial^2}{\partial k^{\mu}\partial k^{\lambda}}$$

$$+20i(\mu\nu\lambda\underline{\mu}a^{\rho})\gamma_{\rho}\gamma_5\tau k_{\nu}\Sigma''_k\frac{\partial}{\partial k^{\lambda}}+20i(\mu\underline{\mu}\nu\lambda a^{\rho})\gamma_{\rho}\gamma_5\tau k_{\lambda}\Sigma''_k\frac{\partial}{\partial k^{\nu}}+40i(\mu\nu\lambda\rho a^{\sigma})\gamma_{\sigma}\gamma_5\tau k_{\mu}k_{\nu}k_{\rho}\Sigma'''_k\frac{\partial}{\partial k^{\lambda}}$$

$$+20i(\mu\nu\lambda\rho a^{\sigma})\gamma_{\sigma}\gamma_5\tau k_{\nu}k_{\rho}\Sigma''_k\frac{\partial^2}{\partial k^{\mu}\partial k^{\lambda}}+10i(\mu\nu\lambda\underline{\mu}a^{\rho})\gamma_{\rho}\gamma_5\tau\Sigma'_k\frac{\partial^2}{\partial k^{\nu}\partial k^{\lambda}}+20i(\mu\nu\lambda\rho a^{\sigma})\gamma_{\sigma}\gamma_5\tau k_{\mu}k_{\rho}\Sigma''_k\frac{\partial^2}{\partial k^{\nu}\partial k^{\lambda}}$$

$$+10i(\mu\nu\lambda\rho a^{\sigma})\gamma_{\sigma}\gamma_5\tau k_{\rho}\Sigma'_k\frac{\partial^3}{\partial k^{\mu}\partial k^{\nu}\partial k^{\lambda}}+10i(\mu\underline{\mu}\nu\lambda a^{\rho})\gamma_{\rho}\gamma_5\tau\Sigma'_k\frac{\partial^2}{\partial k^{\nu}\partial k^{\lambda}}+20i(\mu\nu\lambda\rho a^{\sigma})\gamma_{\sigma}\gamma_5\tau k_{\mu}k_{\nu}\Sigma''_k\frac{\partial^2}{\partial k^{\lambda}\partial k^{\rho}}$$

$$+10i(\mu\nu\lambda\rho a^{\sigma})\gamma_{\sigma}\gamma_5\tau k_{\nu}\Sigma'_k\frac{\partial^3}{\partial k^{\mu}\partial k^{\lambda}\partial k^{\rho}}+10i(\mu\nu\lambda\rho a^{\sigma})\gamma_{\sigma}\gamma_5\tau k_{\mu}\Sigma'_k\frac{\partial^3}{\partial k^{\nu}\partial k^{\lambda}\partial k^{\rho}}+10i(\mu\nu\lambda\rho a^{\sigma})\gamma_{\sigma}\gamma_5\tau\Sigma_k\frac{\partial^4}{\partial k^{\mu}\partial k^{\nu}\partial k^{\lambda}\partial k^{\rho}}$$

$$-15(\mu\nu\lambda\rho)a_{\lambda}\gamma_5\tau\frac{\partial^3}{\partial k^{\mu}\partial k^{\nu}\partial k^{\rho}}-40(\mu a^{\nu})(\lambda\underline{\nu}\rho)\gamma_5\tau\frac{\partial^3}{\partial k^{\mu}\partial k^{\lambda}\partial k^{\rho}}-30(\mu\nu a^{\lambda})(\underline{\lambda}\rho)\gamma_5\tau\frac{\partial^3}{\partial k^{\mu}\partial k^{\nu}\partial k^{\rho}}$$

$$-15a^{\mu}(\nu\lambda\underline{\mu}\rho)\gamma_5\tau\frac{\partial^3}{\partial k^{\nu}\partial k^{\lambda}\partial k^{\rho}}+40(\mu\nu)(\lambda\underline{\mu}\rho)\gamma_{\lambda}\tau k_{\nu}k_{\rho}\Sigma'''_k+40(\mu\nu\lambda)(\underline{\nu}\rho)\gamma_{\mu}\tau k_{\lambda}k_{\rho}\Sigma'''_k-30(\mu\nu)(\lambda\underline{\mu}\rho)\gamma_{\lambda}\tau k_{\nu}\Sigma''_k\frac{\partial}{\partial k^{\rho}}$$

$$-30(\mu\nu\lambda)(\underline{\nu}\rho)\gamma_{\mu}\tau k_{\lambda}\Sigma''_k\frac{\partial}{\partial k^{\rho}}+30(\mu\nu)(\lambda\underline{\mu}\rho)\gamma_{\lambda}\tau k_{\rho}\Sigma''_k\frac{\partial}{\partial k^{\nu}}+30(\mu\nu\lambda)(\underline{\nu}\rho)\gamma_{\mu}\tau k_{\rho}\Sigma''_k\frac{\partial}{\partial k^{\lambda}}$$

$$+30(\mu\nu)(\lambda\underline{\mu}\rho)\gamma_{\lambda}\tau\Sigma'_k\frac{\partial^2}{\partial k^{\nu}\partial k^{\rho}}+30(\mu\nu\lambda)(\underline{\nu}\rho)\gamma_{\mu}\tau\Sigma'_k\frac{\partial^2}{\partial k^{\lambda}\partial k^{\rho}}+40(\mu\nu)(\lambda\underline{\mu}\underline{\lambda})\gamma_{\nu}\tau\Sigma''_k+80(\mu\nu)(\lambda\underline{\lambda}\rho)\gamma_{\mu}\tau k_{\nu}k_{\rho}\Sigma'''_k$$

$$-80(\mu\nu)(\lambda\underline{\lambda}\rho)\gamma_{\mu}\tau k_{\nu}\Sigma''_k\frac{\partial}{\partial k^{\rho}}+40ia^{\mu}(\nu\lambda)(\underline{\nu}\rho)\gamma_{\mu}\gamma_5\tau k_{\lambda}k_{\rho}\Sigma'''_k-30ia^{\mu}(\nu\lambda)(\underline{\nu}\rho)\gamma_{\mu}\gamma_5\tau k_{\lambda}\Sigma''_k\frac{\partial}{\partial k^{\rho}}$$

$$+30ia^{\mu}(\nu\lambda)(\underline{\nu}\rho)\gamma_{\mu}\gamma_5\tau k_{\rho}\Sigma''_k\frac{\partial}{\partial k^{\lambda}}+30ia^{\mu}(\nu\lambda)(\underline{\nu}\rho)\gamma_{\mu}\gamma_5\tau\Sigma'_k\frac{\partial^2}{\partial k^{\lambda}\partial k^{\rho}}+80is(\mu\nu\lambda)\tau k_{\mu}k_{\nu}\Sigma''_k\frac{\partial}{\partial k^{\lambda}}$$

$$-80p(\mu\nu\lambda)\gamma_5\tau k_{\mu}k_{\nu}\Sigma''_k\frac{\partial}{\partial k^{\lambda}}+80is(\mu\nu\lambda)\tau k_{\nu}\Sigma'_k\frac{\partial^2}{\partial k^{\mu}\partial k^{\lambda}}-80p(\mu\nu\lambda)\gamma_5\tau k_{\nu}\Sigma'_k\frac{\partial^2}{\partial k^{\mu}\partial k^{\lambda}}$$

$$+40i(\mu\nu\lambda\rho)a^{\sigma}\gamma_{\sigma}\gamma_5\tau k_{\mu}k_{\nu}k_{\lambda}\Sigma'''_k\frac{\partial}{\partial k^{\rho}}+80i(\mu\nu\lambda)(\rho a^{\sigma})\gamma_{\sigma}\gamma_5\tau k_{\mu}k_{\nu}\Sigma''_k\frac{\partial^2}{\partial k^{\lambda}\partial k^{\rho}}+30i(\mu\nu\lambda\rho)a^{\sigma}\gamma_{\sigma}\gamma_5\tau k_{\nu}k_{\lambda}\Sigma''_k\frac{\partial^2}{\partial k^{\mu}\partial k^{\rho}}$$

$$+30i(\mu\nu\lambda\rho)a^{\sigma}\gamma_{\sigma}\gamma_5\tau k_{\mu}k_{\lambda}\Sigma''_k\frac{\partial^2}{\partial k^{\nu}\partial k^{\rho}}+60i(\mu\nu)(\lambda\rho a^{\sigma})\gamma_{\sigma}\gamma_5\tau k_{\mu}\Sigma'_k\frac{\partial^3}{\partial k^{\nu}\partial k^{\lambda}\partial k^{\rho}}$$

$$+80i(\mu\nu\lambda)(\rho a^{\sigma})\gamma_{\sigma}\gamma_5\tau k_{\nu}\Sigma'_k\frac{\partial^3}{\partial k^{\mu}\partial k^{\lambda}\partial k^{\rho}}+30i(\mu\nu\lambda\rho)a^{\sigma}\gamma_{\sigma}\gamma_5\tau k_{\lambda}\Sigma'_k\frac{\partial^3}{\partial k^{\mu}\partial k^{\nu}\partial k^{\rho}}$$

$$+80i(\mu a^{\nu})(\underline{\mu}\lambda\rho)\gamma_{\nu}\gamma_5\tau k_{\lambda}\Sigma''_k\frac{\partial}{\partial k^{\rho}}+80i(\mu a^{\nu})(\lambda\underline{\mu}\rho)\gamma_{\nu}\gamma_5\tau k_{\lambda}\Sigma''_k\frac{\partial}{\partial k^{\rho}}+160i(\mu a^{\nu})(\lambda\rho\sigma)\gamma_{\nu}\gamma_5\tau k_{\mu}k_{\lambda}k_{\rho}\Sigma'''_k\frac{\partial}{\partial k^{\sigma}}$$

$$+80i(\mu a^{\nu})(\lambda\rho\sigma)\gamma_{\nu}\gamma_5\tau k_{\lambda}k_{\rho}\Sigma''_k\frac{\partial^2}{\partial k^{\mu}\partial k^{\sigma}}+80i(\mu a^{\nu})(\lambda\underline{\mu}\rho)\gamma_{\nu}\gamma_5\tau\Sigma'_k\frac{\partial^2}{\partial k^{\lambda}\partial k^{\rho}}+160i(\mu a^{\nu})(\lambda\rho\sigma)\gamma_{\nu}\gamma_5\tau k_{\mu}k_{\rho}\Sigma''_k\frac{\partial^2}{\partial k^{\lambda}\partial k^{\sigma}}$$

$$+80i(\mu a^{\nu})(\lambda\rho\sigma)\gamma_{\nu}\gamma_5\tau k_{\rho}\Sigma'_k\frac{\partial^3}{\partial k^{\mu}\partial k^{\lambda}\partial k^{\sigma}}+120i(\mu\nu a^{\lambda})(\underline{\mu}\rho)\gamma_{\lambda}\gamma_5\tau k_{\nu}\Sigma''_k\frac{\partial}{\partial k^{\rho}}+60i(\mu\nu a^{\lambda})(\underline{\mu}\rho)\gamma_{\lambda}\gamma_5\tau\Sigma'_k\frac{\partial^2}{\partial k^{\nu}\partial k^{\rho}}$$

$$+120i(\mu\nu a^{\lambda})(\underline{\nu}\rho)\gamma_{\lambda}\gamma_5\tau k_{\mu}\Sigma''_k\frac{\partial}{\partial k^{\rho}}+120i(\mu\underline{\mu}a^{\nu})(\lambda\rho)\gamma_{\nu}\gamma_5\tau k_{\lambda}\Sigma''_k\frac{\partial}{\partial k^{\rho}}+240i(\mu\nu a^{\lambda})(\rho\sigma)\gamma_{\lambda}\gamma_5\tau k_{\mu}k_{\nu}k_{\rho}\Sigma'''_k\frac{\partial}{\partial k^{\sigma}}$$

$$+120i(\mu\nu a^{\lambda})(\rho\sigma)\gamma_{\lambda}\gamma_5\tau k_{\mu}k_{\rho}\Sigma''_k\frac{\partial^2}{\partial k^{\nu}\partial k^{\sigma}}+60i(\mu\nu a^{\lambda})(\underline{\nu}\rho)\gamma_{\lambda}\gamma_5\tau\Sigma'_k\frac{\partial^2}{\partial k^{\mu}\partial k^{\rho}}$$

$$+120i(\mu\nu a^{\lambda})(\rho\sigma)\gamma_{\lambda}\gamma_5\tau k_{\nu}k_{\rho}\Sigma''_k\frac{\partial^2}{\partial k^{\mu}\partial k^{\sigma}}+60i(\mu\nu a^{\lambda})(\rho\sigma)\gamma_{\lambda}\gamma_5\tau k_{\rho}\Sigma'_k\frac{\partial^3}{\partial k^{\mu}\partial k^{\nu}\partial k^{\sigma}}$$

$$-5(\mu\nu\lambda\rho a_{\nu})\gamma_5\tau\frac{\partial^3}{\partial k^{\mu}\partial k^{\lambda}\partial k^{\rho}}-5(\mu\nu\lambda\rho a_{\lambda})\gamma_5\tau\frac{\partial^3}{\partial k^{\mu}\partial k^{\nu}\partial k^{\rho}}-5(\mu\nu\lambda\rho a_{\rho})\gamma_5\tau\frac{\partial^3}{\partial k^{\mu}\partial k^{\nu}\partial k^{\lambda}}-5(\mu\nu\lambda\rho a_{\mu})\gamma_5\tau\frac{\partial^3}{\partial k^{\nu}\partial k^{\lambda}\partial k^{\rho}}$$

$$-10(\mu\nu\lambda\rho a^{\sigma})\gamma_5\tau k_{\sigma}\frac{\partial^4}{\partial k^{\mu}\partial k^{\nu}\partial k^{\lambda}\partial k^{\rho}}+40(\mu\nu\lambda\rho\sigma)\gamma_{\mu}\tau k_{\nu}k_{\lambda}k_{\rho}\Sigma'''_k\frac{\partial}{\partial k^{\sigma}}+30(\mu\nu\lambda\rho\sigma)\gamma_{\mu}\tau k_{\lambda}k_{\rho}\Sigma''_k\frac{\partial^2}{\partial k^{\nu}\partial k^{\sigma}}$$

$$+30(\mu\nu\lambda\rho\sigma)\gamma_{\mu}\tau k_{\nu}k_{\rho}\Sigma''_k\frac{\partial^2}{\partial k^{\lambda}\partial k^{\sigma}}-80(\mu\nu)(\lambda\rho\sigma)\gamma_{\mu}\tau k_{\lambda}k_{\rho}\Sigma''_k\frac{\partial^2}{\partial k^{\nu}\partial k^{\sigma}}+80(\mu\nu\lambda)(\rho\sigma)\gamma_{\rho}\tau k_{\mu}k_{\nu}\Sigma''_k\frac{\partial^2}{\partial k^{\lambda}\partial k^{\sigma}}$$

$$+30(\mu\nu\lambda\rho\sigma)\gamma_{\mu}\tau k_{\rho}\Sigma'_k\frac{\partial^3}{\partial k^{\nu}\partial k^{\lambda}\partial k^{\sigma}}-80(\mu\nu)(\lambda\rho\sigma)\gamma_{\mu}\tau k_{\rho}\Sigma'_k\frac{\partial^3}{\partial k^{\nu}\partial k^{\lambda}\partial k^{\sigma}}+80(\mu\nu\lambda)(\rho\sigma)\gamma_{\rho}\tau k_{\nu}\Sigma'_k\frac{\partial^3}{\partial k^{\mu}\partial k^{\lambda}\partial k^{\sigma}}$$

$$+60(\mu\nu)(\lambda\rho\sigma)\gamma_{\rho}\tau k_{\mu}\Sigma'_k\frac{\partial^3}{\partial k^{\nu}\partial k^{\lambda}\partial k^{\sigma}}-60(\mu\nu\lambda)(\rho\sigma)\gamma_{\nu}\tau k_{\rho}\Sigma'_k\frac{\partial^3}{\partial k^{\mu}\partial k^{\lambda}\partial k^{\sigma}}+40ia^{\mu}(\nu\lambda\rho\sigma)\gamma_{\mu}\gamma_5\tau k_{\nu}k_{\lambda}k_{\rho}\Sigma'''_k\frac{\partial}{\partial k^{\sigma}}$$

$$\begin{aligned}
&+30ia^{\mu}(\nu\lambda\rho\sigma)\gamma_\mu\gamma_5\tau k_\lambda k_\rho\Sigma''_k\frac{\partial^2}{\partial k^\nu\partial k^\sigma}+30ia^{\mu}(\nu\lambda\rho\sigma)\gamma_\mu\gamma_5\tau k_\nu k_\rho\Sigma''_k\frac{\partial^2}{\partial k^\lambda\partial k^\sigma}+30ia^{\mu}(\nu\lambda\rho\sigma)\gamma_\mu\gamma_5\tau k_\rho\Sigma'_k\frac{\partial^3}{\partial k^\nu\partial k^\lambda\partial k^\sigma}\\
&+60i(\mu\nu)(\lambda\rho)a^{\sigma}\gamma_\sigma\gamma_5\tau k_\mu k_\lambda\Sigma''_k\frac{\partial^2}{\partial k^\nu\partial k^\rho}+60(\mu\nu)(\lambda\rho\sigma)\gamma_\lambda\tau k_\mu k_\rho\Sigma''_k\frac{\partial^2}{\partial k^\nu\partial k^\sigma}+60(\mu\nu\lambda)(\rho\sigma)\gamma_\mu\tau k_\nu k_\rho\Sigma''_k\frac{\partial^2}{\partial k^\lambda\partial k^\sigma}\\
&+80(\mu\nu)(\underline{\mu}\lambda\rho)\gamma_\nu\tau k_\lambda\Sigma''_k\frac{\partial}{\partial k^\rho}+80(\mu\nu)(\lambda\underline{\mu}\rho)\gamma_\nu\tau k_\lambda\Sigma''_k\frac{\partial}{\partial k^\rho}-160(\mu\nu)(\lambda\rho\sigma)\gamma_\mu\tau k_\nu k_\lambda k_\rho\Sigma'''_k\frac{\partial}{\partial k^\sigma}\\
&+80(\mu\nu)(\lambda\underline{\mu}\rho)\gamma_\nu\tau\Sigma'_k\frac{\partial^2}{\partial k^\lambda\partial k^\rho}-160(\mu\nu)(\lambda\rho\sigma)\gamma_\mu\tau k_\nu k_\rho\Sigma''_k\frac{\partial^2}{\partial k^\lambda\partial k^\sigma}-120(\mu\nu\lambda)(\underline{\mu}\rho)\gamma_\nu\tau k_\lambda\Sigma''_k\frac{\partial}{\partial k^\rho}\\
&-60(\mu\nu\lambda)(\underline{\mu}\rho)\gamma_\nu\tau\Sigma'_k\frac{\partial^2}{\partial k^\lambda\partial k^\rho}+120(\mu\nu\lambda)(\underline{\nu}\rho)\gamma_\lambda\tau k_\mu\Sigma''_k\frac{\partial}{\partial k^\rho}+120(\mu\underline{\mu}\nu)(\lambda\rho)\gamma_\nu\tau k_\lambda\Sigma''_k\frac{\partial}{\partial k^\rho}\\
&-240(\mu\nu\lambda)(\rho\sigma)\gamma_\nu\tau k_\mu k_\lambda k_\rho\Sigma'''_k\frac{\partial}{\partial k^\sigma}-120(\mu\nu\lambda)(\rho\sigma)\gamma_\nu\tau k_\mu k_\rho\Sigma''_k\frac{\partial^2}{\partial k^\lambda\partial k^\sigma}+60(\mu\nu\lambda)(\underline{\nu}\rho)\gamma_\lambda\tau\Sigma'_k\frac{\partial^2}{\partial k^\mu\partial k^\rho}\\
&-120(\mu\nu\lambda)(\rho\sigma)\gamma_\nu\tau k_\lambda k_\rho\Sigma''_k\frac{\partial^2}{\partial k^\mu\partial k^\sigma}+60ia^{\mu}(\nu\lambda)(\rho\sigma)\gamma_\mu\gamma_5\tau k_\nu k_\rho\Sigma''_k\frac{\partial^2}{\partial k^\lambda\partial k^\sigma}\ ,
\end{aligned}\tag{A11}$$

$$\begin{aligned}
B_6 \;=\;& 240(\mu s)(\nu\underline{\mu}\underline{\nu})\tau\Sigma''_k-160(\mu\underline{\mu}\nu)(\lambda\underline{\nu}\underline{\lambda})\tau\Sigma_k\Sigma'''_k-240(\mu\nu)(\underline{\mu}\lambda\underline{\nu}\underline{\lambda})\tau\Sigma_k\Sigma'''_k-240(\mu\nu)(\lambda\underline{\mu}\underline{\nu}\underline{\lambda})\tau\Sigma_k\Sigma'''_k\\
&+240(\mu\nu)(\lambda\underline{\lambda}\underline{\mu}\underline{\nu})\tau\Sigma_k\Sigma'''_k+\frac{640}{3}(\mu\nu\lambda)(\underline{\mu}\underline{\nu}\underline{\lambda})\tau\Sigma_k\Sigma'''_k+\frac{640}{3}(\mu\nu\lambda)(\underline{\nu}\underline{\mu}\underline{\lambda})\tau\Sigma_k\Sigma'''_k-480(\mu\underline{\mu}\nu)(\lambda\underline{\nu}\underline{\lambda})\tau\Sigma'_k\Sigma''_k\\
&-720(\mu\nu)(\underline{\mu}\lambda\underline{\nu}\underline{\lambda})\tau\Sigma'_k\Sigma''_k-720(\mu\nu)(\lambda\underline{\mu}\underline{\nu}\underline{\lambda})\tau\Sigma'_k\Sigma''_k+720(\mu\nu)(\lambda\underline{\lambda}\underline{\mu}\underline{\nu})\tau\Sigma'_k\Sigma''_k+640(\mu\nu\lambda)(\underline{\mu}\underline{\nu}\underline{\lambda})\tau\Sigma'_k\Sigma''_k\\
&+640(\mu\nu\lambda)(\underline{\nu}\underline{\mu}\underline{\lambda})\tau\Sigma'_k\Sigma''_k+360(\mu\nu)(\underline{\mu}\underline{\nu})s\tau\Sigma''_k+240i(\mu p)(\nu\underline{\mu}\underline{\nu})\gamma_5\tau\Sigma''_k-480(\mu s)(\nu\underline{\nu}\lambda)\tau k_\mu k_\lambda\Sigma'''_k\\
&-480(\mu s)(\nu\underline{\nu}\lambda)\tau k_\lambda\Sigma''_k\frac{\partial}{\partial k^\mu}+480(\mu s)(\nu\underline{\nu}\lambda)\tau k_\mu\Sigma''_k\frac{\partial}{\partial k^\lambda}+480(\mu s)(\underline{\mu}\nu\lambda)\tau k_\nu\Sigma''_k\frac{\partial}{\partial k^\lambda}+480(\mu s)(\nu\underline{\mu}\lambda)\tau k_\nu\Sigma''_k\frac{\partial}{\partial k^\lambda}\\
&+720(\mu\nu)(\underline{\mu}\lambda s)\tau k_\lambda\Sigma''_k\frac{\partial}{\partial k^\nu}+720(\mu\nu)(\lambda\underline{\mu}s)\tau k_\lambda\Sigma''_k\frac{\partial}{\partial k^\nu}+720(\mu\nu)(\lambda\underline{\lambda}s)\tau k_\mu\Sigma''_k\frac{\partial}{\partial k^\nu}+480(\mu s)(\nu\underline{\nu}\lambda)\tau\Sigma'_k\frac{\partial^2}{\partial k^\mu\partial k^\lambda}\\
&+480(\mu s)(\nu\underline{\mu}\lambda)\tau\Sigma'_k\frac{\partial^2}{\partial k^\nu\partial k^\lambda}+360(\mu\nu)(\underline{\mu}\lambda s)\tau\Sigma'_k\frac{\partial^2}{\partial k^\nu\partial k^\lambda}+360(\mu\nu)(\lambda\underline{\mu}s)\tau\Sigma'_k\frac{\partial^2}{\partial k^\nu\partial k^\lambda}-180i(\mu\nu)(\underline{\mu}\underline{\nu})p\gamma_5\tau\Sigma''_k\\
&+180i(\mu\nu)(\underline{\mu}\underline{\nu})\gamma_5 p\tau\Sigma''_k+120i(\mu\nu)(\underline{\mu}\lambda\underline{\lambda}\rho)\gamma_\nu\tau k_\rho\Sigma'''_k-120i(\mu\nu)(\lambda\rho\underline{\mu}\underline{\rho})\gamma_\nu\tau k_\lambda\Sigma'''_k+120i(\mu\nu)(\lambda\underline{\mu}\underline{\lambda}\rho)\gamma_\nu\tau k_\rho\Sigma'''_k\\
&-120i(\mu\nu)(\lambda\rho\underline{\mu}\underline{\lambda})\gamma_\nu\tau k_\rho\Sigma'''_k+240i(\mu\nu\lambda)(\rho\underline{\mu}\underline{\rho})\gamma_\nu\tau k_\lambda\Sigma'''_k-240i(\mu\nu\lambda)(\rho\underline{\nu}\underline{\rho})\gamma_\lambda\tau k_\mu\Sigma'''_k+240i(\mu\underline{\mu}\nu)(\lambda\underline{\lambda}\rho)\gamma_\nu\tau k_\rho\Sigma'''_k\\
&-90i(\mu\nu)(\lambda\rho\underline{\mu}\underline{\rho})\gamma_\nu\tau\Sigma''_k\frac{\partial}{\partial k^\lambda}-90i(\mu\nu)(\lambda\rho\underline{\mu}\underline{\lambda})\gamma_\nu\tau\Sigma''_k\frac{\partial}{\partial k^\rho}-180i(\mu\nu)(\lambda\underline{\lambda}\underline{\mu}\rho)\gamma_\nu\tau\Sigma''_k\frac{\partial}{\partial k^\rho}-90i(\mu\nu)(\underline{\mu}\lambda\underline{\lambda}\rho)\gamma_\nu\tau\Sigma''_k\frac{\partial}{\partial k^\rho}\\
&-90i(\mu\nu)(\lambda\underline{\mu}\underline{\lambda}\rho)\gamma_\nu\tau\Sigma''_k\frac{\partial}{\partial k^\rho}+120i(\mu\nu\lambda)(\rho\underline{\mu}\underline{\rho})\gamma_\nu\tau\Sigma''_k\frac{\partial}{\partial k^\lambda}-120i(\mu\nu\lambda)(\rho\underline{\nu}\underline{\rho})\gamma_\lambda\tau\Sigma''_k\frac{\partial}{\partial k^\mu}\\
&-240i(\mu\underline{\mu}\nu)(\lambda\underline{\lambda}\rho)\gamma_\nu\tau\Sigma''_k\frac{\partial}{\partial k^\rho}-240i(\mu\nu\lambda)(\underline{\mu}\underline{\nu}\rho)\gamma_\lambda\tau\Sigma''_k\frac{\partial}{\partial k^\rho}-240i(\mu\nu\lambda)(\underline{\nu}\underline{\mu}\rho)\gamma_\lambda\tau\Sigma''_k\frac{\partial}{\partial k^\rho}\\
&-240i(\mu\nu\underline{\nu}\lambda)(\underline{\mu}\rho)\gamma_\lambda\tau\Sigma''_k\frac{\partial}{\partial k^\rho}-240i(\mu\nu\underline{\mu}\lambda)(\underline{\nu}\rho)\gamma_\lambda\tau\Sigma''_k\frac{\partial}{\partial k^\rho}-240i(\mu\underline{\mu}\nu\lambda)(\underline{\nu}\rho)\gamma_\lambda\tau\Sigma''_k\frac{\partial}{\partial k^\rho}\\
&-240(\mu\nu\underline{\nu}\lambda)s\tau k_\mu k_\lambda\Sigma'''_k-240(\mu\nu\underline{\mu}\lambda)s\tau k_\nu k_\lambda\Sigma'''_k-180(\mu\nu\underline{\nu}\lambda)s\tau k_\lambda\Sigma''_k\frac{\partial}{\partial k^\mu}-180(\mu\nu\underline{\mu}\lambda)s\tau k_\lambda\Sigma''_k\frac{\partial}{\partial k^\nu}\\
&+360(\mu\underline{\mu}\nu\lambda)s\tau k_\nu\Sigma''_k\frac{\partial}{\partial k^\lambda}+180(\mu\nu\underline{\nu}\lambda)s\tau k_\mu\Sigma''_k\frac{\partial}{\partial k^\lambda}+180(\mu\nu\underline{\mu}\lambda)s\tau k_\nu\Sigma''_k\frac{\partial}{\partial k^\lambda}+180(\mu\nu\underline{\nu}\lambda)s\tau\Sigma'_k\frac{\partial^2}{\partial k^\mu\partial k^\lambda}\\
&+180(\mu\nu\underline{\mu}\lambda)s\tau\Sigma'_k\frac{\partial^2}{\partial k^\nu\partial k^\lambda}+360i(\mu\nu)(\lambda\rho)(\underline{\lambda}\underline{\rho})\gamma_\mu\tau k_\nu\Sigma'''_k+240i(\mu\nu)(\underline{\mu}\lambda)(\underline{\lambda}\rho)\gamma_\nu\tau k_\rho\Sigma'''_k\\
&+240i(\mu\nu)(\lambda\rho)(\underline{\mu}\underline{\lambda})\gamma_\nu\tau k_\rho\Sigma'''_k-180i(\mu\nu)(\underline{\mu}\underline{\nu})(\lambda\rho)\gamma_\lambda\tau\Sigma''_k\frac{\partial}{\partial k^\rho}+180i(\mu\nu)(\lambda\rho)(\underline{\lambda}\underline{\rho})\gamma_\mu\tau\Sigma''_k\frac{\partial}{\partial k^\nu}\\
&-180i(\mu\nu)(\underline{\mu}\lambda)(\underline{\lambda}\rho)\gamma_\nu\tau\Sigma''_k\frac{\partial}{\partial k^\rho}+180i(\mu\nu)(\lambda\rho)(\underline{\mu}\underline{\lambda})\gamma_\nu\tau\Sigma''_k\frac{\partial}{\partial k^\rho}+300(\mu\nu)(\lambda\rho\underline{\mu}\underline{\rho})\tau k_\nu k_\lambda\Sigma_k\Sigma''''_k\\
&+300(\mu\nu)(\lambda\rho\underline{\mu}\underline{\lambda})\tau k_\nu k_\rho\Sigma_k\Sigma''''_k+60(\mu\nu)(\underline{\mu}\lambda\underline{\lambda}\rho)\tau k_\nu k_\rho\Sigma_k\Sigma''''_k+60(\mu\nu)(\lambda\underline{\mu}\underline{\lambda}\rho)\tau k_\nu k_\rho\Sigma_k\Sigma''''_k\\
&-480(\mu\underline{\mu}\nu)(\lambda\underline{\nu}\rho)\tau k_\lambda k_\rho\Sigma_k\Sigma''''_k+80(\mu\underline{\mu}\nu)(\lambda\underline{\lambda}\rho)\tau k_\nu k_\rho\Sigma_k\Sigma''''_k+360(\mu\nu)(\lambda\rho\underline{\mu}\underline{\nu})\tau k_\lambda k_\rho\Sigma_k\Sigma''''_k\\
&+360(\mu\nu)(\lambda\underline{\lambda}\underline{\mu}\rho)\tau k_\nu k_\rho\Sigma_k\Sigma''''_k-360(\mu\nu)(\lambda\underline{\mu}\underline{\nu}\rho)\tau k_\lambda k_\rho\Sigma_k\Sigma''''_k-360(\mu\nu)(\underline{\mu}\lambda\underline{\nu}\rho)\tau k_\lambda k_\rho\Sigma_k\Sigma''''_k\\
&+320(\mu\nu\lambda)(\rho\underline{\nu}\underline{\lambda})\tau k_\mu k_\rho\Sigma_k\Sigma''''_k-640(\mu\nu\lambda)(\underline{\nu}\underline{\lambda}\rho)\tau k_\mu k_\rho\Sigma_k\Sigma''''_k+320(\mu\nu\lambda)(\underline{\mu}\underline{\nu}\rho)\tau k_\lambda k_\rho\Sigma_k\Sigma''''_k\\
&+240(\mu\nu)(\underline{\mu}\lambda\underline{\lambda}\rho)\tau k_\nu k_\rho\Sigma'_k\Sigma'''_k+1200(\mu\nu)(\lambda\rho\underline{\mu}\underline{\rho})\tau k_\nu k_\lambda\Sigma'_k\Sigma'''_k+240(\mu\nu)(\lambda\underline{\mu}\underline{\lambda}\rho)\tau k_\nu k_\rho\Sigma'_k\Sigma'''_k
\end{aligned}$$

$$+1200(\mu\nu)(\lambda\rho\underline{\mu}\underline{\lambda})\tau k_\nu k_\rho\Sigma'_k\Sigma'''_k - 1920(\mu\underline{\mu}\nu)(\lambda\underline{\nu}\rho)\tau k_\lambda k_\rho\Sigma'_k\Sigma'''_k + 320(\mu\underline{\mu}\nu)(\lambda\underline{\lambda}\rho)\tau k_\nu k_\rho\Sigma'_k\Sigma'''_k$$

$$+1440(\mu\nu)(\lambda\underline{\lambda}\underline{\mu}\rho)\tau k_\nu k_\rho\Sigma'_k\Sigma'''_k + 1440(\mu\nu)(\lambda\rho\underline{\mu}\underline{\nu})\tau k_\lambda k_\rho\Sigma'_k\Sigma'''_k - 1440(\mu\nu)(\lambda\underline{\mu}\underline{\nu}\rho)\tau k_\lambda k_\rho\Sigma'_k\Sigma'''_k$$

$$-1440(\mu\nu)(\underline{\mu}\lambda\underline{\nu}\rho)\tau k_\lambda k_\rho\Sigma'_k\Sigma'''_k + 1280(\mu\nu\lambda)(\rho\underline{\nu}\underline{\lambda})\tau k_\mu k_\rho\Sigma'_k\Sigma'''_k - 2560(\mu\nu\lambda)(\underline{\nu}\underline{\lambda}\rho)\tau k_\mu k_\rho\Sigma'_k\Sigma'''_k$$

$$+1280(\mu\nu\lambda)(\underline{\mu}\underline{\nu}\rho)\tau k_\lambda k_\rho\Sigma'_k\Sigma'''_k + 240(\mu\underline{\mu}\nu)(\lambda\underline{\lambda}\rho)\tau k_\nu k_\rho\Sigma''^2_k - 1440(\mu\underline{\mu}\nu)(\lambda\underline{\nu}\rho)\tau k_\lambda k_\rho\Sigma''^2_k$$

$$+180(\mu\nu)(\underline{\mu}\lambda\underline{\lambda}\rho)\tau k_\nu k_\rho\Sigma''^2_k + 180(\mu\nu)(\lambda\underline{\mu}\underline{\lambda}\rho)\tau k_\nu k_\rho\Sigma''^2_k + 900(\mu\nu)(\lambda\rho\underline{\mu}\underline{\rho})\tau k_\nu k_\lambda\Sigma''^2_k + 900(\mu\nu)(\lambda\rho\underline{\mu}\underline{\lambda})\tau k_\nu k_\rho\Sigma''^2_k$$

$$+1080(\mu\nu)(\lambda\rho\underline{\mu}\underline{\nu})\tau k_\lambda k_\rho\Sigma''^2_k + 1080(\mu\nu)(\lambda\underline{\lambda}\underline{\mu}\rho)\tau k_\nu k_\rho\Sigma''^2_k - 1080(\mu\nu)(\lambda\underline{\mu}\underline{\nu}\rho)\tau k_\lambda k_\rho\Sigma''^2_k$$

$$-1080(\mu\nu)(\underline{\mu}\lambda\underline{\nu}\rho)\tau k_\lambda k_\rho\Sigma''^2_k + 960(\mu\nu\lambda)(\rho\underline{\nu}\underline{\lambda})\tau k_\mu k_\rho\Sigma''^2_k - 1920(\mu\nu\lambda)(\underline{\nu}\underline{\lambda}\rho)\tau k_\mu k_\rho\Sigma''^2_k + 960(\mu\nu\lambda)(\underline{\mu}\underline{\nu}\rho)\tau k_\lambda k_\rho\Sigma''^2_k$$

$$-160(\mu\underline{\mu}\nu)(\lambda\underline{\lambda}\rho)\tau k_\nu\Sigma_k\Sigma'''_k\frac{\partial}{\partial k^\rho} + 180(\mu\nu)(\lambda\rho\underline{\mu}\underline{\rho})\tau k_\nu\Sigma_k\Sigma'''_k\frac{\partial}{\partial k^\lambda} + 180(\mu\nu)(\lambda\rho\underline{\mu}\underline{\lambda})\tau k_\nu\Sigma_k\Sigma'''_k\frac{\partial}{\partial k^\rho}$$

$$+120(\mu\nu)(\lambda\underline{\lambda}\underline{\mu}\rho)\tau k_\nu\Sigma_k\Sigma'''_k\frac{\partial}{\partial k^\rho} - 60(\mu\nu)(\underline{\mu}\lambda\underline{\lambda}\rho)\tau k_\nu\Sigma_k\Sigma'''_k\frac{\partial}{\partial k^\rho} - 60(\mu\nu)(\lambda\underline{\mu}\underline{\lambda}\rho)\tau k_\nu\Sigma_k\Sigma'''_k\frac{\partial}{\partial k^\rho}$$

$$-120(\mu\nu)(\underline{\mu}\lambda\underline{\lambda}\rho)\tau k_\rho\Sigma_k\Sigma'''_k\frac{\partial}{\partial k^\nu} - 120(\mu\nu)(\lambda\underline{\mu}\underline{\lambda}\rho)\tau k_\rho\Sigma_k\Sigma'''_k\frac{\partial}{\partial k^\nu} + 120(\mu\nu)(\lambda\rho\underline{\mu}\underline{\rho})\tau k_\lambda\Sigma_k\Sigma'''_k\frac{\partial}{\partial k^\nu}$$

$$+120(\mu\nu)(\lambda\rho\underline{\mu}\underline{\lambda})\tau k_\rho\Sigma_k\Sigma'''_k\frac{\partial}{\partial k^\nu} + 240(\mu\nu)(\lambda\rho\underline{\mu}\underline{\nu})\tau k_\rho\Sigma_k\Sigma'''_k\frac{\partial}{\partial k^\lambda} + 240(\mu\nu)(\lambda\rho\underline{\mu}\underline{\nu})\tau k_\lambda\Sigma_k\Sigma'''_k\frac{\partial}{\partial k^\rho}$$

$$-240(\mu\nu)(\lambda\underline{\mu}\underline{\nu}\rho)\tau k_\rho\Sigma_k\Sigma'''_k\frac{\partial}{\partial k^\lambda} - 240(\mu\nu)(\lambda\underline{\mu}\underline{\nu}\rho)\tau k_\lambda\Sigma_k\Sigma'''_k\frac{\partial}{\partial k^\rho} - 240(\mu\nu)(\underline{\mu}\lambda\underline{\nu}\rho)\tau k_\rho\Sigma_k\Sigma'''_k\frac{\partial}{\partial k^\lambda}$$

$$-240(\mu\nu)(\underline{\mu}\lambda\underline{\nu}\rho)\tau k_\lambda\Sigma_k\Sigma'''_k\frac{\partial}{\partial k^\rho} - 320(\mu\underline{\mu}\nu)(\lambda\underline{\nu}\rho)\tau k_\rho\Sigma_k\Sigma'''_k\frac{\partial}{\partial k^\lambda} - 320(\mu\underline{\mu}\nu)(\lambda\underline{\nu}\rho)\tau k_\lambda\Sigma_k\Sigma'''_k\frac{\partial}{\partial k^\rho}$$

$$+\frac{1280}{3}(\mu\nu\lambda)(\rho\underline{\nu}\underline{\lambda})\tau k_\mu\Sigma_k\Sigma'''_k\frac{\partial}{\partial k^\rho} - \frac{1280}{3}(\mu\nu\lambda)(\underline{\nu}\underline{\lambda}\rho)\tau k_\mu\Sigma_k\Sigma'''_k\frac{\partial}{\partial k^\rho} - \frac{1280}{3}(\mu\nu\lambda)(\underline{\nu}\underline{\lambda}\rho)\tau k_\rho\Sigma_k\Sigma'''_k\frac{\partial}{\partial k^\mu}$$

$$+\frac{640}{3}(\mu\nu\lambda)(\underline{\mu}\underline{\nu}\rho)\tau k_\lambda\Sigma_k\Sigma'''_k\frac{\partial}{\partial k^\rho} - \frac{640}{3}(\mu\nu\lambda)(\underline{\nu}\underline{\mu}\rho)\tau k_\lambda\Sigma_k\Sigma'''_k\frac{\partial}{\partial k^\rho} + 540(\mu\nu)(\lambda\rho\underline{\mu}\underline{\rho})\tau k_\nu\Sigma'_k\Sigma''_k\frac{\partial}{\partial k^\lambda}$$

$$+540(\mu\nu)(\lambda\rho\underline{\mu}\underline{\lambda})\tau k_\nu\Sigma'_k\Sigma''_k\frac{\partial}{\partial k^\rho} + 360(\mu\nu)(\lambda\underline{\lambda}\underline{\mu}\rho)\tau k_\nu\Sigma'_k\Sigma''_k\frac{\partial}{\partial k^\rho} - 180(\mu\nu)(\underline{\mu}\lambda\underline{\lambda}\rho)\tau k_\nu\Sigma'_k\Sigma''_k\frac{\partial}{\partial k^\rho}$$

$$-180(\mu\nu)(\lambda\underline{\mu}\underline{\lambda}\rho)\tau k_\nu\Sigma'_k\Sigma''_k\frac{\partial}{\partial k^\rho} - 480(\mu\underline{\mu}\nu)(\lambda\underline{\lambda}\rho)\tau k_\nu\Sigma'_k\Sigma''_k\frac{\partial}{\partial k^\rho} - 960(\mu\underline{\mu}\nu)(\lambda\underline{\nu}\rho)\tau k_\rho\Sigma'_k\Sigma''_k\frac{\partial}{\partial k^\lambda}$$

$$-640(\mu\nu\lambda)(\underline{\nu}\underline{\mu}\rho)\tau k_\lambda\Sigma'_k\Sigma''_k\frac{\partial}{\partial k^\rho} + 640(\mu\nu\lambda)(\underline{\mu}\underline{\nu}\rho)\tau k_\lambda\Sigma'_k\Sigma''_k\frac{\partial}{\partial k^\rho} - 960(\mu\underline{\mu}\nu)(\lambda\underline{\nu}\rho)\tau k_\lambda\Sigma'_k\Sigma''_k\frac{\partial}{\partial k^\rho}$$

$$-360(\mu\nu)(\underline{\mu}\lambda\underline{\lambda}\rho)\tau k_\rho\Sigma'_k\Sigma''_k\frac{\partial}{\partial k^\nu} - 360(\mu\nu)(\lambda\underline{\mu}\underline{\lambda}\rho)\tau k_\rho\Sigma'_k\Sigma''_k\frac{\partial}{\partial k^\nu} + 360(\mu\nu)(\lambda\rho\underline{\mu}\underline{\rho})\tau k_\lambda\Sigma'_k\Sigma''_k\frac{\partial}{\partial k^\nu}$$

$$+360(\mu\nu)(\lambda\rho\underline{\mu}\underline{\lambda})\tau k_\rho\Sigma'_k\Sigma''_k\frac{\partial}{\partial k^\nu} + 720(\mu\nu)(\lambda\rho\underline{\mu}\underline{\nu})\tau k_\rho\Sigma'_k\Sigma''_k\frac{\partial}{\partial k^\lambda} + 720(\mu\nu)(\lambda\rho\underline{\mu}\underline{\nu})\tau k_\lambda\Sigma'_k\Sigma''_k\frac{\partial}{\partial k^\rho}$$

$$-720(\mu\nu)(\lambda\underline{\mu}\underline{\nu}\rho)\tau k_\rho\Sigma'_k\Sigma''_k\frac{\partial}{\partial k^\lambda} - 720(\mu\nu)(\lambda\underline{\mu}\underline{\nu}\rho)\tau k_\lambda\Sigma'_k\Sigma''_k\frac{\partial}{\partial k^\rho} - 720(\mu\nu)(\underline{\mu}\lambda\underline{\nu}\rho)\tau k_\rho\Sigma'_k\Sigma''_k\frac{\partial}{\partial k^\lambda}$$

$$-720(\mu\nu)(\underline{\mu}\lambda\underline{\nu}\rho)\tau k_\lambda\Sigma'_k\Sigma''_k\frac{\partial}{\partial k^\rho} + 1280(\mu\nu\lambda)(\rho\underline{\nu}\underline{\lambda})\tau k_\mu\Sigma'_k\Sigma''_k\frac{\partial}{\partial k^\rho} - 1280(\mu\nu\lambda)(\underline{\nu}\underline{\lambda}\rho)\tau k_\rho\Sigma'_k\Sigma''_k\frac{\partial}{\partial k^\mu}$$

$$-1280(\mu\nu\lambda)(\underline{\nu}\underline{\lambda}\rho)\tau k_\mu\Sigma'_k\Sigma''_k\frac{\partial}{\partial k^\rho} + 90(\mu\nu)(\underline{\mu}\lambda\underline{\lambda}\rho)\tau\Sigma_k\Sigma''_k\frac{\partial^2}{\partial k^\nu\partial k^\rho} + 90(\mu\nu)(\lambda\underline{\mu}\underline{\lambda}\rho)\tau\Sigma_k\Sigma''_k\frac{\partial^2}{\partial k^\nu\partial k^\rho}$$

$$+80(\mu\underline{\mu}\nu)(\lambda\underline{\lambda}\rho)\tau\Sigma_k\Sigma''_k\frac{\partial^2}{\partial k^\nu\partial k^\rho} + 90(\mu\nu)(\lambda\rho\underline{\mu}\underline{\rho})\tau\Sigma_k\Sigma''_k\frac{\partial^2}{\partial k^\nu\partial k^\lambda} + 90(\mu\nu)(\lambda\rho\underline{\mu}\underline{\lambda})\tau\Sigma_k\Sigma''_k\frac{\partial^2}{\partial k^\nu\partial k^\rho}$$

$$+180(\mu\nu)(\lambda\rho\underline{\mu}\underline{\nu})\tau\Sigma_k\Sigma''_k\frac{\partial^2}{\partial k^\lambda\partial k^\rho} + 180(\mu\nu)(\lambda\underline{\lambda}\underline{\mu}\rho)\tau\Sigma_k\Sigma''_k\frac{\partial^2}{\partial k^\nu\partial k^\rho} - 180(\mu\nu)(\lambda\underline{\mu}\underline{\nu}\rho)\tau\Sigma_k\Sigma''_k\frac{\partial^2}{\partial k^\lambda\partial k^\rho}$$

$$-180(\mu\nu)(\underline{\mu}\lambda\underline{\nu}\rho)\tau\Sigma_k\Sigma''_k\frac{\partial^2}{\partial k^\lambda\partial k^\rho} - 160(\mu\underline{\mu}\nu)(\lambda\underline{\nu}\rho)\tau\Sigma_k\Sigma''_k\frac{\partial^2}{\partial k^\lambda\partial k^\rho} + 160(\mu\nu\lambda)(\rho\underline{\nu}\underline{\lambda})\tau\Sigma_k\Sigma''_k\frac{\partial^2}{\partial k^\mu\partial k^\rho}$$

$$-320(\mu\nu\lambda)(\underline{\nu}\underline{\lambda}\rho)\tau\Sigma_k\Sigma''_k\frac{\partial^2}{\partial k^\mu\partial k^\rho} + 160(\mu\nu\lambda)(\underline{\mu}\underline{\nu}\rho)\tau\Sigma_k\Sigma''_k\frac{\partial^2}{\partial k^\lambda\partial k^\rho} - 160(\mu\underline{\mu}\nu)(\lambda\underline{\nu}\rho)\tau\Sigma'^2_k\frac{\partial^2}{\partial k^\lambda\partial k^\rho}$$

$$+80(\mu\underline{\mu}\nu)(\lambda\underline{\lambda}\rho)\tau\Sigma'^2_k\frac{\partial^2}{\partial k^\nu\partial k^\rho} + 90(\mu\nu)(\lambda\rho\underline{\mu}\underline{\rho})\tau\Sigma'^2_k\frac{\partial^2}{\partial k^\nu\partial k^\lambda} + 90(\mu\nu)(\underline{\mu}\lambda\underline{\lambda}\rho)\tau\Sigma'^2_k\frac{\partial^2}{\partial k^\nu\partial k^\rho}$$

$$+90(\mu\nu)(\lambda\rho\underline{\mu}\underline{\lambda})\tau\Sigma'^2_k\frac{\partial^2}{\partial k^\nu\partial k^\rho} + 90(\mu\nu)(\lambda\underline{\mu}\underline{\lambda}\rho)\tau\Sigma'^2_k\frac{\partial^2}{\partial k^\nu\partial k^\rho} + 180(\mu\nu)(\lambda\rho\underline{\mu}\underline{\nu})\tau\Sigma'^2_k\frac{\partial^2}{\partial k^\lambda\partial k^\rho}$$

$$
\begin{aligned}
&+180(\mu\nu)(\lambda\underline{\lambda}\underline{\mu}\rho)\tau\Sigma_k'^2\frac{\partial^2}{\partial k^\nu\partial k^\rho}-180(\mu\nu)(\lambda\underline{\mu}\underline{\nu}\rho)\tau\Sigma_k'^2\frac{\partial^2}{\partial k^\lambda\partial k^\rho}-180(\mu\nu)(\underline{\mu}\lambda\underline{\nu}\rho)\tau\Sigma_k'^2\frac{\partial^2}{\partial k^\lambda\partial k^\rho}\\
&+160(\mu\nu\lambda)(\rho\underline{\nu\lambda})\tau\Sigma_k'^2\frac{\partial^2}{\partial k^\mu\partial k^\rho}-320(\mu\nu\lambda)(\underline{\nu\lambda}\rho)\tau\Sigma_k'^2\frac{\partial^2}{\partial k^\mu\partial k^\rho}+160(\mu\nu\lambda)(\underline{\mu}\underline{\nu}\rho)\tau\Sigma_k'^2\frac{\partial^2}{\partial k^\lambda\partial k^\rho}\\
&+90(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\tau\frac{\partial^4}{\partial k^\nu\partial k^\lambda\partial k^\rho\partial k^\sigma}+80(\mu\nu\lambda)(\rho\underline{\nu}\sigma)\tau\frac{\partial^4}{\partial k^\mu\partial k^\lambda\partial k^\rho\partial k^\sigma}+480(\mu\nu)(\underline{\mu}\lambda)s\tau k_\nu k_\lambda\Sigma_k'''\\
&-360(\mu\nu)(\underline{\mu}\lambda)s\tau k_\nu\Sigma_k''\frac{\partial}{\partial k^\lambda}+360(\mu\nu)(\underline{\mu}\lambda)s\tau k_\lambda\Sigma_k''\frac{\partial}{\partial k^\nu}+360(\mu\nu)(\underline{\mu}\lambda)s\tau\Sigma_k'\frac{\partial^2}{\partial k^\nu\partial k^\lambda}\\
&-480i(\mu p)(\nu\underline{\nu}\lambda)\gamma_5\tau k_\mu k_\lambda\Sigma_k'''+240i(\mu\underline{\mu}\nu)(\lambda p)\gamma_5\tau k_\nu\Sigma_k''\frac{\partial}{\partial k^\lambda}-240i(\mu p)(\nu\underline{\nu}\lambda)\gamma_5\tau k_\lambda\Sigma_k''\frac{\partial}{\partial k^\mu}\\
&+480i(\mu p)(\nu\underline{\nu}\lambda)\gamma_5\tau k_\mu\Sigma_k''\frac{\partial}{\partial k^\lambda}+480i(\mu p)(\underline{\mu}\nu\lambda)\gamma_5\tau k_\nu\Sigma_k''\frac{\partial}{\partial k^\lambda}+480i(\mu p)(\nu\underline{\mu}\lambda)\gamma_5\tau k_\nu\Sigma_k''\frac{\partial}{\partial k^\lambda}\\
&+720i(\mu\nu p)(\underline{\mu}\lambda)\gamma_5\tau k_\nu\Sigma_k''\frac{\partial}{\partial k^\lambda}+720i(\mu\nu p)(\underline{\nu}\lambda)\gamma_5\tau k_\mu\Sigma_k''\frac{\partial}{\partial k^\lambda}+720i(\mu\underline{\mu}p)(\nu\lambda)\gamma_5\tau k_\nu\Sigma_k''\frac{\partial}{\partial k^\lambda}\\
&-240i(\mu\underline{\mu}\nu)(\lambda p)\gamma_5\tau\Sigma_k'\frac{\partial^2}{\partial k^\nu\partial k^\lambda}+240i(\mu p)(\nu\underline{\nu}\lambda)\gamma_5\tau\Sigma_k'\frac{\partial^2}{\partial k^\mu\partial k^\lambda}+480i(\mu p)(\nu\underline{\mu}\lambda)\gamma_5\tau\Sigma_k'\frac{\partial^2}{\partial k^\nu\partial k^\lambda}\\
&+360i(\mu\nu p)(\underline{\mu}\lambda)\gamma_5\tau\Sigma_k'\frac{\partial^2}{\partial k^\nu\partial k^\lambda}+360i(\mu\nu p)(\underline{\nu}\lambda)\gamma_5\tau\Sigma_k'\frac{\partial^2}{\partial k^\mu\partial k^\lambda}-120(\mu a^\nu)(\underline{\mu}\lambda\underline{\lambda}\rho)\gamma_\nu\gamma_5\tau k_\rho\Sigma_k'''\\
&+120(\mu a^\nu)(\lambda\rho\underline{\mu\rho})\gamma_\nu\gamma_5\tau k_\lambda\Sigma_k'''-120(\mu a^\nu)(\lambda\underline{\mu}\underline{\lambda}\rho)\gamma_\nu\gamma_5\tau k_\rho\Sigma_k'''+120(\mu a^\nu)(\lambda\rho\underline{\mu}\underline{\lambda})\gamma_\nu\gamma_5\tau k_\rho\Sigma_k'''\\
&+240(\mu\nu a^\lambda)(\rho\underline{\mu\rho})\gamma_\lambda\gamma_5\tau k_\nu\Sigma_k'''+240(\mu\nu a^\lambda)(\rho\underline{\nu}\underline{\rho})\gamma_\lambda\gamma_5\tau k_\mu\Sigma_k'''-240(\mu\underline{\mu}a^\nu)(\lambda\underline{\lambda}\rho)\gamma_\nu\gamma_5\tau k_\rho\Sigma_k'''\\
&+90(\mu a^\nu)(\lambda\rho\underline{\mu\rho})\gamma_\nu\gamma_5\tau\Sigma_k''\frac{\partial}{\partial k^\lambda}+90(\mu a^\nu)(\lambda\rho\underline{\mu}\underline{\lambda})\gamma_\nu\gamma_5\tau\Sigma_k''\frac{\partial}{\partial k^\rho}+180(\mu a^\nu)(\lambda\underline{\lambda}\underline{\mu}\rho)\gamma_\nu\gamma_5\tau\Sigma_k''\frac{\partial}{\partial k^\rho}\\
&+90(\mu a^\nu)(\underline{\mu}\lambda\underline{\lambda}\rho)\gamma_\nu\gamma_5\tau\Sigma_k''\frac{\partial}{\partial k^\rho}+90(\mu a^\nu)(\lambda\underline{\mu}\underline{\lambda}\rho)\gamma_\nu\gamma_5\tau\Sigma_k''\frac{\partial}{\partial k^\rho}+120(\mu\nu a^\lambda)(\rho\underline{\mu\rho})\gamma_\lambda\gamma_5\tau\Sigma_k''\frac{\partial}{\partial k^\nu}\\
&+120(\mu\nu a^\lambda)(\rho\underline{\nu}\underline{\rho})\gamma_\lambda\gamma_5\tau\Sigma_k''\frac{\partial}{\partial k^\mu}+240(\mu\underline{\mu}a^\nu)(\lambda\underline{\lambda}\rho)\gamma_\nu\gamma_5\tau\Sigma_k''\frac{\partial}{\partial k^\rho}+240(\mu\nu a^\lambda)(\underline{\mu}\underline{\nu}\rho)\gamma_\lambda\gamma_5\tau\Sigma_k''\frac{\partial}{\partial k^\rho}\\
&+240(\mu\nu a^\lambda)(\underline{\nu}\underline{\mu}\rho)\gamma_\lambda\gamma_5\tau\Sigma_k''\frac{\partial}{\partial k^\rho}+240(\mu\underline{\mu}\nu a^\lambda)(\underline{\nu}\rho)\gamma_\lambda\gamma_5\tau\Sigma_k''\frac{\partial}{\partial k^\rho}+240(\mu\nu\underline{\mu}a^\lambda)(\underline{\nu}\rho)\gamma_\lambda\gamma_5\tau\Sigma_k''\frac{\partial}{\partial k^\rho}\\
&+240(\mu\nu\underline{\nu}a^\lambda)(\underline{\mu}\rho)\gamma_\lambda\gamma_5\tau\Sigma_k''\frac{\partial}{\partial k^\rho}+120i(\mu\nu\underline{\nu}\lambda)p\gamma_5\tau k_\mu k_\lambda\Sigma_k'''+120i(\mu\nu\underline{\mu}\lambda)p\gamma_5\tau k_\nu k_\lambda\Sigma_k'''\\
&+90i(\mu\nu\underline{\nu}\lambda)p\gamma_5\tau k_\lambda\Sigma_k''\frac{\partial}{\partial k^\mu}+90i(\mu\nu\underline{\mu}\lambda)p\gamma_5\tau k_\lambda\Sigma_k''\frac{\partial}{\partial k^\nu}-180i(\mu\underline{\mu}\nu\lambda)p\gamma_5\tau k_\nu\Sigma_k''\frac{\partial}{\partial k^\lambda}\\
&-90i(\mu\nu\underline{\nu}\lambda)p\gamma_5\tau k_\mu\Sigma_k''\frac{\partial}{\partial k^\lambda}-90i(\mu\nu\underline{\mu}\lambda)p\gamma_5\tau k_\nu\Sigma_k''\frac{\partial}{\partial k^\lambda}-90i(\mu\nu\underline{\nu}\lambda)p\gamma_5\tau\Sigma_k'\frac{\partial^2}{\partial k^\mu\partial k^\lambda}\\
&-90i(\mu\nu\underline{\mu}\lambda)p\gamma_5\tau\Sigma_k'\frac{\partial^2}{\partial k^\nu\partial k^\lambda}-120i(\mu\nu\underline{\nu}\lambda)\gamma_5p\tau k_\mu k_\lambda\Sigma_k'''-120i(\mu\nu\underline{\mu}\lambda)\gamma_5p\tau k_\nu k_\lambda\Sigma_k'''\\
&-90i(\mu\nu\underline{\nu}\lambda)\gamma_5p\tau k_\lambda\Sigma_k''\frac{\partial}{\partial k^\mu}-90i(\mu\nu\underline{\mu}\lambda)\gamma_5p\tau k_\lambda\Sigma_k''\frac{\partial}{\partial k^\nu}+180i(\mu\underline{\mu}\nu\lambda)\gamma_5p\tau k_\nu\Sigma_k''\frac{\partial}{\partial k^\lambda}\\
&+90i(\mu\nu\underline{\nu}\lambda)\gamma_5p\tau k_\mu\Sigma_k''\frac{\partial}{\partial k^\lambda}+90i(\mu\nu\underline{\mu}\lambda)\gamma_5p\tau k_\nu\Sigma_k''\frac{\partial}{\partial k^\lambda}+90i(\mu\nu\underline{\nu}\lambda)\gamma_5p\tau\Sigma_k'\frac{\partial^2}{\partial k^\mu\partial k^\lambda}\\
&+90i(\mu\nu\underline{\mu}\lambda)\gamma_5p\tau\Sigma_k'\frac{\partial^2}{\partial k^\nu\partial k^\lambda}+360(\mu\nu)(\underline{\mu}\underline{\nu})(\lambda\rho)\tau k_\lambda\Sigma_k\Sigma_k'''\frac{\partial}{\partial k^\rho}+360(\mu\nu)(\underline{\mu}\lambda)(\underline{\nu}\rho)\tau k_\lambda\Sigma_k\Sigma_k'''\frac{\partial}{\partial k^\rho}\\
&-120(\mu\nu)(\underline{\mu}\lambda)(\underline{\nu}\rho)\tau k_\rho\Sigma_k\Sigma_k'''\frac{\partial}{\partial k^\lambda}+1080(\mu\nu)(\underline{\mu}\underline{\nu})(\lambda\rho)\tau k_\lambda\Sigma_k'\Sigma_k''\frac{\partial}{\partial k^\rho}+1080(\mu\nu)(\underline{\mu}\lambda)(\underline{\nu}\rho)\tau k_\lambda\Sigma_k'\Sigma_k''\frac{\partial}{\partial k^\rho}\\
&-360(\mu\nu)(\underline{\mu}\lambda)(\underline{\nu}\rho)\tau k_\rho\Sigma_k'\Sigma_k''\frac{\partial}{\partial k^\lambda}+360(\mu a^\nu)(\lambda\rho)(\underline{\lambda}\underline{\rho})\gamma_\nu\gamma_5\tau k_\mu\Sigma_k'''-240(\mu a^\nu)(\underline{\mu}\lambda)(\underline{\lambda}\rho)\gamma_\nu\gamma_5\tau k_\rho\Sigma_k'''\\
&-240(\mu a^\nu)(\lambda\rho)(\underline{\mu}\underline{\lambda})\gamma_\nu\gamma_5\tau k_\rho\Sigma_k'''+180(\mu\nu)(\underline{\mu}\underline{\nu})(\lambda a^\rho)\gamma_\rho\gamma_5\tau\Sigma_k''\frac{\partial}{\partial k^\lambda}+180(\mu a^\nu)(\lambda\rho)(\underline{\lambda}\underline{\rho})\gamma_\nu\gamma_5\tau\Sigma_k''\frac{\partial}{\partial k^\mu}\\
&+180(\mu a^\nu)(\underline{\mu}\lambda)(\underline{\lambda}\rho)\gamma_\nu\gamma_5\tau\Sigma_k''\frac{\partial}{\partial k^\rho}-180(\mu a^\nu)(\lambda\rho)(\underline{\mu}\underline{\lambda})\gamma_\nu\gamma_5\tau\Sigma_k''\frac{\partial}{\partial k^\rho}+960(\mu s)(\nu\lambda\rho)\tau k_\mu k_\nu k_\lambda\Sigma_k'''\frac{\partial}{\partial k^\rho}\\
&+1440(\mu\nu)(\lambda\rho s)\tau k_\mu k_\lambda k_\rho\Sigma_k'''\frac{\partial}{\partial k^\nu}+960(\mu s)(\nu\lambda\rho)\tau k_\nu k_\lambda\Sigma_k''\frac{\partial^2}{\partial k^\mu\partial k^\rho}+960(\mu s)(\nu\lambda\rho)\tau k_\mu k_\lambda\Sigma_k''\frac{\partial^2}{\partial k^\nu\partial k^\rho}
\end{aligned}
$$

$$+720(\mu\nu)(\lambda\rho s)\tau k_\mu k_\lambda \Sigma''_k \frac{\partial^2}{\partial k^\nu \partial k^\rho} + 720(\mu\nu)(\lambda\rho s)\tau k_\mu k_\rho \Sigma''_k \frac{\partial^2}{\partial k^\nu \partial k^\lambda} + 720(\mu\nu)(\lambda\rho s)\tau k_\mu \Sigma'_k \frac{\partial^3}{\partial k^\nu \partial k^\lambda \partial k^\rho}$$

$$+960(\mu s)(\nu\lambda\rho)\tau k_\lambda \Sigma'_k \frac{\partial^3}{\partial k^\mu \partial k^\nu \partial k^\rho} - 240i(\mu\nu)(\underline{\mu}\lambda)p\gamma_5\tau k_\nu k_\lambda \Sigma'''_k + 180i(\mu\nu)(\underline{\mu}\lambda)p\gamma_5\tau k_\nu \Sigma''_k \frac{\partial}{\partial k^\lambda}$$

$$-180i(\mu\nu)(\underline{\mu}\lambda)p\gamma_5\tau k_\lambda \Sigma''_k \frac{\partial}{\partial k^\nu} - 180i(\mu\nu)(\underline{\mu}\lambda)p\gamma_5\tau \Sigma'_k \frac{\partial^2}{\partial k^\nu \partial k^\lambda} + 60i(\mu\nu)(\lambda\rho\sigma a_\mu)\gamma_5\tau \frac{\partial^4}{\partial k^\nu \partial k^\lambda \partial k^\rho \partial k^\sigma}$$

$$+120i(\mu\nu\lambda)(\rho\sigma a_\nu)\gamma_5\tau \frac{\partial^4}{\partial k^\mu \partial k^\lambda \partial k^\rho \partial k^\sigma} + 90i(\mu\nu\lambda\rho)(\sigma a_\lambda)\gamma_5\tau \frac{\partial^4}{\partial k^\mu \partial k^\nu \partial k^\rho \partial k^\sigma} + 90i(\mu a^\nu)(\lambda\rho\underline{\nu}\sigma)\gamma_5\tau \frac{\partial^4}{\partial k^\mu \partial k^\lambda \partial k^\rho \partial k^\sigma}$$

$$+120i(\mu\nu a^\lambda)(\rho\underline{\lambda}\sigma)\gamma_5\tau \frac{\partial^4}{\partial k^\mu \partial k^\nu \partial k^\rho \partial k^\sigma} + 60i(\mu\nu\lambda a^\rho)(\underline{\rho}\sigma)\gamma_5\tau \frac{\partial^4}{\partial k^\mu \partial k^\nu \partial k^\lambda \partial k^\sigma} + 240i(\mu\nu)(\underline{\mu}\lambda)\gamma_5 p\tau k_\nu k_\lambda \Sigma'''_k$$

$$-180i(\mu\nu)(\underline{\mu}\lambda)\gamma_5 p\tau k_\nu \Sigma''_k \frac{\partial}{\partial k^\lambda} + 180i(\mu\nu)(\underline{\mu}\lambda)\gamma_5 p\tau k_\lambda \Sigma''_k \frac{\partial}{\partial k^\nu} + 180i(\mu\nu)(\underline{\mu}\lambda)\gamma_5 p\tau \Sigma'_k \frac{\partial^2}{\partial k^\nu \partial k^\lambda}$$

$$-240i(\mu\nu)(\lambda\rho\underline{\rho}\sigma)\gamma_\mu\tau k_\nu k_\lambda k_\sigma \Sigma''''_k - 240i(\mu\nu)(\lambda\rho\underline{\lambda}\sigma)\gamma_\mu\tau k_\nu k_\rho k_\sigma \Sigma''''_k - 480i(\mu\nu\lambda)(\rho\underline{\rho}\sigma)\gamma_\nu\tau k_\mu k_\lambda k_\sigma \Sigma''''_k$$

$$-120i(\mu\nu)(\lambda\rho\underline{\rho}\sigma)\gamma_\mu\tau k_\lambda k_\sigma \Sigma'''_k \frac{\partial}{\partial k^\nu} + 120i(\mu\nu\underline{\nu}\lambda)(\rho\sigma)\gamma_\rho\tau k_\mu k_\lambda \Sigma'''_k \frac{\partial}{\partial k^\sigma} - 120i(\mu\nu)(\lambda\rho\underline{\lambda}\sigma)\gamma_\mu\tau k_\rho k_\sigma \Sigma'''_k \frac{\partial}{\partial k^\nu}$$

$$+120i(\mu\nu\underline{\mu}\lambda)(\rho\sigma)\gamma_\rho\tau k_\nu k_\lambda \Sigma'''_k \frac{\partial}{\partial k^\sigma} - 180i(\mu\nu)(\lambda\rho\underline{\rho}\sigma)\gamma_\mu\tau k_\nu k_\sigma \Sigma'''_k \frac{\partial}{\partial k^\lambda} - 180i(\mu\nu)(\lambda\rho\underline{\lambda}\sigma)\gamma_\mu\tau k_\nu k_\sigma \Sigma'''_k \frac{\partial}{\partial k^\rho}$$

$$+360i(\mu\nu)(\lambda\underline{\lambda}\rho\sigma)\gamma_\mu\tau k_\nu k_\rho \Sigma'''_k \frac{\partial}{\partial k^\sigma} + 180i(\mu\nu)(\lambda\rho\underline{\rho}\sigma)\gamma_\mu\tau k_\nu k_\lambda \Sigma'''_k \frac{\partial}{\partial k^\sigma} + 180i(\mu\nu)(\lambda\rho\underline{\lambda}\sigma)\gamma_\mu\tau k_\nu k_\rho \Sigma'''_k \frac{\partial}{\partial k^\sigma}$$

$$-240i(\mu\nu\lambda)(\rho\underline{\rho}\sigma)\gamma_\nu\tau k_\mu k_\sigma \Sigma'''_k \frac{\partial}{\partial k^\lambda} - 240i(\mu\nu\lambda)(\rho\underline{\rho}\sigma)\gamma_\nu\tau k_\lambda k_\sigma \Sigma'''_k \frac{\partial}{\partial k^\mu} + 480i(\mu\nu\lambda)(\rho\underline{\rho}\sigma)\gamma_\nu\tau k_\mu k_\lambda \Sigma'''_k \frac{\partial}{\partial k^\sigma}$$

$$-240i(\mu\nu)(\underline{\mu}\lambda\rho\sigma)\gamma_\nu\tau k_\lambda k_\rho \Sigma'''_k \frac{\partial}{\partial k^\sigma} - 240i(\mu\nu)(\lambda\underline{\mu}\rho\sigma)\gamma_\nu\tau k_\lambda k_\rho \Sigma'''_k \frac{\partial}{\partial k^\sigma} - 240i(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\gamma_\nu\tau k_\lambda k_\rho \Sigma'''_k \frac{\partial}{\partial k^\sigma}$$

$$+480i(\mu\nu\lambda)(\underline{\mu}\rho\sigma)\gamma_\nu\tau k_\lambda k_\rho \Sigma'''_k \frac{\partial}{\partial k^\sigma} + 480i(\mu\nu\lambda)(\rho\underline{\mu}\sigma)\gamma_\nu\tau k_\lambda k_\rho \Sigma'''_k \frac{\partial}{\partial k^\sigma} - 480i(\mu\nu\lambda)(\underline{\nu}\rho\sigma)\gamma_\lambda\tau k_\mu k_\rho \Sigma'''_k \frac{\partial}{\partial k^\sigma}$$

$$-480i(\mu\nu\lambda)(\rho\underline{\nu}\sigma)\gamma_\lambda\tau k_\mu k_\rho \Sigma'''_k \frac{\partial}{\partial k^\sigma} - 480i(\mu\underline{\mu}\nu)(\lambda\rho\sigma)\gamma_\nu\tau k_\lambda k_\rho \Sigma'''_k \frac{\partial}{\partial k^\sigma} + 480i(\mu\nu\lambda\rho)(\underline{\mu}\sigma)\gamma_\lambda\tau k_\nu k_\rho \Sigma'''_k \frac{\partial}{\partial k^\sigma}$$

$$+480i(\mu\nu\lambda\rho)(\underline{\nu}\sigma)\gamma_\lambda\tau k_\mu k_\rho \Sigma'''_k \frac{\partial}{\partial k^\sigma} + 480i(\mu\underline{\mu}\nu\lambda)(\rho\sigma)\gamma_\nu\tau k_\lambda k_\rho \Sigma'''_k \frac{\partial}{\partial k^\sigma} - 480i(\mu\nu\lambda\rho)(\underline{\lambda}\sigma)\gamma_\rho\tau k_\mu k_\nu \Sigma'''_k \frac{\partial}{\partial k^\sigma}$$

$$-480i(\mu\nu\underline{\mu}\lambda)(\rho\sigma)\gamma_\lambda\tau k_\nu k_\rho \Sigma'''_k \frac{\partial}{\partial k^\sigma} - 480i(\mu\nu\underline{\nu}\lambda)(\rho\sigma)\gamma_\lambda\tau k_\mu k_\rho \Sigma'''_k \frac{\partial}{\partial k^\sigma} - 90i(\mu\nu)(\lambda\rho\underline{\rho}\sigma)\gamma_\mu\tau k_\sigma \Sigma''_k \frac{\partial^2}{\partial k^\nu \partial k^\lambda}$$

$$+90i(\mu\nu\underline{\nu}\lambda)(\rho\sigma)\gamma_\rho\tau k_\lambda \Sigma''_k \frac{\partial^2}{\partial k^\mu \partial k^\sigma} - 90i(\mu\nu)(\lambda\rho\underline{\lambda}\sigma)\gamma_\mu\tau k_\sigma \Sigma''_k \frac{\partial^2}{\partial k^\nu \partial k^\rho} + 90i(\mu\nu\underline{\mu}\lambda)(\rho\sigma)\gamma_\rho\tau k_\lambda \Sigma''_k \frac{\partial^2}{\partial k^\nu \partial k^\sigma}$$

$$+180i(\mu\nu)(\lambda\underline{\lambda}\rho\sigma)\gamma_\mu\tau k_\rho \Sigma''_k \frac{\partial^2}{\partial k^\nu \partial k^\sigma} - 180i(\mu\underline{\mu}\nu\lambda)(\rho\sigma)\gamma_\rho\tau k_\nu \Sigma''_k \frac{\partial^2}{\partial k^\lambda \partial k^\sigma} + 90i(\mu\nu)(\lambda\rho\underline{\rho}\sigma)\gamma_\mu\tau k_\lambda \Sigma''_k \frac{\partial^2}{\partial k^\nu \partial k^\sigma}$$

$$-90i(\mu\nu\underline{\nu}\lambda)(\rho\sigma)\gamma_\rho\tau k_\mu \Sigma''_k \frac{\partial^2}{\partial k^\lambda \partial k^\sigma} + 90i(\mu\nu)(\lambda\rho\underline{\lambda}\sigma)\gamma_\mu\tau k_\rho \Sigma''_k \frac{\partial^2}{\partial k^\nu \partial k^\sigma} - 90i(\mu\nu\underline{\mu}\lambda)(\rho\sigma)\gamma_\rho\tau k_\nu \Sigma''_k \frac{\partial^2}{\partial k^\lambda \partial k^\sigma}$$

$$-120i(\mu\nu\lambda)(\rho\underline{\rho}\sigma)\gamma_\nu\tau k_\sigma \Sigma''_k \frac{\partial^2}{\partial k^\mu \partial k^\lambda} + 120i(\mu\underline{\mu}\nu)(\lambda\rho\sigma)\gamma_\rho\tau k_\nu \Sigma''_k \frac{\partial^2}{\partial k^\lambda \partial k^\sigma} + 180i(\mu\nu)(\lambda\rho\underline{\rho}\sigma)\gamma_\mu\tau k_\nu \Sigma''_k \frac{\partial^2}{\partial k^\lambda \partial k^\sigma}$$

$$+180i(\mu\nu)(\lambda\rho\underline{\lambda}\sigma)\gamma_\mu\tau k_\nu \Sigma''_k \frac{\partial^2}{\partial k^\rho \partial k^\sigma} + 240i(\mu\nu\lambda)(\rho\underline{\rho}\sigma)\gamma_\nu\tau k_\mu \Sigma''_k \frac{\partial^2}{\partial k^\lambda \partial k^\sigma} + 240i(\mu\nu\lambda)(\rho\underline{\rho}\sigma)\gamma_\nu\tau k_\lambda \Sigma''_k \frac{\partial^2}{\partial k^\mu \partial k^\sigma}$$

$$-180i(\mu\nu)(\lambda\underline{\mu}\rho\sigma)\gamma_\nu\tau k_\rho \Sigma''_k \frac{\partial^2}{\partial k^\lambda \partial k^\sigma} - 180i(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\gamma_\nu\tau k_\rho \Sigma''_k \frac{\partial^2}{\partial k^\lambda \partial k^\sigma} - 180i(\mu\nu)(\underline{\mu}\lambda\rho\sigma)\gamma_\nu\tau k_\rho \Sigma''_k \frac{\partial^2}{\partial k^\lambda \partial k^\sigma}$$

$$-180i(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\gamma_\nu\tau k_\lambda \Sigma''_k \frac{\partial^2}{\partial k^\rho \partial k^\sigma} + 240i(\mu\nu\lambda)(\underline{\mu}\rho\sigma)\gamma_\nu\tau k_\rho \Sigma''_k \frac{\partial^2}{\partial k^\lambda \partial k^\sigma} + 240i(\mu\nu\lambda)(\rho\underline{\mu}\sigma)\gamma_\nu\tau k_\rho \Sigma''_k \frac{\partial^2}{\partial k^\lambda \partial k^\sigma}$$

$$-240i(\mu\nu\lambda)(\underline{\nu}\rho\sigma)\gamma_\lambda\tau k_\rho \Sigma''_k \frac{\partial^2}{\partial k^\mu \partial k^\sigma} - 240i(\mu\nu\lambda)(\rho\underline{\nu}\sigma)\gamma_\lambda\tau k_\rho \Sigma''_k \frac{\partial^2}{\partial k^\mu \partial k^\sigma} + 480i(\mu\nu\lambda)(\rho\underline{\mu}\sigma)\gamma_\nu\tau k_\lambda \Sigma''_k \frac{\partial^2}{\partial k^\rho \partial k^\sigma}$$

$$-480i(\mu\nu\lambda)(\rho\underline{\nu}\sigma)\gamma_\lambda\tau k_\mu \Sigma''_k \frac{\partial^2}{\partial k^\rho \partial k^\sigma} - 480i(\mu\underline{\mu}\nu)(\lambda\rho\sigma)\gamma_\nu\tau k_\rho \Sigma''_k \frac{\partial^2}{\partial k^\lambda \partial k^\sigma} + 240i(\mu\nu\lambda\rho)(\underline{\mu}\sigma)\gamma_\lambda\tau k_\nu \Sigma''_k \frac{\partial^2}{\partial k^\rho \partial k^\sigma}$$

$$+240i(\mu\nu\lambda\rho)(\underline{\mu}\sigma)\gamma_\lambda\tau k_\rho \Sigma''_k \frac{\partial^2}{\partial k^\nu \partial k^\sigma} + 240i(\mu\nu\lambda\rho)(\underline{\nu}\sigma)\gamma_\lambda\tau k_\mu \Sigma''_k \frac{\partial^2}{\partial k^\rho \partial k^\sigma} + 240i(\mu\underline{\mu}\nu\lambda)(\rho\sigma)\gamma_\nu\tau k_\rho \Sigma''_k \frac{\partial^2}{\partial k^\lambda \partial k^\sigma}$$

$$-240i(\mu\nu\lambda\rho)(\underline{\lambda}\sigma)\gamma_\rho\tau k_\mu \Sigma''_k \frac{\partial^2}{\partial k^\nu \partial k^\sigma} - 240i(\mu\nu\underline{\mu}\lambda)(\rho\sigma)\gamma_\lambda\tau k_\rho \Sigma''_k \frac{\partial^2}{\partial k^\nu \partial k^\sigma} + 240i(\mu\nu\lambda\rho)(\underline{\nu}\sigma)\gamma_\lambda\tau k_\rho \Sigma''_k \frac{\partial^2}{\partial k^\mu \partial k^\sigma}$$

$$-240i(\mu\nu\lambda\rho)(\underline{\lambda}\sigma)\gamma_\rho\tau k_\nu\Sigma_k''\frac{\partial^2}{\partial k^\mu\partial k^\sigma}-240i(\mu\nu\underline{\nu}\lambda)(\rho\sigma)\gamma_\lambda\tau k_\rho\Sigma_k''\frac{\partial^2}{\partial k^\mu\partial k^\sigma}+90i(\mu\nu)(\lambda\rho\underline{\rho}\sigma)\gamma_\mu\tau\Sigma_k'\frac{\partial^3}{\partial k^\nu\partial k^\lambda\partial k^\sigma}$$

$$-90i(\mu\nu\underline{\nu}\lambda)(\rho\sigma)\gamma_\rho\tau\Sigma_k'\frac{\partial^3}{\partial k^\mu\partial k^\lambda\partial k^\sigma}+90i(\mu\nu)(\lambda\rho\underline{\lambda}\sigma)\gamma_\mu\tau\Sigma_k'\frac{\partial^3}{\partial k^\nu\partial k^\rho\partial k^\sigma}-90i(\mu\nu\underline{\mu}\lambda)(\rho\sigma)\gamma_\rho\tau\Sigma_k'\frac{\partial^3}{\partial k^\nu\partial k^\lambda\partial k^\sigma}$$

$$+120i(\mu\nu\lambda)(\rho\underline{\rho}\sigma)\gamma_\nu\tau\Sigma_k'\frac{\partial^3}{\partial k^\mu\partial k^\lambda\partial k^\sigma}-120i(\mu\underline{\mu}\nu)(\lambda\rho\sigma)\gamma_\rho\tau\Sigma_k'\frac{\partial^3}{\partial k^\nu\partial k^\lambda\partial k^\sigma}-180i(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\gamma_\nu\tau\Sigma_k'\frac{\partial^3}{\partial k^\lambda\partial k^\rho\partial k^\sigma}$$

$$+240i(\mu\nu\lambda)(\rho\underline{\mu}\sigma)\gamma_\nu\tau\Sigma_k'\frac{\partial^3}{\partial k^\lambda\partial k^\rho\partial k^\sigma}-240i(\mu\nu\lambda)(\rho\underline{\nu}\sigma)\gamma_\lambda\tau\Sigma_k'\frac{\partial^3}{\partial k^\mu\partial k^\rho\partial k^\sigma}+120i(\mu\nu\lambda\rho)(\underline{\mu}\sigma)\gamma_\lambda\tau\Sigma_k'\frac{\partial^3}{\partial k^\nu\partial k^\rho\partial k^\sigma}$$

$$+120i(\mu\nu\lambda\rho)(\underline{\nu}\sigma)\gamma_\lambda\tau\Sigma_k'\frac{\partial^3}{\partial k^\mu\partial k^\rho\partial k^\sigma}-120i(\mu\nu\lambda\rho)(\underline{\lambda}\sigma)\gamma_\rho\tau\Sigma_k'\frac{\partial^3}{\partial k^\mu\partial k^\nu\partial k^\sigma}+480(\mu\nu\lambda\rho)s\tau k_\mu k_\nu k_\lambda\Sigma_k'''\frac{\partial}{\partial k^\rho}$$

$$+360(\mu\nu\lambda\rho)s\tau k_\nu k_\lambda\Sigma_k''\frac{\partial^2}{\partial k^\mu\partial k^\rho}+360(\mu\nu\lambda\rho)s\tau k_\mu k_\lambda\Sigma_k''\frac{\partial^2}{\partial k^\nu\partial k^\rho}+360(\mu\nu\lambda\rho)s\tau k_\lambda\Sigma_k'\frac{\partial^3}{\partial k^\mu\partial k^\nu\partial k^\rho}$$

$$+480i(\mu\nu)(\lambda\rho)(\underline{\lambda}\sigma)\gamma_\mu\tau k_\nu k_\rho k_\sigma\Sigma_k''''-240i(\mu\nu)(\underline{\mu}\lambda)(\rho\sigma)\gamma_\rho\tau k_\nu k_\lambda\Sigma_k'''\frac{\partial}{\partial k^\sigma}+240i(\mu\nu)(\lambda\rho)(\underline{\lambda}\sigma)\gamma_\mu\tau k_\rho k_\sigma\Sigma_k'''\frac{\partial}{\partial k^\nu}$$

$$-360i(\mu\nu)(\lambda\rho)(\underline{\lambda}\sigma)\gamma_\mu\tau k_\nu k_\rho\Sigma_k'''\frac{\partial}{\partial k^\sigma}+360i(\mu\nu)(\lambda\rho)(\underline{\lambda}\sigma)\gamma_\mu\tau k_\nu k_\sigma\Sigma_k'''\frac{\partial}{\partial k^\rho}+180i(\mu\nu)(\underline{\mu}\lambda)(\rho\sigma)\gamma_\rho\tau k_\nu\Sigma_k''\frac{\partial^2}{\partial k^\lambda\partial k^\sigma}$$

$$-180i(\mu\nu)(\underline{\mu}\lambda)(\rho\sigma)\gamma_\rho\tau k_\lambda\Sigma_k''\frac{\partial^2}{\partial k^\nu\partial k^\sigma}-180i(\mu\nu)(\lambda\rho)(\underline{\lambda}\sigma)\gamma_\mu\tau k_\rho\Sigma_k''\frac{\partial^2}{\partial k^\nu\partial k^\sigma}+180i(\mu\nu)(\lambda\rho)(\underline{\lambda}\sigma)\gamma_\mu\tau k_\sigma\Sigma_k''\frac{\partial^2}{\partial k^\nu\partial k^\rho}$$

$$+360i(\mu\nu)(\lambda\rho)(\underline{\lambda}\sigma)\gamma_\mu\tau k_\nu\Sigma_k''\frac{\partial^2}{\partial k^\rho\partial k^\sigma}-360i(\mu\nu)(\underline{\mu}\lambda)(\rho\sigma)\gamma_\nu\tau k_\rho\Sigma_k''\frac{\partial^2}{\partial k^\lambda\partial k^\sigma}-360i(\mu\nu)(\lambda\rho)(\underline{\mu}\sigma)\gamma_\nu\tau k_\lambda\Sigma_k''\frac{\partial^2}{\partial k^\rho\partial k^\sigma}$$

$$-180i(\mu\nu)(\underline{\mu}\lambda)(\rho\sigma)\gamma_\rho\tau\Sigma_k'\frac{\partial^3}{\partial k^\nu\partial k^\lambda\partial k^\sigma}+180i(\mu\nu)(\lambda\rho)(\underline{\lambda}\sigma)\gamma_\mu\tau\Sigma_k'\frac{\partial^3}{\partial k^\nu\partial k^\rho\partial k^\sigma}+512(\mu\nu\lambda)(\rho\underline{\nu}\sigma)\tau k_\mu k_\lambda k_\rho k_\sigma\Sigma_k\Sigma_k'''''$$

$$+576(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\tau k_\nu k_\lambda k_\rho k_\sigma\Sigma_k\Sigma_k'''''+2880(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\tau k_\nu k_\lambda k_\rho k_\sigma\Sigma_k'\Sigma_k''''+2560(\mu\nu\lambda)(\rho\underline{\nu}\sigma)\tau k_\mu k_\lambda k_\rho k_\sigma\Sigma_k'\Sigma_k''''$$

$$+5760(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\tau k_\nu k_\lambda k_\rho k_\sigma\Sigma_k''\Sigma_k'''+5120(\mu\nu\lambda)(\rho\underline{\nu}\sigma)\tau k_\mu k_\lambda k_\rho k_\sigma\Sigma_k''\Sigma_k'''+240(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\tau k_\nu k_\lambda k_\rho\Sigma_k\Sigma_k''''\frac{\partial}{\partial k^\sigma}$$

$$-240(\mu\nu)(\lambda\rho\underline{\rho}\sigma)\tau k_\mu k_\lambda k_\sigma\Sigma_k\Sigma_k''''\frac{\partial}{\partial k^\nu}-240(\mu\nu)(\lambda\rho\underline{\lambda}\sigma)\tau k_\mu k_\rho k_\sigma\Sigma_k\Sigma_k''''\frac{\partial}{\partial k^\nu}+320(\mu\nu\lambda)(\rho\underline{\nu}\sigma)\tau k_\mu k_\lambda k_\rho\Sigma_k\Sigma_k''''\frac{\partial}{\partial k^\sigma}$$

$$-120(\mu\nu)(\lambda\underline{\mu}\rho\sigma)\tau k_\nu k_\lambda k_\rho\Sigma_k\Sigma_k''''\frac{\partial}{\partial k^\sigma}-120(\mu\nu)(\underline{\mu}\lambda\rho\sigma)\tau k_\nu k_\lambda k_\rho\Sigma_k\Sigma_k''''\frac{\partial}{\partial k^\sigma}-320(\mu\nu\lambda)(\underline{\nu}\rho\sigma)\tau k_\mu k_\lambda k_\rho\Sigma_k\Sigma_k''''\frac{\partial}{\partial k^\sigma}$$

$$+360(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\tau k_\nu k_\rho k_\sigma\Sigma_k\Sigma_k''''\frac{\partial}{\partial k^\lambda}+360(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\tau k_\nu k_\lambda k_\sigma\Sigma_k\Sigma_k''''\frac{\partial}{\partial k^\rho}+640(\mu\nu\lambda)(\rho\underline{\nu}\sigma)\tau k_\mu k_\lambda k_\sigma\Sigma_k\Sigma_k''''\frac{\partial}{\partial k^\rho}$$

$$-320(\mu\underline{\mu}\nu)(\lambda\rho\sigma)\tau k_\nu k_\lambda k_\rho\Sigma_k\Sigma_k''''\frac{\partial}{\partial k^\sigma}-960(\mu\nu)(\lambda\rho\underline{\rho}\sigma)\tau k_\mu k_\lambda k_\sigma\Sigma_k'\Sigma_k'''\frac{\partial}{\partial k^\nu}-960(\mu\nu)(\lambda\rho\underline{\lambda}\sigma)\tau k_\mu k_\rho k_\sigma\Sigma_k'\Sigma_k'''\frac{\partial}{\partial k^\nu}$$

$$-480(\mu\nu)(\underline{\mu}\lambda\rho\sigma)\tau k_\nu k_\lambda k_\rho\Sigma_k'\Sigma_k'''\frac{\partial}{\partial k^\sigma}-480(\mu\nu)(\lambda\underline{\mu}\rho\sigma)\tau k_\nu k_\lambda k_\rho\Sigma_k'\Sigma_k'''\frac{\partial}{\partial k^\sigma}+960(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\tau k_\nu k_\lambda k_\rho\Sigma_k'\Sigma_k'''\frac{\partial}{\partial k^\sigma}$$

$$-1280(\mu\underline{\mu}\nu)(\lambda\rho\sigma)\tau k_\nu k_\lambda k_\rho\Sigma_k'\Sigma_k'''\frac{\partial}{\partial k^\sigma}-1280(\mu\nu\lambda)(\underline{\nu}\rho\sigma)\tau k_\mu k_\lambda k_\rho\Sigma_k'\Sigma_k'''\frac{\partial}{\partial k^\sigma}+1280(\mu\nu\lambda)(\rho\underline{\nu}\sigma)\tau k_\mu k_\lambda k_\rho\Sigma_k'\Sigma_k'''\frac{\partial}{\partial k^\sigma}$$

$$+1440(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\tau k_\nu k_\rho k_\sigma\Sigma_k'\Sigma_k'''\frac{\partial}{\partial k^\lambda}+1440(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\tau k_\nu k_\lambda k_\sigma\Sigma_k'\Sigma_k'''\frac{\partial}{\partial k^\rho}+2560(\mu\nu\lambda)(\rho\underline{\nu}\sigma)\tau k_\mu k_\lambda k_\sigma\Sigma_k'\Sigma_k'''\frac{\partial}{\partial k^\rho}$$

$$-960(\mu\underline{\mu}\nu)(\lambda\rho\sigma)\tau k_\nu k_\lambda k_\rho\Sigma_k^{\prime\prime 2}\frac{\partial}{\partial k^\sigma}-960(\mu\nu\lambda)(\underline{\nu}\rho\sigma)\tau k_\mu k_\lambda k_\rho\Sigma_k^{\prime\prime 2}\frac{\partial}{\partial k^\sigma}+960(\mu\nu\lambda)(\rho\underline{\nu}\sigma)\tau k_\mu k_\lambda k_\rho\Sigma_k^{\prime\prime 2}\frac{\partial}{\partial k^\sigma}$$

$$-720(\mu\nu)(\lambda\rho\underline{\rho}\sigma)\tau k_\mu k_\lambda k_\sigma\Sigma_k^{\prime\prime 2}\frac{\partial}{\partial k^\nu}-720(\mu\nu)(\lambda\rho\underline{\lambda}\sigma)\tau k_\mu k_\rho k_\sigma\Sigma_k^{\prime\prime 2}\frac{\partial}{\partial k^\nu}+1080(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\tau k_\nu k_\rho k_\sigma\Sigma_k^{\prime\prime 2}\frac{\partial}{\partial k^\lambda}$$

$$+720(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\tau k_\nu k_\lambda k_\rho\Sigma_k^{\prime\prime 2}\frac{\partial}{\partial k^\sigma}+1080(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\tau k_\nu k_\lambda k_\sigma\Sigma_k^{\prime\prime 2}\frac{\partial}{\partial k^\rho}+1920(\mu\nu\lambda)(\rho\underline{\nu}\sigma)\tau k_\mu k_\lambda k_\sigma\Sigma_k^{\prime\prime 2}\frac{\partial}{\partial k^\rho}$$

$$-360(\mu\nu)(\lambda\underline{\mu}\rho\sigma)\tau k_\nu k_\lambda k_\rho\Sigma_k^{\prime\prime 2}\frac{\partial}{\partial k^\sigma}-360(\mu\nu)(\underline{\mu}\lambda\rho\sigma)\tau k_\nu k_\lambda k_\rho\Sigma_k^{\prime\prime 2}\frac{\partial}{\partial k^\sigma}+120(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\tau k_\nu k_\rho\Sigma_k\Sigma_k'''\frac{\partial^2}{\partial k^\lambda\partial k^\sigma}$$

$$+120(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\tau k_\nu k_\lambda\Sigma_k\Sigma_k'''\frac{\partial^2}{\partial k^\rho\partial k^\sigma}-180(\mu\nu)(\lambda\rho\underline{\rho}\sigma)\tau k_\mu k_\sigma\Sigma_k\Sigma_k'''\frac{\partial^2}{\partial k^\nu\partial k^\lambda}+180(\mu\nu)(\lambda\rho\underline{\rho}\sigma)\tau k_\mu k_\lambda\Sigma_k\Sigma_k'''\frac{\partial^2}{\partial k^\nu\partial k^\sigma}$$

$$-180(\mu\nu)(\lambda\rho\underline{\lambda}\sigma)\tau k_\mu k_\sigma\Sigma_k\Sigma_k'''\frac{\partial^2}{\partial k^\nu\partial k^\rho}+180(\mu\nu)(\lambda\rho\underline{\lambda}\sigma)\tau k_\mu k_\rho\Sigma_k\Sigma_k'''\frac{\partial^2}{\partial k^\nu\partial k^\sigma}-320(\mu\underline{\mu}\nu)(\lambda\rho\sigma)\tau k_\nu k_\rho\Sigma_k\Sigma_k'''\frac{\partial^2}{\partial k^\lambda\partial k^\sigma}$$

$$+320(\mu\underline{\mu}\nu)(\lambda\rho\sigma)\tau k_\lambda k_\rho\Sigma_k\Sigma_k'''\frac{\partial^2}{\partial k^\nu\partial k^\sigma}+360(\mu\nu)(\lambda\underline{\lambda}\rho\sigma)\tau k_\mu k_\rho\Sigma_k\Sigma_k'''\frac{\partial^2}{\partial k^\nu\partial k^\sigma}-120(\mu\nu)(\lambda\underline{\mu}\rho\sigma)\tau k_\nu k_\rho\Sigma_k\Sigma_k'''\frac{\partial^2}{\partial k^\lambda\partial k^\sigma}$$

$$-120(\mu\nu)(\underline{\mu}\lambda\rho\sigma)\tau k_\nu k_\rho \Sigma_k \Sigma_k''' \frac{\partial^2}{\partial k^\lambda \partial k^\sigma} + 240(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\tau k_\nu k_\sigma \Sigma_k \Sigma_k''' \frac{\partial^2}{\partial k^\lambda \partial k^\rho} + \frac{640}{3}(\mu\nu\lambda)(\rho\underline{\nu}\sigma)\tau k_\lambda k_\sigma \Sigma_k \Sigma_k''' \frac{\partial^2}{\partial k^\mu \partial k^\rho}$$

$$+240(\mu\nu)(\lambda\underline{\mu}\rho\sigma)\tau k_\lambda k_\rho \Sigma_k \Sigma_k''' \frac{\partial^2}{\partial k^\nu \partial k^\sigma} + 240(\mu\nu)(\underline{\mu}\lambda\rho\sigma)\tau k_\lambda k_\rho \Sigma_k \Sigma_k''' \frac{\partial^2}{\partial k^\nu \partial k^\sigma} + \frac{640}{3}(\mu\nu\lambda)(\underline{\nu}\rho\sigma)\tau k_\mu k_\rho \Sigma_k \Sigma_k''' \frac{\partial^2}{\partial k^\lambda \partial k^\sigma}$$

$$-\frac{640}{3}(\mu\nu\lambda)(\underline{\nu}\rho\sigma)\tau k_\lambda k_\rho \Sigma_k \Sigma_k''' \frac{\partial^2}{\partial k^\mu \partial k^\sigma} + \frac{640}{3}(\mu\nu\lambda)(\underline{\mu}\rho\sigma)\tau k_\nu k_\rho \Sigma_k \Sigma_k''' \frac{\partial^2}{\partial k^\lambda \partial k^\sigma} + 240(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\tau k_\lambda k_\rho \Sigma_k \Sigma_k''' \frac{\partial^2}{\partial k^\nu \partial k^\sigma}$$

$$+\frac{640}{3}(\mu\nu\lambda)(\rho\underline{\nu}\sigma)\tau k_\mu k_\sigma \Sigma_k \Sigma_k''' \frac{\partial^2}{\partial k^\lambda \partial k^\rho} + \frac{640}{3}(\mu\nu\lambda)(\rho\underline{\nu}\sigma)\tau k_\mu k_\rho \Sigma_k \Sigma_k''' \frac{\partial^2}{\partial k^\lambda \partial k^\sigma} - 540(\mu\nu)(\lambda\rho\underline{\rho}\sigma)\tau k_\mu k_\sigma \Sigma_k' \Sigma_k'' \frac{\partial^2}{\partial k^\nu \partial k^\lambda}$$

$$-540(\mu\nu)(\lambda\rho\underline{\lambda}\sigma)\tau k_\mu k_\sigma \Sigma_k' \Sigma_k'' \frac{\partial^2}{\partial k^\nu \partial k^\rho} + 1080(\mu\nu)(\lambda\underline{\lambda}\rho\sigma)\tau k_\mu k_\rho \Sigma_k' \Sigma_k'' \frac{\partial^2}{\partial k^\nu \partial k^\sigma} - 360(\mu\nu)(\lambda\underline{\mu}\rho\sigma)\tau k_\nu k_\rho \Sigma_k' \Sigma_k'' \frac{\partial^2}{\partial k^\lambda \partial k^\sigma}$$

$$+360(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\tau k_\nu k_\rho \Sigma_k' \Sigma_k'' \frac{\partial^2}{\partial k^\lambda \partial k^\sigma} - 360(\mu\nu)(\underline{\mu}\lambda\rho\sigma)\tau k_\nu k_\rho \Sigma_k' \Sigma_k'' \frac{\partial^2}{\partial k^\lambda \partial k^\sigma} + 360(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\tau k_\nu k_\lambda \Sigma_k' \Sigma_k'' \frac{\partial^2}{\partial k^\rho \partial k^\sigma}$$

$$+540(\mu\nu)(\lambda\rho\underline{\rho}\sigma)\tau k_\mu k_\lambda \Sigma_k' \Sigma_k'' \frac{\partial^2}{\partial k^\nu \partial k^\sigma} + 540(\mu\nu)(\lambda\rho\underline{\lambda}\sigma)\tau k_\mu k_\rho \Sigma_k' \Sigma_k'' \frac{\partial^2}{\partial k^\nu \partial k^\sigma} - 960(\mu\underline{\mu}\nu)(\lambda\rho\sigma)\tau k_\nu k_\rho \Sigma_k' \Sigma_k'' \frac{\partial^2}{\partial k^\lambda \partial k^\sigma}$$

$$+960(\mu\underline{\mu}\nu)(\lambda\rho\sigma)\tau k_\lambda k_\rho \Sigma_k' \Sigma_k'' \frac{\partial^2}{\partial k^\nu \partial k^\sigma} - 640(\mu\nu\lambda)(\underline{\nu}\rho\sigma)\tau k_\lambda k_\rho \Sigma_k' \Sigma_k'' \frac{\partial^2}{\partial k^\mu \partial k^\sigma} + 640(\mu\nu\lambda)(\rho\underline{\nu}\sigma)\tau k_\mu k_\sigma \Sigma_k' \Sigma_k'' \frac{\partial^2}{\partial k^\lambda \partial k^\rho}$$

$$+640(\mu\nu\lambda)(\underline{\mu}\rho\sigma)\tau k_\nu k_\rho \Sigma_k' \Sigma_k'' \frac{\partial^2}{\partial k^\lambda \partial k^\sigma} + 640(\mu\nu\lambda)(\underline{\nu}\rho\sigma)\tau k_\mu k_\rho \Sigma_k' \Sigma_k'' \frac{\partial^2}{\partial k^\lambda \partial k^\sigma} + 720(\mu\nu)(\underline{\mu}\lambda\rho\sigma)\tau k_\lambda k_\rho \Sigma_k' \Sigma_k'' \frac{\partial^2}{\partial k^\nu \partial k^\sigma}$$

$$+720(\mu\nu)(\lambda\underline{\mu}\rho\sigma)\tau k_\lambda k_\rho \Sigma_k' \Sigma_k'' \frac{\partial^2}{\partial k^\nu \partial k^\sigma} + 720(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\tau k_\lambda k_\rho \Sigma_k' \Sigma_k'' \frac{\partial^2}{\partial k^\nu \partial k^\sigma} + 640(\mu\nu\lambda)(\rho\underline{\nu}\sigma)\tau k_\mu k_\rho \Sigma_k' \Sigma_k'' \frac{\partial^2}{\partial k^\lambda \partial k^\sigma}$$

$$+720(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\tau k_\nu k_\sigma \Sigma_k' \Sigma_k'' \frac{\partial^2}{\partial k^\lambda \partial k^\rho} + 640(\mu\nu\lambda)(\rho\underline{\nu}\sigma)\tau k_\lambda k_\sigma \Sigma_k' \Sigma_k'' \frac{\partial^2}{\partial k^\mu \partial k^\rho} + 180(\mu\nu)(\lambda\rho\underline{\rho}\sigma)\tau k_\mu \Sigma_k \Sigma_k'' \frac{\partial^3}{\partial k^\nu \partial k^\lambda \partial k^\sigma}$$

$$+180(\mu\nu)(\lambda\rho\underline{\lambda}\sigma)\tau k_\mu \Sigma_k \Sigma_k'' \frac{\partial^3}{\partial k^\nu \partial k^\rho \partial k^\sigma} + 180(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\tau k_\rho \Sigma_k \Sigma_k'' \frac{\partial^3}{\partial k^\nu \partial k^\lambda \partial k^\sigma} + 180(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\tau k_\lambda \Sigma_k \Sigma_k'' \frac{\partial^3}{\partial k^\nu \partial k^\rho \partial k^\sigma}$$

$$+320(\mu\nu\lambda)(\rho\underline{\nu}\sigma)\tau k_\mu \Sigma_k \Sigma_k'' \frac{\partial^3}{\partial k^\lambda \partial k^\rho \partial k^\sigma} + 180(\mu\nu)(\lambda\underline{\mu}\rho\sigma)\tau k_\rho \Sigma_k \Sigma_k'' \frac{\partial^3}{\partial k^\nu \partial k^\lambda \partial k^\sigma} + 180(\mu\nu)(\underline{\mu}\lambda\rho\sigma)\tau k_\rho \Sigma_k \Sigma_k'' \frac{\partial^3}{\partial k^\nu \partial k^\lambda \partial k^\sigma}$$

$$+320(\mu\nu\lambda)(\underline{\nu}\rho\sigma)\tau k_\rho \Sigma_k \Sigma_k'' \frac{\partial^3}{\partial k^\mu \partial k^\lambda \partial k^\sigma} + 320(\mu\underline{\mu}\nu)(\lambda\rho\sigma)\tau k_\rho \Sigma_k \Sigma_k'' \frac{\partial^3}{\partial k^\nu \partial k^\lambda \partial k^\sigma} + 180(\mu\nu)(\lambda\rho\underline{\rho}\sigma)\tau k_\mu \Sigma_k'^2 \frac{\partial^3}{\partial k^\nu \partial k^\lambda \partial k^\sigma}$$

$$+180(\mu\nu)(\lambda\rho\underline{\lambda}\sigma)\tau k_\mu \Sigma_k'^2 \frac{\partial^3}{\partial k^\nu \partial k^\rho \partial k^\sigma} + 320(\mu\nu\lambda)(\underline{\nu}\rho\sigma)\tau k_\rho \Sigma_k'^2 \frac{\partial^3}{\partial k^\mu \partial k^\lambda \partial k^\sigma} + 320(\mu\underline{\mu}\nu)(\lambda\rho\sigma)\tau k_\rho \Sigma_k'^2 \frac{\partial^3}{\partial k^\nu \partial k^\lambda \partial k^\sigma}$$

$$+180(\mu\nu)(\lambda\underline{\mu}\rho\sigma)\tau k_\rho \Sigma_k'^2 \frac{\partial^3}{\partial k^\nu \partial k^\lambda \partial k^\sigma} + 180(\mu\nu)(\underline{\mu}\lambda\rho\sigma)\tau k_\rho \Sigma_k'^2 \frac{\partial^3}{\partial k^\nu \partial k^\lambda \partial k^\sigma} + 180(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\tau k_\rho \Sigma_k'^2 \frac{\partial^3}{\partial k^\nu \partial k^\lambda \partial k^\sigma}$$

$$+180(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\tau k_\lambda \Sigma_k'^2 \frac{\partial^3}{\partial k^\nu \partial k^\rho \partial k^\sigma} + 320(\mu\nu\lambda)(\rho\underline{\nu}\sigma)\tau k_\mu \Sigma_k'^2 \frac{\partial^3}{\partial k^\lambda \partial k^\rho \partial k^\sigma} + 180(\mu\nu)(\lambda\rho\underline{\mu}\sigma)\tau \Sigma_k \Sigma_k' \frac{\partial^4}{\partial k^\nu \partial k^\lambda \partial k^\rho \partial k^\sigma}$$

$$+160(\mu\nu\lambda)(\rho\underline{\nu}\sigma)\tau \Sigma_k \Sigma_k' \frac{\partial^4}{\partial k^\mu \partial k^\lambda \partial k^\rho \partial k^\sigma} + 720(\mu\nu)(\lambda\rho)s\tau k_\mu k_\lambda \Sigma_k'' \frac{\partial^2}{\partial k^\nu \partial k^\rho} + 960i(\mu p)(\nu\lambda\rho)\gamma_5\tau k_\mu k_\nu k_\lambda \Sigma_k''' \frac{\partial}{\partial k^\rho}$$

$$+1440i(\mu\nu p)(\lambda\rho)\gamma_5\tau k_\mu k_\nu k_\lambda \Sigma_k''' \frac{\partial}{\partial k^\rho} - 480i(\mu\nu\lambda)(\rho p)\gamma_5\tau k_\mu k_\nu \Sigma_k'' \frac{\partial^2}{\partial k^\lambda \partial k^\rho} + 480i(\mu p)(\nu\lambda\rho)\gamma_5\tau k_\nu k_\lambda \Sigma_k'' \frac{\partial^2}{\partial k^\mu \partial k^\rho}$$

$$+960i(\mu p)(\nu\lambda\rho)\gamma_5\tau k_\mu k_\lambda \Sigma_k'' \frac{\partial^2}{\partial k^\nu \partial k^\rho} + 720i(\mu\nu p)(\lambda\rho)\gamma_5\tau k_\mu k_\lambda \Sigma_k'' \frac{\partial^2}{\partial k^\nu \partial k^\rho} + 720i(\mu\nu p)(\lambda\rho)\gamma_5\tau k_\nu k_\lambda \Sigma_k'' \frac{\partial^2}{\partial k^\mu \partial k^\rho}$$

$$-360i(\mu\nu)(\lambda\rho p)\gamma_5\tau k_\mu \Sigma_k' \frac{\partial^3}{\partial k^\nu \partial k^\lambda \partial k^\rho} - 480i(\mu\nu\lambda)(\rho p)\gamma_5\tau k_\nu \Sigma_k' \frac{\partial^3}{\partial k^\mu \partial k^\lambda \partial k^\rho} + 480i(\mu p)(\nu\lambda\rho)\gamma_5\tau k_\lambda \Sigma_k' \frac{\partial^3}{\partial k^\mu \partial k^\nu \partial k^\rho}$$

$$+360i(\mu\nu p)(\lambda\rho)\gamma_5\tau k_\lambda \Sigma_k' \frac{\partial^3}{\partial k^\mu \partial k^\nu \partial k^\rho} - 240(\mu a^\nu)(\lambda\rho\underline{\rho}\sigma)\gamma_\nu\gamma_5\tau k_\mu k_\lambda k_\sigma \Sigma_k'''' - 240(\mu a^\nu)(\lambda\rho\underline{\lambda}\sigma)\gamma_\nu\gamma_5\tau k_\mu k_\rho k_\sigma \Sigma_k''''$$

$$-480(\mu\nu a^\lambda)(\rho\underline{\rho}\sigma)\gamma_\lambda\gamma_5\tau k_\mu k_\nu k_\sigma \Sigma_k'''' - 120(\mu\nu\underline{\nu}\lambda)(\rho a^\sigma)\gamma_\sigma\gamma_5\tau k_\mu k_\lambda \Sigma_k''' \frac{\partial}{\partial k^\rho} - 120(\mu\nu\underline{\mu}\lambda)(\rho a^\sigma)\gamma_\sigma\gamma_5\tau k_\nu k_\lambda \Sigma_k''' \frac{\partial}{\partial k^\rho}$$

$$-120(\mu a^\nu)(\lambda\rho\underline{\rho}\sigma)\gamma_\nu\gamma_5\tau k_\lambda k_\sigma \Sigma_k''' \frac{\partial}{\partial k^\mu} - 120(\mu a^\nu)(\lambda\rho\underline{\lambda}\sigma)\gamma_\nu\gamma_5\tau k_\rho k_\sigma \Sigma_k''' \frac{\partial}{\partial k^\mu} - 180(\mu a^\nu)(\lambda\rho\underline{\rho}\sigma)\gamma_\nu\gamma_5\tau k_\mu k_\sigma \Sigma_k''' \frac{\partial}{\partial k^\lambda}$$

$$-180(\mu a^\nu)(\lambda\rho\underline{\lambda}\sigma)\gamma_\nu\gamma_5\tau k_\mu k_\sigma \Sigma_k''' \frac{\partial}{\partial k^\rho} + 360(\mu a^\nu)(\lambda\underline{\lambda}\rho\sigma)\gamma_\nu\gamma_5\tau k_\mu k_\rho \Sigma_k''' \frac{\partial}{\partial k^\sigma} + 180(\mu a^\nu)(\lambda\rho\underline{\rho}\sigma)\gamma_\nu\gamma_5\tau k_\mu k_\lambda \Sigma_k''' \frac{\partial}{\partial k^\sigma}$$

$$+180(\mu a^\nu)(\lambda\rho\underline{\lambda}\sigma)\gamma_\nu\gamma_5\tau k_\mu k_\rho \Sigma_k''' \frac{\partial}{\partial k^\sigma} - 240(\mu\nu a^\lambda)(\rho\underline{\rho}\sigma)\gamma_\lambda\gamma_5\tau k_\mu k_\sigma \Sigma_k''' \frac{\partial}{\partial k^\nu} - 240(\mu\nu a^\lambda)(\rho\underline{\rho}\sigma)\gamma_\lambda\gamma_5\tau k_\nu k_\sigma \Sigma_k''' \frac{\partial}{\partial k^\mu}$$

$$+480(\mu\nu a^{\lambda})(\rho\underline{\rho}\sigma)\gamma_{\lambda}\gamma_5\tau k_{\mu}k_{\nu}\Sigma_k'''\frac{\partial}{\partial k^{\sigma}}+240(\mu a^{\nu})(\underline{\mu}\lambda\rho\sigma)\gamma_{\nu}\gamma_5\tau k_{\lambda}k_{\rho}\Sigma_k'''\frac{\partial}{\partial k^{\sigma}}+240(\mu a^{\nu})(\lambda\underline{\mu}\rho\sigma)\gamma_{\nu}\gamma_5\tau k_{\lambda}k_{\rho}\Sigma_k'''\frac{\partial}{\partial k^{\sigma}}$$

$$+240(\mu a^{\nu})(\lambda\rho\underline{\mu}\sigma)\gamma_{\nu}\gamma_5\tau k_{\lambda}k_{\rho}\Sigma_k'''\frac{\partial}{\partial k^{\sigma}}+480(\mu\nu a^{\lambda})(\underline{\mu}\rho\sigma)\gamma_{\lambda}\gamma_5\tau k_{\nu}k_{\rho}\Sigma_k'''\frac{\partial}{\partial k^{\sigma}}+480(\mu\nu a^{\lambda})(\rho\underline{\mu}\sigma)\gamma_{\lambda}\gamma_5\tau k_{\nu}k_{\rho}\Sigma_k'''\frac{\partial}{\partial k^{\sigma}}$$

$$+480(\mu\nu a^{\lambda})(\underline{\nu}\rho\sigma)\gamma_{\lambda}\gamma_5\tau k_{\mu}k_{\rho}\Sigma_k'''\frac{\partial}{\partial k^{\sigma}}+480(\mu\nu a^{\lambda})(\rho\underline{\nu}\sigma)\gamma_{\lambda}\gamma_5\tau k_{\mu}k_{\rho}\Sigma_k'''\frac{\partial}{\partial k^{\sigma}}+480(\mu\underline{\mu}a^{\nu})(\lambda\rho\sigma)\gamma_{\nu}\gamma_5\tau k_{\lambda}k_{\rho}\Sigma_k'''\frac{\partial}{\partial k^{\sigma}}$$

$$+480(\mu\nu\lambda a^{\rho})(\underline{\lambda}\sigma)\gamma_{\rho}\gamma_5\tau k_{\mu}k_{\nu}\Sigma_k'''\frac{\partial}{\partial k^{\sigma}}+480(\mu\nu\lambda a^{\rho})(\underline{\nu}\sigma)\gamma_{\rho}\gamma_5\tau k_{\mu}k_{\lambda}\Sigma_k'''\frac{\partial}{\partial k^{\sigma}}+480(\mu\nu\underline{\nu}a^{\lambda})(\rho\sigma)\gamma_{\lambda}\gamma_5\tau k_{\mu}k_{\rho}\Sigma_k'''\frac{\partial}{\partial k^{\sigma}}$$

$$+480(\mu\nu\lambda a^{\rho})(\underline{\mu}\sigma)\gamma_{\rho}\gamma_5\tau k_{\nu}k_{\lambda}\Sigma_k'''\frac{\partial}{\partial k^{\sigma}}+480(\mu\nu\underline{\mu}a^{\lambda})(\rho\sigma)\gamma_{\lambda}\gamma_5\tau k_{\nu}k_{\rho}\Sigma_k'''\frac{\partial}{\partial k^{\sigma}}+480(\mu\underline{\mu}\nu a^{\lambda})(\rho\sigma)\gamma_{\lambda}\gamma_5\tau k_{\nu}k_{\rho}\Sigma_k'''\frac{\partial}{\partial k^{\sigma}}$$

$$-120(\mu\underline{\mu}\nu)(\lambda\rho a^{\sigma})\gamma_{\sigma}\gamma_5\tau k_{\nu}\Sigma_k''\frac{\partial^2}{\partial k^{\lambda}\partial k^{\rho}}-90(\mu\nu\underline{\nu}\lambda)(\rho a^{\sigma})\gamma_{\sigma}\gamma_5\tau k_{\lambda}\Sigma_k''\frac{\partial^2}{\partial k^{\mu}\partial k^{\rho}}-90(\mu\nu\underline{\mu}\lambda)(\rho a^{\sigma})\gamma_{\sigma}\gamma_5\tau k_{\lambda}\Sigma_k''\frac{\partial^2}{\partial k^{\nu}\partial k^{\rho}}$$

$$+180(\mu\underline{\mu}\nu\lambda)(\rho a^{\sigma})\gamma_{\sigma}\gamma_5\tau k_{\nu}\Sigma_k''\frac{\partial^2}{\partial k^{\lambda}\partial k^{\rho}}+90(\mu\nu\underline{\nu}\lambda)(\rho a^{\sigma})\gamma_{\sigma}\gamma_5\tau k_{\mu}\Sigma_k''\frac{\partial^2}{\partial k^{\lambda}\partial k^{\rho}}+90(\mu\nu\underline{\mu}\lambda)(\rho a^{\sigma})\gamma_{\sigma}\gamma_5\tau k_{\nu}\Sigma_k''\frac{\partial^2}{\partial k^{\lambda}\partial k^{\rho}}$$

$$-90(\mu a^{\nu})(\lambda\rho\underline{\rho}\sigma)\gamma_{\nu}\gamma_5\tau k_{\sigma}\Sigma_k''\frac{\partial^2}{\partial k^{\mu}\partial k^{\lambda}}-90(\mu a^{\nu})(\lambda\rho\underline{\lambda}\sigma)\gamma_{\nu}\gamma_5\tau k_{\sigma}\Sigma_k''\frac{\partial^2}{\partial k^{\mu}\partial k^{\rho}}+180(\mu a^{\nu})(\lambda\underline{\lambda}\rho\sigma)\gamma_{\nu}\gamma_5\tau k_{\rho}\Sigma_k''\frac{\partial^2}{\partial k^{\mu}\partial k^{\sigma}}$$

$$+90(\mu a^{\nu})(\lambda\rho\underline{\rho}\sigma)\gamma_{\nu}\gamma_5\tau k_{\lambda}\Sigma_k''\frac{\partial^2}{\partial k^{\mu}\partial k^{\sigma}}+90(\mu a^{\nu})(\lambda\rho\underline{\lambda}\sigma)\gamma_{\nu}\gamma_5\tau k_{\rho}\Sigma_k''\frac{\partial^2}{\partial k^{\mu}\partial k^{\sigma}}+180(\mu a^{\nu})(\lambda\rho\underline{\rho}\sigma)\gamma_{\nu}\gamma_5\tau k_{\mu}\Sigma_k''\frac{\partial^2}{\partial k^{\lambda}\partial k^{\sigma}}$$

$$+180(\mu a^{\nu})(\lambda\rho\underline{\lambda}\sigma)\gamma_{\nu}\gamma_5\tau k_{\mu}\Sigma_k''\frac{\partial^2}{\partial k^{\rho}\partial k^{\sigma}}-120(\mu\nu a^{\lambda})(\rho\underline{\rho}\sigma)\gamma_{\lambda}\gamma_5\tau k_{\sigma}\Sigma_k''\frac{\partial^2}{\partial k^{\mu}\partial k^{\nu}}+240(\mu\nu a^{\lambda})(\rho\underline{\rho}\sigma)\gamma_{\lambda}\gamma_5\tau k_{\mu}\Sigma_k''\frac{\partial^2}{\partial k^{\nu}\partial k^{\sigma}}$$

$$+240(\mu\nu a^{\lambda})(\rho\underline{\rho}\sigma)\gamma_{\lambda}\gamma_5\tau k_{\nu}\Sigma_k''\frac{\partial^2}{\partial k^{\mu}\partial k^{\sigma}}+180(\mu a^{\nu})(\lambda\underline{\mu}\rho\sigma)\gamma_{\nu}\gamma_5\tau k_{\rho}\Sigma_k''\frac{\partial^2}{\partial k^{\lambda}\partial k^{\sigma}}+180(\mu a^{\nu})(\lambda\rho\underline{\mu}\sigma)\gamma_{\nu}\gamma_5\tau k_{\rho}\Sigma_k''\frac{\partial^2}{\partial k^{\lambda}\partial k^{\sigma}}$$

$$+180(\mu a^{\nu})(\underline{\mu}\lambda\rho\sigma)\gamma_{\nu}\gamma_5\tau k_{\rho}\Sigma_k''\frac{\partial^2}{\partial k^{\lambda}\partial k^{\sigma}}+180(\mu a^{\nu})(\lambda\rho\underline{\mu}\sigma)\gamma_{\nu}\gamma_5\tau k_{\lambda}\Sigma_k''\frac{\partial^2}{\partial k^{\rho}\partial k^{\sigma}}+240(\mu\nu a^{\lambda})(\underline{\mu}\rho\sigma)\gamma_{\lambda}\gamma_5\tau k_{\rho}\Sigma_k''\frac{\partial^2}{\partial k^{\nu}\partial k^{\sigma}}$$

$$+240(\mu\nu a^{\lambda})(\rho\underline{\mu}\sigma)\gamma_{\lambda}\gamma_5\tau k_{\rho}\Sigma_k''\frac{\partial^2}{\partial k^{\nu}\partial k^{\sigma}}+240(\mu\nu a^{\lambda})(\underline{\nu}\rho\sigma)\gamma_{\lambda}\gamma_5\tau k_{\rho}\Sigma_k''\frac{\partial^2}{\partial k^{\mu}\partial k^{\sigma}}+240(\mu\nu a^{\lambda})(\rho\underline{\nu}\sigma)\gamma_{\lambda}\gamma_5\tau k_{\rho}\Sigma_k''\frac{\partial^2}{\partial k^{\mu}\partial k^{\sigma}}$$

$$+480(\mu\nu a^{\lambda})(\rho\underline{\mu}\sigma)\gamma_{\lambda}\gamma_5\tau k_{\nu}\Sigma_k''\frac{\partial^2}{\partial k^{\rho}\partial k^{\sigma}}+480(\mu\nu a^{\lambda})(\rho\underline{\nu}\sigma)\gamma_{\lambda}\gamma_5\tau k_{\mu}\Sigma_k''\frac{\partial^2}{\partial k^{\rho}\partial k^{\sigma}}+480(\mu\underline{\mu}a^{\nu})(\lambda\rho\sigma)\gamma_{\nu}\gamma_5\tau k_{\rho}\Sigma_k''\frac{\partial^2}{\partial k^{\lambda}\partial k^{\sigma}}$$

$$+240(\mu\nu\lambda a^{\rho})(\underline{\lambda}\sigma)\gamma_{\rho}\gamma_5\tau k_{\nu}\Sigma_k''\frac{\partial^2}{\partial k^{\mu}\partial k^{\sigma}}+240(\mu\nu\lambda a^{\rho})(\underline{\lambda}\sigma)\gamma_{\rho}\gamma_5\tau k_{\mu}\Sigma_k''\frac{\partial^2}{\partial k^{\nu}\partial k^{\sigma}}+240(\mu\nu\lambda a^{\rho})(\underline{\nu}\sigma)\gamma_{\rho}\gamma_5\tau k_{\lambda}\Sigma_k''\frac{\partial^2}{\partial k^{\mu}\partial k^{\sigma}}$$

$$+240(\mu\nu\underline{\nu}a^{\lambda})(\rho\sigma)\gamma_{\lambda}\gamma_5\tau k_{\rho}\Sigma_k''\frac{\partial^2}{\partial k^{\mu}\partial k^{\sigma}}+240(\mu\nu\lambda a^{\rho})(\underline{\mu}\sigma)\gamma_{\rho}\gamma_5\tau k_{\lambda}\Sigma_k''\frac{\partial^2}{\partial k^{\nu}\partial k^{\sigma}}+240(\mu\nu\underline{\mu}a^{\lambda})(\rho\sigma)\gamma_{\lambda}\gamma_5\tau k_{\rho}\Sigma_k''\frac{\partial^2}{\partial k^{\nu}\partial k^{\sigma}}$$

$$+240(\mu\nu\lambda a^{\rho})(\underline{\nu}\sigma)\gamma_{\rho}\gamma_5\tau k_{\mu}\Sigma_k''\frac{\partial^2}{\partial k^{\lambda}\partial k^{\sigma}}+240(\mu\nu\lambda a^{\rho})(\underline{\mu}\sigma)\gamma_{\rho}\gamma_5\tau k_{\nu}\Sigma_k''\frac{\partial^2}{\partial k^{\lambda}\partial k^{\sigma}}+240(\mu\underline{\mu}\nu a^{\lambda})(\rho\sigma)\gamma_{\lambda}\gamma_5\tau k_{\rho}\Sigma_k''\frac{\partial^2}{\partial k^{\nu}\partial k^{\sigma}}$$

$$+120(\mu\underline{\mu}\nu)(\lambda\rho a^{\sigma})\gamma_{\sigma}\gamma_5\tau\Sigma_k'\frac{\partial^3}{\partial k^{\nu}\partial k^{\lambda}\partial k^{\rho}}+90(\mu\nu\underline{\nu}\lambda)(\rho a^{\sigma})\gamma_{\sigma}\gamma_5\tau\Sigma_k'\frac{\partial^3}{\partial k^{\mu}\partial k^{\lambda}\partial k^{\rho}}+90(\mu\nu\underline{\mu}\lambda)(\rho a^{\sigma})\gamma_{\sigma}\gamma_5\tau\Sigma_k'\frac{\partial^3}{\partial k^{\nu}\partial k^{\lambda}\partial k^{\rho}}$$

$$+90(\mu a^{\nu})(\lambda\rho\underline{\rho}\sigma)\gamma_{\nu}\gamma_5\tau\Sigma_k'\frac{\partial^3}{\partial k^{\mu}\partial k^{\lambda}\partial k^{\sigma}}+90(\mu a^{\nu})(\lambda\rho\underline{\lambda}\sigma)\gamma_{\nu}\gamma_5\tau\Sigma_k'\frac{\partial^3}{\partial k^{\mu}\partial k^{\rho}\partial k^{\sigma}}+120(\mu\nu a^{\lambda})(\rho\underline{\rho}\sigma)\gamma_{\lambda}\gamma_5\tau\Sigma_k'\frac{\partial^3}{\partial k^{\mu}\partial k^{\nu}\partial k^{\sigma}}$$

$$+180(\mu a^{\nu})(\lambda\rho\underline{\mu}\sigma)\gamma_{\nu}\gamma_5\tau\Sigma_k'\frac{\partial^3}{\partial k^{\lambda}\partial k^{\rho}\partial k^{\sigma}}+240(\mu\nu a^{\lambda})(\rho\underline{\mu}\sigma)\gamma_{\lambda}\gamma_5\tau\Sigma_k'\frac{\partial^3}{\partial k^{\nu}\partial k^{\rho}\partial k^{\sigma}}$$

$$+240(\mu\nu a^{\lambda})(\rho\underline{\nu}\sigma)\gamma_{\lambda}\gamma_5\tau\Sigma_k'\frac{\partial^3}{\partial k^{\mu}\partial k^{\rho}\partial k^{\sigma}}+120(\mu\nu\lambda a^{\rho})(\underline{\lambda}\sigma)\gamma_{\rho}\gamma_5\tau\Sigma_k'\frac{\partial^3}{\partial k^{\mu}\partial k^{\nu}\partial k^{\sigma}}$$

$$+120(\mu\nu\lambda a^{\rho})(\underline{\nu}\sigma)\gamma_{\rho}\gamma_5\tau\Sigma_k'\frac{\partial^3}{\partial k^{\mu}\partial k^{\lambda}\partial k^{\sigma}}+120(\mu\nu\lambda a^{\rho})(\underline{\mu}\sigma)\gamma_{\rho}\gamma_5\tau\Sigma_k'\frac{\partial^3}{\partial k^{\nu}\partial k^{\lambda}\partial k^{\sigma}}-240i(\mu\nu\lambda\rho)p\gamma_5\tau k_{\mu}k_{\nu}k_{\lambda}\Sigma_k'''\frac{\partial}{\partial k^{\rho}}$$

$$-180i(\mu\nu\lambda\rho)p\gamma_5\tau k_{\nu}k_{\lambda}\Sigma_k''\frac{\partial^2}{\partial k^{\mu}\partial k^{\rho}}-180i(\mu\nu\lambda\rho)p\gamma_5\tau k_{\mu}k_{\lambda}\Sigma_k''\frac{\partial^2}{\partial k^{\nu}\partial k^{\rho}}-180i(\mu\nu\lambda\rho)p\gamma_5\tau k_{\lambda}\Sigma_k'\frac{\partial^3}{\partial k^{\mu}\partial k^{\nu}\partial k^{\rho}}$$

$$+240i(\mu\nu\lambda\rho)\gamma_5 p\tau k_{\mu}k_{\nu}k_{\lambda}\Sigma_k'''\frac{\partial}{\partial k^{\rho}}+180i(\mu\nu\lambda\rho)\gamma_5 p\tau k_{\nu}k_{\lambda}\Sigma_k''\frac{\partial^2}{\partial k^{\mu}\partial k^{\rho}}+180i(\mu\nu\lambda\rho)\gamma_5 p\tau k_{\mu}k_{\lambda}\Sigma_k''\frac{\partial^2}{\partial k^{\nu}\partial k^{\rho}}$$

$$+180i(\mu\nu\lambda\rho)\gamma_5 p\tau k_{\lambda}\Sigma_k'\frac{\partial^3}{\partial k^{\mu}\partial k^{\nu}\partial k^{\rho}}+480(\mu\nu)(\underline{\mu}\lambda)(\rho\sigma)\tau k_{\nu}k_{\lambda}k_{\rho}\Sigma_k\Sigma_k''''\frac{\partial}{\partial k^{\sigma}}+1920(\mu\nu)(\underline{\mu}\lambda)(\rho\sigma)\tau k_{\nu}k_{\lambda}k_{\rho}\Sigma_k'\Sigma_k'''\frac{\partial}{\partial k^{\sigma}}$$

$$+1440(\mu\nu)(\underline{\mu}\lambda)(\rho\sigma)\tau k_{\nu}k_{\lambda}k_{\rho}\Sigma_k''^2\frac{\partial}{\partial k^{\sigma}}+120(\mu\nu)(\underline{\mu}\lambda)(\rho\sigma)\tau k_{\lambda}k_{\rho}\Sigma_k\Sigma_k'''\frac{\partial^2}{\partial k^{\nu}\partial k^{\sigma}}-120(\mu\nu)(\underline{\mu}\lambda)(\rho\sigma)\tau k_{\nu}k_{\rho}\Sigma_k\Sigma_k'''\frac{\partial^2}{\partial k^{\lambda}\partial k^{\sigma}}$$

$$-360(\mu\nu)(\underline{\mu}\lambda)(\rho\sigma)\tau k_\nu k_\rho \Sigma'_k \Sigma''_k \frac{\partial^2}{\partial k^\lambda \partial k^\sigma} + 360(\mu\nu)(\underline{\mu}\lambda)(\rho\sigma)\tau k_\lambda k_\rho \Sigma'_k \Sigma''_k \frac{\partial^2}{\partial k^\nu \partial k^\sigma}$$

$$+360(\mu\nu)(\underline{\mu}\lambda)(\rho\sigma)\tau k_\rho \Sigma_k \Sigma''_k \frac{\partial^3}{\partial k^\nu \partial k^\lambda \partial k^\sigma} + 360(\mu\nu)(\underline{\mu}\lambda)(\rho\sigma)\tau k_\rho \Sigma'^2_k \frac{\partial^3}{\partial k^\nu \partial k^\lambda \partial k^\sigma} + 480(\mu a^\nu)(\lambda\rho)(\underline{\lambda}\sigma)\gamma_\nu\gamma_5\tau k_\mu k_\rho k_\sigma \Sigma''''_k$$

$$+240(\mu\nu)(\underline{\mu}\lambda)(\rho a^\sigma)\gamma_\sigma\gamma_5\tau k_\nu k_\lambda \Sigma'''_k \frac{\partial}{\partial k^\rho} + 240(\mu a^\nu)(\lambda\rho)(\underline{\lambda}\sigma)\gamma_\nu\gamma_5\tau k_\rho k_\sigma \Sigma'''_k \frac{\partial}{\partial k^\mu} - 360(\mu a^\nu)(\lambda\rho)(\underline{\lambda}\sigma)\gamma_\nu\gamma_5\tau k_\mu k_\rho \Sigma'''_k \frac{\partial}{\partial k^\sigma}$$

$$+360(\mu a^\nu)(\lambda\rho)(\underline{\lambda}\sigma)\gamma_\nu\gamma_5\tau k_\mu k_\sigma \Sigma'''_k \frac{\partial}{\partial k^\rho} - 180(\mu\nu)(\underline{\mu}\lambda)(\rho a^\sigma)\gamma_\sigma\gamma_5\tau k_\nu \Sigma''_k \frac{\partial^2}{\partial k^\lambda \partial k^\rho}$$

$$+180(\mu\nu)(\underline{\mu}\lambda)(\rho a^\sigma)\gamma_\sigma\gamma_5\tau k_\lambda \Sigma''_k \frac{\partial^2}{\partial k^\nu \partial k^\rho} - 180(\mu a^\nu)(\lambda\rho)(\underline{\lambda}\sigma)\gamma_\nu\gamma_5\tau k_\rho \Sigma''_k \frac{\partial^2}{\partial k^\mu \partial k^\sigma}$$

$$+180(\mu a^\nu)(\lambda\rho)(\underline{\lambda}\sigma)\gamma_\nu\gamma_5\tau k_\sigma \Sigma''_k \frac{\partial^2}{\partial k^\mu \partial k^\rho} + 360(\mu a^\nu)(\lambda\rho)(\underline{\lambda}\sigma)\gamma_\nu\gamma_5\tau k_\mu \Sigma''_k \frac{\partial^2}{\partial k^\rho \partial k^\sigma}$$

$$+360(\mu a^\nu)(\underline{\mu}\lambda)(\rho\sigma)\gamma_\nu\gamma_5\tau k_\rho \Sigma''_k \frac{\partial^2}{\partial k^\lambda \partial k^\sigma} + 360(\mu a^\nu)(\lambda\rho)(\underline{\mu}\sigma)\gamma_\nu\gamma_5\tau k_\lambda \Sigma''_k \frac{\partial^2}{\partial k^\rho \partial k^\sigma}$$

$$+180(\mu\nu)(\underline{\mu}\lambda)(\rho a^\sigma)\gamma_\sigma\gamma_5\tau \Sigma'_k \frac{\partial^3}{\partial k^\nu \partial k^\lambda \partial k^\rho} + 180(\mu a^\nu)(\lambda\rho)(\underline{\lambda}\sigma)\gamma_\nu\gamma_5\tau \Sigma'_k \frac{\partial^3}{\partial k^\mu \partial k^\rho \partial k^\sigma}$$

$$-360i(\mu\nu)(\lambda\rho)p\gamma_5\tau k_\mu k_\lambda \Sigma''_k \frac{\partial^2}{\partial k^\nu \partial k^\rho} + 360i(\mu\nu)(\lambda\rho)\gamma_5 p\tau k_\mu k_\lambda \Sigma''_k \frac{\partial^2}{\partial k^\nu \partial k^\rho} + 480i(\mu\nu)(\lambda\rho\sigma\delta)\gamma_\mu\tau k_\nu k_\lambda k_\rho k_\sigma \Sigma''''_k \frac{\partial}{\partial k^\delta}$$

$$+960i(\mu\nu\lambda)(\rho\sigma\delta)\gamma_\nu\tau k_\mu k_\lambda k_\rho k_\sigma \Sigma''''_k \frac{\partial}{\partial k^\delta} + 960i(\mu\nu\lambda\rho)(\sigma\delta)\gamma_\lambda\tau k_\mu k_\nu k_\rho k_\sigma \Sigma''''_k \frac{\partial}{\partial k^\delta}$$

$$+240i(\mu\nu)(\lambda\rho\sigma\delta)\gamma_\mu\tau k_\lambda k_\rho k_\sigma \Sigma'''_k \frac{\partial^2}{\partial k^\nu \partial k^\delta} - 240i(\mu\nu\lambda\rho)(\sigma\delta)\gamma_\sigma\tau k_\mu k_\nu k_\lambda \Sigma'''_k \frac{\partial^2}{\partial k^\rho \partial k^\delta}$$

$$+360i(\mu\nu)(\lambda\rho\sigma\delta)\gamma_\mu\tau k_\nu k_\rho k_\sigma \Sigma'''_k \frac{\partial^2}{\partial k^\lambda \partial k^\delta} + 360i(\mu\nu)(\lambda\rho\sigma\delta)\gamma_\mu\tau k_\nu k_\lambda k_\sigma \Sigma'''_k \frac{\partial^2}{\partial k^\rho \partial k^\delta}$$

$$+480i(\mu\nu\lambda)(\rho\sigma\delta)\gamma_\nu\tau k_\mu k_\rho k_\sigma \Sigma'''_k \frac{\partial^2}{\partial k^\lambda \partial k^\delta} + 480i(\mu\nu\lambda)(\rho\sigma\delta)\gamma_\nu\tau k_\lambda k_\rho k_\sigma \Sigma'''_k \frac{\partial^2}{\partial k^\mu \partial k^\delta}$$

$$+960i(\mu\nu\lambda)(\rho\sigma\delta)\gamma_\nu\tau k_\mu k_\lambda k_\sigma \Sigma'''_k \frac{\partial^2}{\partial k^\rho \partial k^\delta} + 480i(\mu\nu\lambda\rho)(\sigma\delta)\gamma_\lambda\tau k_\mu k_\nu k_\sigma \Sigma'''_k \frac{\partial^2}{\partial k^\rho \partial k^\delta}$$

$$+480i(\mu\nu\lambda\rho)(\sigma\delta)\gamma_\lambda\tau k_\mu k_\rho k_\sigma \Sigma'''_k \frac{\partial^2}{\partial k^\nu \partial k^\delta} + 480i(\mu\nu\lambda\rho)(\sigma\delta)\gamma_\lambda\tau k_\nu k_\rho k_\sigma \Sigma'''_k \frac{\partial^2}{\partial k^\mu \partial k^\delta}$$

$$+180i(\mu\nu)(\lambda\rho\sigma\delta)\gamma_\mu\tau k_\rho k_\sigma \Sigma''_k \frac{\partial^3}{\partial k^\nu \partial k^\lambda \partial k^\delta} - 180i(\mu\nu\lambda\rho)(\sigma\delta)\gamma_\sigma\tau k_\nu k_\lambda \Sigma''_k \frac{\partial^3}{\partial k^\mu \partial k^\rho \partial k^\delta}$$

$$+180i(\mu\nu)(\lambda\rho\sigma\delta)\gamma_\mu\tau k_\lambda k_\sigma \Sigma''_k \frac{\partial^3}{\partial k^\nu \partial k^\rho \partial k^\delta} - 180i(\mu\nu\lambda\rho)(\sigma\delta)\gamma_\sigma\tau k_\mu k_\lambda \Sigma''_k \frac{\partial^3}{\partial k^\nu \partial k^\rho \partial k^\delta}$$

$$+240i(\mu\nu\lambda)(\rho\sigma\delta)\gamma_\nu\tau k_\rho k_\sigma \Sigma''_k \frac{\partial^3}{\partial k^\mu \partial k^\lambda \partial k^\delta} - 240i(\mu\nu\lambda)(\rho\sigma\delta)\gamma_\sigma\tau k_\mu k_\nu \Sigma''_k \frac{\partial^3}{\partial k^\lambda \partial k^\rho \partial k^\delta}$$

$$+360i(\mu\nu)(\lambda\rho\sigma\delta)\gamma_\mu\tau k_\nu k_\sigma \Sigma''_k \frac{\partial^3}{\partial k^\lambda \partial k^\rho \partial k^\delta} + 480i(\mu\nu\lambda)(\rho\sigma\delta)\gamma_\nu\tau k_\mu k_\sigma \Sigma''_k \frac{\partial^3}{\partial k^\lambda \partial k^\rho \partial k^\delta}$$

$$+480i(\mu\nu\lambda)(\rho\sigma\delta)\gamma_\nu\tau k_\lambda k_\sigma \Sigma''_k \frac{\partial^3}{\partial k^\mu \partial k^\rho \partial k^\delta} + 240i(\mu\nu\lambda\rho)(\sigma\delta)\gamma_\lambda\tau k_\mu k_\sigma \Sigma''_k \frac{\partial^3}{\partial k^\nu \partial k^\rho \partial k^\delta}$$

$$+240i(\mu\nu\lambda\rho)(\sigma\delta)\gamma_\lambda\tau k_\nu k_\sigma \Sigma''_k \frac{\partial^3}{\partial k^\mu \partial k^\rho \partial k^\delta} + 240i(\mu\nu\lambda\rho)(\sigma\delta)\gamma_\lambda\tau k_\rho k_\sigma \Sigma''_k \frac{\partial^3}{\partial k^\mu \partial k^\nu \partial k^\delta}$$

$$+180i(\mu\nu)(\lambda\rho\sigma\delta)\gamma_\mu\tau k_\sigma \Sigma'_k \frac{\partial^4}{\partial k^\nu \partial k^\lambda \partial k^\rho \partial k^\delta} - 180i(\mu\nu\lambda\rho)(\sigma\delta)\gamma_\sigma\tau k_\lambda \Sigma'_k \frac{\partial^4}{\partial k^\mu \partial k^\nu \partial k^\rho \partial k^\delta}$$

$$+240i(\mu\nu\lambda)(\rho\sigma\delta)\gamma_\nu\tau k_\sigma \Sigma'_k \frac{\partial^4}{\partial k^\mu \partial k^\lambda \partial k^\rho \partial k^\delta} - 240i(\mu\nu\lambda)(\rho\sigma\delta)\gamma_\sigma\tau k_\nu \Sigma'_k \frac{\partial^4}{\partial k^\mu \partial k^\lambda \partial k^\rho \partial k^\delta}$$

$$-120i(\mu\nu)(\lambda\rho\sigma\delta)\gamma_\sigma\tau k_\mu \Sigma'_k \frac{\partial^4}{\partial k^\nu \partial k^\lambda \partial k^\rho \partial k^\delta} + 120i(\mu\nu\lambda\rho)(\sigma\delta)\gamma_\lambda\tau k_\sigma \Sigma'_k \frac{\partial^4}{\partial k^\mu \partial k^\nu \partial k^\rho \partial k^\delta}$$

$$+720i(\mu\nu)(\lambda\rho)(\sigma\delta)\gamma_\mu\tau k_\nu k_\lambda k_\sigma \Sigma'''_k \frac{\partial^2}{\partial k^\rho \partial k^\delta} - 360i(\mu\nu)(\lambda\rho)(\sigma\delta)\gamma_\sigma\tau k_\mu k_\lambda \Sigma''_k \frac{\partial^3}{\partial k^\nu \partial k^\rho \partial k^\delta}$$

$$+360i(\mu\nu)(\lambda\rho)(\sigma\delta)\gamma_\mu\tau k_\lambda k_\sigma \Sigma''_k \frac{\partial^3}{\partial k^\nu \partial k^\rho \partial k^\delta} + 480(\mu\nu)(\lambda\rho\sigma\delta)\tau k_\mu k_\lambda k_\rho k_\sigma \Sigma_k \Sigma''''_k \frac{\partial^2}{\partial k^\nu \partial k^\delta}$$

$$
\begin{aligned}
&+320(\mu\nu\lambda)(\rho\sigma\delta)\tau k_\mu k_\nu k_\rho k_\sigma \Sigma_k \Sigma_k^{\prime\prime\prime\prime}\frac{\partial^2}{\partial k^\lambda \partial k^\delta} + 1920(\mu\nu)(\lambda\rho\sigma\delta)\tau k_\mu k_\lambda k_\rho k_\sigma \Sigma_k^{\prime} \Sigma_k^{\prime\prime\prime}\frac{\partial^2}{\partial k^\nu \partial k^\delta} \\
&+1280(\mu\nu\lambda)(\rho\sigma\delta)\tau k_\mu k_\nu k_\rho k_\sigma \Sigma_k^{\prime} \Sigma_k^{\prime\prime\prime}\frac{\partial^2}{\partial k^\lambda \partial k^\delta} + 960(\mu\nu\lambda)(\rho\sigma\delta)\tau k_\mu k_\nu k_\rho k_\sigma \Sigma_k^{\prime\prime 2}\frac{\partial^2}{\partial k^\lambda \partial k^\delta} \\
&+1440(\mu\nu)(\lambda\rho\sigma\delta)\tau k_\mu k_\lambda k_\rho k_\sigma \Sigma_k^{\prime\prime 2}\frac{\partial^2}{\partial k^\nu \partial k^\delta} + 360(\mu\nu)(\lambda\rho\sigma\delta)\tau k_\mu k_\rho k_\sigma \Sigma_k \Sigma_k^{\prime\prime\prime}\frac{\partial^3}{\partial k^\nu \partial k^\lambda \partial k^\delta} \\
&+360(\mu\nu)(\lambda\rho\sigma\delta)\tau k_\mu k_\lambda k_\sigma \Sigma_k \Sigma_k^{\prime\prime\prime}\frac{\partial^3}{\partial k^\nu \partial k^\rho \partial k^\delta} + 640(\mu\nu\lambda)(\rho\sigma\delta)\tau k_\mu k_\nu k_\sigma \Sigma_k \Sigma_k^{\prime\prime\prime}\frac{\partial^3}{\partial k^\lambda \partial k^\rho \partial k^\delta} \\
&+1080(\mu\nu)(\lambda\rho\sigma\delta)\tau k_\mu k_\rho k_\sigma \Sigma_k^{\prime} \Sigma_k^{\prime\prime}\frac{\partial^3}{\partial k^\nu \partial k^\lambda \partial k^\delta} + 1080(\mu\nu)(\lambda\rho\sigma\delta)\tau k_\mu k_\lambda k_\sigma \Sigma_k^{\prime} \Sigma_k^{\prime\prime}\frac{\partial^3}{\partial k^\nu \partial k^\rho \partial k^\delta} \\
&+1920(\mu\nu\lambda)(\rho\sigma\delta)\tau k_\mu k_\nu k_\sigma \Sigma_k^{\prime} \Sigma_k^{\prime\prime}\frac{\partial^3}{\partial k^\lambda \partial k^\rho \partial k^\delta} + 360(\mu\nu)(\lambda\rho\sigma\delta)\tau k_\mu k_\sigma \Sigma_k \Sigma_k^{\prime\prime}\frac{\partial^4}{\partial k^\nu \partial k^\lambda \partial k^\rho \partial k^\delta} \\
&+320(\mu\nu\lambda)(\rho\sigma\delta)\tau k_\nu k_\sigma \Sigma_k \Sigma_k^{\prime\prime}\frac{\partial^4}{\partial k^\mu \partial k^\lambda \partial k^\rho \partial k^\delta} + 360(\mu\nu)(\lambda\rho\sigma\delta)\tau k_\mu k_\sigma \Sigma_k^{\prime 2}\frac{\partial^4}{\partial k^\nu \partial k^\lambda \partial k^\rho \partial k^\delta} \\
&+320(\mu\nu\lambda)(\rho\sigma\delta)\tau k_\nu k_\sigma \Sigma_k^{\prime 2}\frac{\partial^4}{\partial k^\mu \partial k^\lambda \partial k^\rho \partial k^\delta} + 480(\mu a^\nu)(\lambda\rho\sigma\delta)\gamma_\nu \gamma_5 \tau k_\mu k_\lambda k_\rho k_\sigma \Sigma_k^{\prime\prime\prime\prime}\frac{\partial}{\partial k^\delta} \\
&+960(\mu\nu a^\lambda)(\rho\sigma\delta)\gamma_\lambda \gamma_5 \tau k_\mu k_\nu k_\rho k_\sigma \Sigma_k^{\prime\prime\prime\prime}\frac{\partial}{\partial k^\delta} + 960(\mu\nu\lambda a^\rho)(\sigma\delta)\gamma_\rho \gamma_5 \tau k_\mu k_\nu k_\lambda k_\sigma \Sigma_k^{\prime\prime\prime\prime}\frac{\partial}{\partial k^\delta} \\
&+240(\mu\nu\lambda\rho)(\sigma a^\delta)\gamma_\delta \gamma_5 \tau k_\mu k_\nu k_\lambda \Sigma_k^{\prime\prime\prime}\frac{\partial^2}{\partial k^\rho \partial k^\sigma} + 240(\mu a^\nu)(\lambda\rho\sigma\delta)\gamma_\nu \gamma_5 \tau k_\lambda k_\rho k_\sigma \Sigma_k^{\prime\prime\prime}\frac{\partial^2}{\partial k^\mu \partial k^\delta} \\
&+360(\mu a^\nu)(\lambda\rho\sigma\delta)\gamma_\nu \gamma_5 \tau k_\mu k_\rho k_\sigma \Sigma_k^{\prime\prime\prime}\frac{\partial^2}{\partial k^\lambda \partial k^\delta} + 360(\mu a^\nu)(\lambda\rho\sigma\delta)\gamma_\nu \gamma_5 \tau k_\mu k_\lambda k_\sigma \Sigma_k^{\prime\prime\prime}\frac{\partial^2}{\partial k^\rho \partial k^\delta} \\
&+480(\mu\nu a^\lambda)(\rho\sigma\delta)\gamma_\lambda \gamma_5 \tau k_\mu k_\rho k_\sigma \Sigma_k^{\prime\prime\prime}\frac{\partial^2}{\partial k^\nu \partial k^\delta} + 480(\mu\nu a^\lambda)(\rho\sigma\delta)\gamma_\lambda \gamma_5 \tau k_\nu k_\rho k_\sigma \Sigma_k^{\prime\prime\prime}\frac{\partial^2}{\partial k^\mu \partial k^\delta} \\
&+960(\mu\nu a^\lambda)(\rho\sigma\delta)\gamma_\lambda \gamma_5 \tau k_\mu k_\nu k_\sigma \Sigma_k^{\prime\prime\prime}\frac{\partial^2}{\partial k^\rho \partial k^\delta} + 480(\mu\nu\lambda a^\rho)(\sigma\delta)\gamma_\rho \gamma_5 \tau k_\nu k_\lambda k_\sigma \Sigma_k^{\prime\prime\prime}\frac{\partial^2}{\partial k^\mu \partial k^\delta} \\
&+480(\mu\nu\lambda a^\rho)(\sigma\delta)\gamma_\rho \gamma_5 \tau k_\mu k_\lambda k_\sigma \Sigma_k^{\prime\prime\prime}\frac{\partial^2}{\partial k^\nu \partial k^\delta} + 480(\mu\nu\lambda a^\rho)(\sigma\delta)\gamma_\rho \gamma_5 \tau k_\mu k_\nu k_\sigma \Sigma_k^{\prime\prime\prime}\frac{\partial^2}{\partial k^\lambda \partial k^\delta} \\
&+240(\mu\nu\lambda)(\rho\sigma a^\delta)\gamma_\delta \gamma_5 \tau k_\mu k_\nu \Sigma_k^{\prime\prime}\frac{\partial^3}{\partial k^\lambda \partial k^\rho \partial k^\sigma} + 180(\mu\nu\lambda\rho)(\sigma a^\delta)\gamma_\delta \gamma_5 \tau k_\nu k_\lambda \Sigma_k^{\prime\prime}\frac{\partial^3}{\partial k^\mu \partial k^\rho \partial k^\sigma} \\
&+180(\mu\nu\lambda\rho)(\sigma a^\delta)\gamma_\delta \gamma_5 \tau k_\mu k_\lambda \Sigma_k^{\prime\prime}\frac{\partial^3}{\partial k^\nu \partial k^\rho \partial k^\sigma} + 180(\mu a^\nu)(\lambda\rho\sigma\delta)\gamma_\nu \gamma_5 \tau k_\rho k_\sigma \Sigma_k^{\prime\prime}\frac{\partial^3}{\partial k^\mu \partial k^\lambda \partial k^\delta} \\
&+180(\mu a^\nu)(\lambda\rho\sigma\delta)\gamma_\nu \gamma_5 \tau k_\lambda k_\sigma \Sigma_k^{\prime\prime}\frac{\partial^3}{\partial k^\mu \partial k^\rho \partial k^\delta} + 360(\mu a^\nu)(\lambda\rho\sigma\delta)\gamma_\nu \gamma_5 \tau k_\mu k_\sigma \Sigma_k^{\prime\prime}\frac{\partial^3}{\partial k^\lambda \partial k^\rho \partial k^\delta} \\
&+240(\mu\nu a^\lambda)(\rho\sigma\delta)\gamma_\lambda \gamma_5 \tau k_\rho k_\sigma \Sigma_k^{\prime\prime}\frac{\partial^3}{\partial k^\mu \partial k^\nu \partial k^\delta} + 480(\mu\nu a^\lambda)(\rho\sigma\delta)\gamma_\lambda \gamma_5 \tau k_\mu k_\sigma \Sigma_k^{\prime\prime}\frac{\partial^3}{\partial k^\nu \partial k^\rho \partial k^\delta} \\
&+480(\mu\nu a^\lambda)(\rho\sigma\delta)\gamma_\lambda \gamma_5 \tau k_\nu k_\sigma \Sigma_k^{\prime\prime}\frac{\partial^3}{\partial k^\mu \partial k^\rho \partial k^\delta} + 240(\mu\nu\lambda a^\rho)(\sigma\delta)\gamma_\rho \gamma_5 \tau k_\lambda k_\sigma \Sigma_k^{\prime\prime}\frac{\partial^3}{\partial k^\mu \partial k^\nu \partial k^\delta} \\
&+240(\mu\nu\lambda a^\rho)(\sigma\delta)\gamma_\rho \gamma_5 \tau k_\nu k_\sigma \Sigma_k^{\prime\prime}\frac{\partial^3}{\partial k^\mu \partial k^\lambda \partial k^\delta} + 240(\mu\nu\lambda a^\rho)(\sigma\delta)\gamma_\rho \gamma_5 \tau k_\mu k_\sigma \Sigma_k^{\prime\prime}\frac{\partial^3}{\partial k^\nu \partial k^\lambda \partial k^\delta} \\
&+120(\mu\nu)(\lambda\rho\sigma a^\delta)\gamma_\delta \gamma_5 \tau k_\mu \Sigma_k^{\prime}\frac{\partial^4}{\partial k^\nu \partial k^\lambda \partial k^\rho \partial k^\sigma} + 240(\mu\nu\lambda)(\rho\sigma a^\delta)\gamma_\delta \gamma_5 \tau k_\nu \Sigma_k^{\prime}\frac{\partial^4}{\partial k^\mu \partial k^\lambda \partial k^\rho \partial k^\sigma} \\
&+180(\mu\nu\lambda\rho)(\sigma a^\delta)\gamma_\delta \gamma_5 \tau k_\lambda \Sigma_k^{\prime}\frac{\partial^4}{\partial k^\mu \partial k^\nu \partial k^\rho \partial k^\sigma} + 180(\mu a^\nu)(\lambda\rho\sigma\delta)\gamma_\nu \gamma_5 \tau k_\sigma \Sigma_k^{\prime}\frac{\partial^4}{\partial k^\mu \partial k^\lambda \partial k^\rho \partial k^\delta} \\
&+240(\mu\nu a^\lambda)(\rho\sigma\delta)\gamma_\lambda \gamma_5 \tau k_\sigma \Sigma_k^{\prime}\frac{\partial^4}{\partial k^\mu \partial k^\nu \partial k^\rho \partial k^\delta} + 120(\mu\nu\lambda a^\rho)(\sigma\delta)\gamma_\rho \gamma_5 \tau k_\sigma \Sigma_k^{\prime}\frac{\partial^4}{\partial k^\mu \partial k^\nu \partial k^\lambda \partial k^\delta} \\
&+240(\mu\nu)(\lambda\rho)(\sigma\delta)\tau k_\mu k_\lambda k_\sigma \Sigma_k \Sigma_k^{\prime\prime\prime}\frac{\partial^3}{\partial k^\nu \partial k^\rho \partial k^\delta} + 720(\mu\nu)(\lambda\rho)(\sigma\delta)\tau k_\mu k_\lambda k_\sigma \Sigma_k^{\prime} \Sigma_k^{\prime\prime}\frac{\partial^3}{\partial k^\nu \partial k^\rho \partial k^\delta} \\
&+720(\mu a^\nu)(\lambda\rho)(\sigma\delta)\gamma_\nu \gamma_5 \tau k_\mu k_\lambda k_\sigma \Sigma_k^{\prime\prime\prime}\frac{\partial^2}{\partial k^\rho \partial k^\delta} + 360(\mu\nu)(\lambda\rho)(\sigma a^\delta)\gamma_\delta \gamma_5 \tau k_\mu k_\lambda \Sigma_k^{\prime\prime}\frac{\partial^3}{\partial k^\nu \partial k^\rho \partial k^\sigma} \\
&+360(\mu a^\nu)(\lambda\rho)(\sigma\delta)\gamma_\nu \gamma_5 \tau k_\lambda k_\sigma \Sigma_k^{\prime\prime}\frac{\partial^3}{\partial k^\mu \partial k^\rho \partial k^\delta} \ .
\end{aligned}
\tag{A12}
$$

APPENDIX B: ANALYTICAL EXPRESSIONS OF $\mathcal{Z}_i$ ON $\Sigma(k^2)$

$$\mathcal{Z}_1 = \int dK\Big[-\frac{2}{3}\tau^3 + \frac{1}{3}\tau^4 k^2 + 4\tau^4\Sigma_k^2 - \frac{1}{18}\tau^5 k^4 - \tau^5 k^2\Sigma_k^2 - \frac{8}{3}\tau^5\Sigma_k^4 + \frac{1}{540}\tau^6 k^6 + \frac{2}{45}\tau^6 k^4\Sigma_k^2 + \frac{4}{15}\tau^6 k^2\Sigma_k^4 + \frac{16}{45}\tau^6\Sigma_k^6\Big] ,$$

$$\mathcal{Z}_2 = \int dK\Big[2\tau^3 - \frac{1}{3}\tau^4 k^2 - 12\tau^4\Sigma_k^2 - \frac{1}{18}\tau^5 k^4 + \frac{7}{3}\tau^5 k^2\Sigma_k^2 + 8\tau^5\Sigma_k^4 + \frac{1}{180}\tau^6 k^6 - \frac{2}{45}\tau^6 k^4\Sigma_k^2 - \frac{4}{5}\tau^6 k^2\Sigma_k^4 - \frac{16}{15}\tau^6\Sigma_k^6\Big] ,$$

$$\mathcal{Z}_3 = \int dK\Big[-\tau^3 + \frac{1}{2}\tau^4 k^2 + 6\tau^4\Sigma_k^2 - \frac{1}{18}\tau^5 k^4 - \frac{4}{3}\tau^5 k^2\Sigma_k^2 - 4\tau^5\Sigma_k^4 + \frac{1}{360}\tau^6 k^6 + \frac{1}{15}\tau^6 k^4\Sigma_k^2 + \frac{2}{5}\tau^6 k^2\Sigma_k^4 + \frac{8}{15}\tau^6\Sigma_k^6\Big] ,$$

$$\mathcal{Z}_4 = \int dK\Big[-\tau^3 + \frac{1}{6}\tau^4 k^2 + 6\tau^4\Sigma_k^2 - \tau^5 k^2\Sigma_k^2 - 4\tau^5\Sigma_k^4 + \frac{1}{360}\tau^6 k^6 - \frac{1}{45}\tau^6 k^4\Sigma_k^2 + \frac{2}{5}\tau^6 k^2\Sigma_k^4 + \frac{8}{15}\tau^6\Sigma_k^6\Big] ,$$

$$\mathcal{Z}_5 = \int dK\Big[\frac{1}{3}\tau^3 - \frac{1}{6}\tau^4 k^2 - 2\tau^4\Sigma_k^2 + \frac{1}{3}\tau^5 k^2\Sigma_k^2 + \frac{4}{3}\tau^5\Sigma_k^4 + \frac{1}{1080}\tau^6 k^6 + \frac{1}{45}\tau^6 k^4\Sigma_k^2 - \frac{2}{15}\tau^6 k^2\Sigma_k^4 - \frac{8}{45}\tau^6\Sigma_k^6\Big] ,$$

$$\begin{aligned}\mathcal{Z}_6 = \int dK\Big[& -\frac{4}{15}\tau^3 + \frac{1}{3}\tau^4 k^2 + \frac{2}{5}\tau^4\Sigma_k^2 - \frac{1}{10}\tau^5 k^4 + \frac{2}{3}\tau^5 k^4\Sigma_k^2\Sigma_k'^2 - \frac{2}{5}\tau^5 k^2\Sigma_k^2 + \frac{1}{120}\tau^6 k^6 + \frac{1}{15}\tau^6 k^4\Sigma_k^2 - \frac{1}{30}\tau^6 k^6\Sigma_k^2\Sigma_k'^2 \\ & -\frac{4}{15}\tau^6 k^4\Sigma_k^4\Sigma_k'^2\Big] ,\end{aligned}$$

$$\begin{aligned}\mathcal{Z}_7 = \int dK\Big[& -\frac{11}{5}\tau^3 + 3\tau^3 k^2\Sigma_k'^2 + \frac{13}{10}\tau^4 k^2 + \frac{92}{15}\tau^4\Sigma_k^2 - 18\tau^4 k^2\Sigma_k^2\Sigma_k'^2 - \frac{2}{9}\tau^4 k^4\Sigma_k'^2 - \frac{17}{90}\tau^5 k^4 - \frac{11}{5}\tau^5 k^2\Sigma_k^2 - \frac{8}{5}\tau^5\Sigma_k^4 \\ & +\frac{14}{9}\tau^5 k^4\Sigma_k^2\Sigma_k'^2 + 12\tau^5 k^2\Sigma_k^4\Sigma_k'^2 + \frac{1}{120}\tau^6 k^6 + \frac{2}{15}\tau^6 k^4\Sigma_k^2 + \frac{2}{5}\tau^6 k^2\Sigma_k^4 - \frac{1}{30}\tau^6 k^6\Sigma_k^2\Sigma_k'^2 - \frac{8}{15}\tau^6 k^4\Sigma_k^4\Sigma_k'^2 - \frac{8}{5}\tau^6 k^2\Sigma_k^6\Sigma_k'^2\Big] ,\end{aligned}$$

$$\begin{aligned}\mathcal{Z}_8 = \int dK\Big[& \frac{4}{15}\tau^3 + \frac{1}{5}\tau^4 k^2 - \frac{2}{5}\tau^4\Sigma_k^2 - \frac{1}{10}\tau^5 k^4 + \frac{2}{3}\tau^5 k^4\Sigma_k^2\Sigma_k'^2 - \frac{2}{5}\tau^5 k^2\Sigma_k^2 + \frac{1}{120}\tau^6 k^6 + \frac{1}{15}\tau^6 k^4\Sigma_k^2 - \frac{1}{30}\tau^6 k^6\Sigma_k^2\Sigma_k'^2 \\ & -\frac{4}{15}\tau^6 k^4\Sigma_k^4\Sigma_k'^2\Big] ,\end{aligned}$$

$$\begin{aligned}\mathcal{Z}_9 = \int dK\Big[& -\frac{23}{15}\tau^3 + \frac{59}{60}\tau^4 k^2 + \frac{17}{15}\tau^4\Sigma_k^2 - \frac{2}{9}\tau^4 k^4\Sigma_k'^2 - \frac{7}{45}\tau^5 k^4 + \frac{8}{9}\tau^5 k^4\Sigma_k^2\Sigma_k'^2 - \frac{2}{5}\tau^5 k^2\Sigma_k^2 + \frac{1}{120}\tau^6 k^6 + \frac{1}{15}\tau^6 k^4\Sigma_k^2 \\ & -\frac{1}{30}\tau^6 k^6\Sigma_k^2\Sigma_k'^2 - \frac{4}{15}\tau^6 k^4\Sigma_k^4\Sigma_k'^2\Big] ,\end{aligned}$$

$$\begin{aligned}\mathcal{Z}_{10} = \int dK\Big[& -\frac{4}{5}\tau^3 + \frac{19}{30}\tau^4 k^2 + \frac{8}{15}\tau^4\Sigma_k^2 - \frac{2}{9}\tau^4 k^4\Sigma_k'^2 - \frac{7}{45}\tau^5 k^4 + \frac{8}{9}\tau^5 k^4\Sigma_k^2\Sigma_k'^2 - \frac{2}{5}\tau^5 k^2\Sigma_k^2 + \frac{1}{120}\tau^6 k^6 + \frac{1}{15}\tau^6 k^4\Sigma_k^2 \\ & -\frac{1}{30}\tau^6 k^6\Sigma_k^2\Sigma_k'^2 - \frac{4}{15}\tau^6 k^4\Sigma_k^4\Sigma_k'^2\Big] ,\end{aligned}$$

$$\begin{aligned}\mathcal{Z}_{11} = \int dK\Big[& -\frac{2}{5}\tau^3 + \frac{1}{30}\tau^4 k^2 + \frac{4}{15}\tau^4\Sigma_k^2 + \frac{2}{9}\tau^4 k^4\Sigma_k'^2 - \frac{1}{30}\tau^5 k^4 - \frac{2}{3}\tau^5 k^4\Sigma_k^2\Sigma_k'^2 + \frac{2}{5}\tau^5 k^2\Sigma_k^2 + \frac{1}{120}\tau^6 k^6 - \frac{1}{15}\tau^6 k^4\Sigma_k^2 \\ & -\frac{1}{30}\tau^6 k^6\Sigma_k^2\Sigma_k'^2 + \frac{4}{15}\tau^6 k^4\Sigma_k^4\Sigma_k'^2\Big] ,\end{aligned}$$

$$\begin{aligned}\mathcal{Z}_{12} = \int dK\Big[& \frac{16}{15}\tau^3 - \frac{2}{5}\tau^4 k^2 - \frac{14}{15}\tau^4\Sigma_k^2 + \frac{2}{9}\tau^4 k^4\Sigma_k'^2 - \frac{1}{30}\tau^5 k^4 - \frac{2}{3}\tau^5 k^4\Sigma_k^2\Sigma_k'^2 + \frac{2}{5}\tau^5 k^2\Sigma_k^2 + \frac{1}{120}\tau^6 k^6 - \frac{1}{15}\tau^6 k^4\Sigma_k^2 \\ & -\frac{1}{30}\tau^6 k^6\Sigma_k^2\Sigma_k'^2 + \frac{4}{15}\tau^6 k^4\Sigma_k^4\Sigma_k'^2\Big] ,\end{aligned}$$

$$\begin{aligned}\mathcal{Z}_{13} = \int dK\Big[& -\frac{28}{15}\tau^3 + \frac{9}{10}\tau^4 k^2 - \frac{2}{9}\tau^4 k^4\Sigma_k'^2 + \frac{4}{5}\tau^4\Sigma_k^2 - \frac{7}{45}\tau^5 k^4 + \frac{8}{9}\tau^5 k^4\Sigma_k^2\Sigma_k'^2 - \frac{2}{5}\tau^5 k^2\Sigma_k^2 + \frac{1}{120}\tau^6 k^6 + \frac{1}{15}\tau^6 k^4\Sigma_k^2 \\ & -\frac{1}{30}\tau^6 k^6\Sigma_k^2\Sigma_k'^2 - \frac{4}{15}\tau^6 k^4\Sigma_k^4\Sigma_k'^2\Big] ,\end{aligned}$$

$$\mathcal{Z}_{14} = \int dK\Big[\frac{13}{15}\tau^3 + \frac{23}{60}\tau^4 k^2 - \frac{7}{15}\tau^4\Sigma_k^2 - \frac{2}{9}\tau^4 k^4\Sigma_k'^2 - \frac{7}{45}\tau^5 k^4 + \frac{8}{9}\tau^5 k^4\Sigma_k^2\Sigma_k'^2 - \frac{2}{5}\tau^5 k^2\Sigma_k^2 + \frac{1}{120}\tau^6 k^6 + \frac{1}{15}\tau^6 k^4\Sigma_k^2$$

$$-\frac{1}{30}\tau^6k^6\Sigma_k^2\Sigma_k'^2-\frac{4}{15}\tau^6k^4\Sigma_k^4\Sigma_k'^2\Bigg]\,,$$

$$\begin{aligned}\mathcal{Z}_{15}=\int dK\Bigg[&\frac{11}{5}\tau^3-3\tau^3k^2\Sigma_k'^2-\frac{19}{30}\tau^4k^2-\frac{92}{15}\tau^4\Sigma_k^2+18\tau^4k^2\Sigma_k^2\Sigma_k'^2+\frac{4}{9}\tau^4k^4\Sigma_k'^2+\frac{11}{5}\tau^5k^2\Sigma_k^2+\frac{8}{5}\tau^5\Sigma_k^4-\frac{4}{3}\tau^5k^4\Sigma_k^2\Sigma_k'^2\\&-12\tau^5k^2\Sigma_k^4\Sigma_k'^2+\frac{1}{120}\tau^6k^6-\frac{2}{15}\tau^6k^4\Sigma_k^2-\frac{2}{5}\tau^6k^2\Sigma_k^4-\frac{1}{30}\tau^6k^6\Sigma_k^2\Sigma_k'^2+\frac{8}{15}\tau^6k^4\Sigma_k^4\Sigma_k'^2+\frac{8}{5}\tau^6k^2\Sigma_k^6\Sigma_k'^2\Bigg]\,,\end{aligned}$$

$$\begin{aligned}\mathcal{Z}_{16}=\int dK\Bigg[&-\frac{11}{5}\tau^3+3\tau^3k^2\Sigma_k'^2+\frac{13}{10}\tau^4k^2+\frac{92}{15}\tau^4\Sigma_k^2-18\tau^4k^2\Sigma_k^2\Sigma_k'^2-\frac{4}{9}\tau^4k^4\Sigma_k'^2-\frac{11}{45}\tau^5k^4-\frac{11}{5}\tau^5k^2\Sigma_k^2-\frac{8}{5}\tau^5\Sigma_k^4\\&+\frac{16}{9}\tau^5k^4\Sigma_k^2\Sigma_k'^2+12\tau^5k^2\Sigma_k^4\Sigma_k'^2+\frac{1}{120}\tau^6k^6+\frac{2}{15}\tau^6k^4\Sigma_k^2+\frac{2}{5}\tau^6k^2\Sigma_k^4-\frac{1}{30}\tau^6k^6\Sigma_k^2\Sigma_k'^2-\frac{8}{15}\tau^6k^4\Sigma_k^4\Sigma_k'^2-\frac{8}{5}\tau^6k^2\Sigma_k^6\Sigma_k'^2\Bigg]\,,\end{aligned}$$

$$\begin{aligned}\mathcal{Z}_{17}=\int dK\Bigg[&-\frac{11}{15}\tau^3+\frac{49}{60}\tau^4k^2+\frac{3}{5}\tau^4\Sigma_k^2-\frac{2}{9}\tau^4k^4\Sigma_k'^2-\frac{17}{90}\tau^5k^4+\frac{10}{9}\tau^5k^4\Sigma_k^2\Sigma_k'^2-\frac{8}{15}\tau^5k^2\Sigma_k^2+\frac{1}{90}\tau^6k^6+\frac{4}{45}\tau^6k^4\Sigma_k^2\\&-\frac{2}{45}\tau^6k^6\Sigma_k^2\Sigma_k'^2-\frac{16}{45}\tau^6k^4\Sigma_k^4\Sigma_k'^2\Bigg]\,,\end{aligned}$$

$$\begin{aligned}\mathcal{Z}_{18}=\int dK\Bigg[&-\frac{29}{15}\tau^3+\frac{67}{60}\tau^4k^2+\frac{11}{15}\tau^4\Sigma_k^2-\frac{2}{9}\tau^4k^4\Sigma_k'^2-\frac{17}{90}\tau^5k^4+\frac{10}{9}\tau^5k^4\Sigma_k^2\Sigma_k'^2-\frac{8}{15}\tau^5k^2\Sigma_k^2+\frac{1}{90}\tau^6k^6+\frac{4}{45}\tau^6k^4\Sigma_k^2\\&-\frac{2}{45}\tau^6k^6\Sigma_k^2\Sigma_k'^2-\frac{16}{45}\tau^6k^4\Sigma_k^4\Sigma_k'^2\Bigg]\,,\end{aligned}$$

$$\begin{aligned}\mathcal{Z}_{19}=\int dK\Bigg[&\frac{4}{3}\tau^3-\frac{2}{5}\tau^4k^2-\frac{2}{3}\tau^4\Sigma_k^2+\frac{1}{9}\tau^4k^4\Sigma_k'^2-\frac{1}{45}\tau^5k^4-\frac{4}{9}\tau^5k^4\Sigma_k^2\Sigma_k'^2+\frac{4}{15}\tau^5k^2\Sigma_k^2+\frac{1}{180}\tau^6k^6-\frac{2}{45}\tau^6k^4\Sigma_k^2\\&-\frac{1}{45}\tau^6k^6\Sigma_k^2\Sigma_k'^2+\frac{8}{45}\tau^6k^4\Sigma_k^4\Sigma_k'^2\Bigg]\,,\end{aligned}$$

$$\begin{aligned}\mathcal{Z}_{20}=\int dK\Bigg[&-\frac{4}{5}\tau^3+2\tau^3k^2\Sigma_k'^2+\frac{7}{10}\tau^4k^2+\frac{58}{15}\tau^4\Sigma_k^2-12\tau^4k^2\Sigma_k^2\Sigma_k'^2-\frac{2}{9}\tau^4k^4\Sigma_k'^2-\frac{13}{90}\tau^5k^4-\frac{22}{15}\tau^5k^2\Sigma_k^2-\frac{16}{15}\tau^5\Sigma_k^4\\&+\frac{10}{9}\tau^5k^4\Sigma_k^2\Sigma_k'^2+8\tau^5k^2\Sigma_k^4\Sigma_k'^2+\frac{1}{180}\tau^6k^6+\frac{4}{45}\tau^6k^4\Sigma_k^2+\frac{4}{15}\tau^6k^2\Sigma_k^4-\frac{1}{45}\tau^6k^6\Sigma_k^2\Sigma_k'^2-\frac{16}{45}\tau^6k^4\Sigma_k^4\Sigma_k'^2-\frac{16}{15}\tau^6k^2\Sigma_k^6\Sigma_k'^2\Bigg]\,,\end{aligned}$$

$$\begin{aligned}\mathcal{Z}_{21}=\int dK\Bigg[&\frac{1}{15}\tau^3-\frac{1}{30}\tau^4k^2+\frac{2}{9}\tau^4k^4\Sigma_k'^2-\frac{4}{15}\tau^4\Sigma_k^2-\frac{1}{45}\tau^5k^4-\frac{4}{9}\tau^5k^4\Sigma_k^2\Sigma_k'^2+\frac{4}{15}\tau^5k^2\Sigma_k^2+\frac{1}{180}\tau^6k^6-\frac{2}{45}\tau^6k^4\Sigma_k^2\\&-\frac{1}{45}\tau^6k^6\Sigma_k^2\Sigma_k'^2+\frac{8}{45}\tau^6k^4\Sigma_k^4\Sigma_k'^2\Bigg]\,,\end{aligned}$$

$$\begin{aligned}\mathcal{Z}_{22}=\int dK\Bigg[&-2\tau^3k^2\Sigma_k'^2+\frac{4}{5}\tau^3-\frac{58}{15}\tau^4\Sigma_k^2-\frac{1}{5}\tau^4k^2+12\tau^4k^2\Sigma_k^2\Sigma_k'^2+\frac{1}{3}\tau^4k^4\Sigma_k'^2+\frac{22}{15}\tau^5k^2\Sigma_k^2+\frac{16}{15}\tau^5\Sigma_k^4-\frac{8}{9}\tau^5k^4\Sigma_k^2\Sigma_k'^2\\&-8\tau^5k^2\Sigma_k^4\Sigma_k'^2+\frac{1}{180}\tau^6k^6-\frac{4}{45}\tau^6k^4\Sigma_k^2-\frac{4}{15}\tau^6k^2\Sigma_k^4-\frac{1}{45}\tau^6k^6\Sigma_k^2\Sigma_k'^2+\frac{16}{45}\tau^6k^4\Sigma_k^4\Sigma_k'^2+\frac{16}{15}\tau^6k^2\Sigma_k^6\Sigma_k'^2\Bigg]\,,\end{aligned}$$

$$\begin{aligned}\mathcal{Z}_{23}=\int dK\Bigg[&-\frac{1}{15}\tau^3-\frac{1}{10}\tau^4k^2+\frac{2}{9}\tau^4k^4\Sigma_k'^2+\frac{4}{15}\tau^4\Sigma_k^2-\frac{1}{45}\tau^5k^4-\frac{4}{9}\tau^5k^4\Sigma_k^2\Sigma_k'^2+\frac{4}{15}\tau^5k^2\Sigma_k^2+\frac{1}{180}\tau^6k^6-\frac{2}{45}\tau^6k^4\Sigma_k^2\\&-\frac{1}{45}\tau^6k^6\Sigma_k^2\Sigma_k'^2+\frac{8}{45}\tau^6k^4\Sigma_k^4\Sigma_k'^2\Bigg]\,,\end{aligned}$$

$$\mathcal{Z}_{24}=\int dK\Bigg[4\tau^2-\tau^3k^2-16\tau^3\Sigma_k^2+\frac{4}{3}\tau^4k^2\Sigma_k^2+\frac{16}{3}\tau^4\Sigma_k^4\Bigg]\,,\qquad\mathcal{Z}_{25}=\int dK\Bigg[4\tau^2-\tau^3k^2-4\tau^3\Sigma_k^2\Bigg]\,,$$

$$\mathcal{Z}_{26}=\int dK\Bigg[2\tau^2-8\tau^3\Sigma_k^2+\frac{2}{3}\tau^4k^2\Sigma_k^2+\frac{8}{3}\tau^4\Sigma_k^4\Bigg]\,,\qquad\mathcal{Z}_{27}=\int dK\Bigg[2\tau^2\Bigg]\,,\qquad\mathcal{Z}_{28}=\int dK\Bigg[-4\tau^2+\tau^3k^2+4\tau^3\Sigma_k^2\Bigg]\,,$$

$$\mathcal{Z}_{29}=\int dK\Bigg[2\tau^2\Bigg]\,,\qquad\mathcal{Z}_{30}=\int dK\Bigg[-\frac{1}{3}\tau^3k^2\Sigma_k'\Bigg]\,,\qquad\mathcal{Z}_{31}=\int dK\Bigg[-\frac{1}{3}\tau^3k^2\Sigma_k'\Bigg];,$$

$$\mathcal{Z}_{32}=\int dK\Bigg[-6\tau^3\Sigma_k+\frac{2}{3}\tau^3k^2\Sigma_k'+\frac{4}{3}\tau^4k^2\Sigma_k+\frac{8}{3}\tau^4\Sigma_k^3-\frac{2}{9}\tau^4k^4\Sigma_k'\Bigg]\,,$$

$$\mathcal{Z}_{33}=\int dK\Bigg[4\tau^3\Sigma_k+\frac{4}{3}\tau^3k^2\Sigma_k'-\frac{4}{3}\tau^4k^2\Sigma_k-\frac{8}{3}\tau^4\Sigma_k^3-\frac{2}{9}\tau^4k^4\Sigma_k'\Bigg]\,,\qquad\mathcal{Z}_{34}=\int dK\Bigg[\frac{4}{3}\tau^3\Sigma_k+\frac{1}{3}\tau^3k^2\Sigma_k'\Bigg]\,,$$

$$\mathcal{Z}_{35} = \int dK\Big[- 2\tau^3\Sigma_k + \frac{1}{3}\tau^3 k^2\Sigma_k'\Big]\,, \qquad \mathcal{Z}_{36} = \int dK\Big[- \frac{2}{3}\tau^3 k^2\Sigma_k'\Big]\,, \qquad \mathcal{Z}_{37} = \int dK\Big[\frac{2}{3}\tau^3\Sigma_k\Big]\,,$$

$$\mathcal{Z}_{38} = \int dK\Big[- \frac{1}{3}\tau^3 k^2\Sigma_k' + \frac{1}{9}\tau^4 k^4\Sigma_k' + \frac{2}{3}\tau^4 k^4\Sigma_k\Sigma_k'^2 - \frac{2}{3}\tau^4 k^2\Sigma_k + \frac{1}{9}\tau^5 k^4\Sigma_k - \frac{4}{9}\tau^5 k^4\Sigma_k^3\Sigma_k'^2\Big]\,,$$

$$\begin{aligned}\mathcal{Z}_{39} = \int dK\Big[&6\tau^3\Sigma_k - 10\tau^3 k^2\Sigma_k\Sigma_k'^2 - 2\tau^4 k^2\Sigma_k - \frac{8}{3}\tau^4\Sigma_k^3 + \frac{1}{9}\tau^4 k^4\Sigma_k' + \frac{2}{3}\tau^4 k^4\Sigma_k\Sigma_k'^2 + \frac{40}{3}\tau^4 k^2\Sigma_k^3\Sigma_k'^2 + \frac{1}{9}\tau^5 k^4\Sigma_k \\ &+\frac{2}{3}\tau^5 k^2\Sigma_k^3 - \frac{4}{9}\tau^5 k^4\Sigma_k^3\Sigma_k'^2 - \frac{8}{3}\tau^5 k^2\Sigma_k^5\Sigma_k'^2\Big]\,,\end{aligned}$$

$$\mathcal{Z}_{40} = \int dK\Big[- \tau^3 k^2\Sigma_k' + \frac{4}{3}\tau^3\Sigma_k + \frac{1}{9}\tau^4 k^4\Sigma_k' + \frac{2}{3}\tau^4 k^4\Sigma_k\Sigma_k'^2 - \frac{2}{3}\tau^4 k^2\Sigma_k + \frac{1}{9}\tau^5 k^4\Sigma_k - \frac{4}{9}\tau^5 k^4\Sigma_k^3\Sigma_k'^2\Big]\,,$$

$$\mathcal{Z}_{41} = \int dK\Big[10\tau^3\Sigma_k - \frac{8}{3}\tau^4 k^2\Sigma_k - \frac{40}{3}\tau^4\Sigma_k^3 + \frac{1}{9}\tau^5 k^4\Sigma_k + \frac{4}{3}\tau^5 k^2\Sigma_k^3 + \frac{8}{3}\tau^5\Sigma_k^5\Big]\,,$$

$$\mathcal{Z}_{42} = \int dK\Big[- 10\tau^3\Sigma_k + \frac{4}{3}\tau^4 k^2\Sigma_k + \frac{40}{3}\tau^4\Sigma_k^3 + \frac{1}{9}\tau^5 k^4\Sigma_k - \frac{4}{3}\tau^5 k^2\Sigma_k^3 - \frac{8}{3}\tau^5\Sigma_k^5\Big]\,,$$

$$\mathcal{Z}_{43} = \int dK\Big[10\tau^3\Sigma_k - 2\tau^4 k^2\Sigma_k - \frac{40}{3}\tau^4\Sigma_k^3 + \frac{1}{9}\tau^5 k^4\Sigma_k + \frac{4}{3}\tau^5 k^2\Sigma_k^3 + \frac{8}{3}\tau^5\Sigma_k^5\Big]\,,$$

$$\mathcal{Z}_{44} = \int dK\Big[- \frac{1}{12}\tau^3 - \frac{1}{6}\tau^3\Sigma_k\Sigma_k' - \frac{4}{3}\tau^3 k^2\Sigma_k'^2 + \frac{29}{120}\tau^4 k^2 + \frac{1}{3}\tau^4 k^2\Sigma_k^2\Sigma_k'^2 - \frac{29}{540}\tau^5 k^4 + \frac{19}{90}\tau^5 k^4\Sigma_k^2\Sigma_k'^2 - \frac{1}{135}\tau^5 k^4\Sigma_k^3\Sigma_k'^3\Big]\,,$$

$$\begin{aligned}\mathcal{Z}_{45} = \int dK\Big[& - \frac{1}{3}\tau^2\Sigma_k'^2 + \frac{2}{3}\tau^3\Sigma_k\Sigma_k' + \frac{5}{6}\tau^3 k^2\Sigma_k'^2 - \frac{1}{3}\tau^3 k^2\Sigma_k\Sigma_k'^3 - \frac{2}{5}\tau^3 + \frac{4}{3}\tau^3\Sigma_k^2\Sigma_k'^2 + \frac{7}{45}\tau^4 k^2 - \frac{8}{45}\tau^4\Sigma_k^2 + \frac{4}{9}\tau^4 k^2\Sigma_k^3\Sigma_k'^3 \\ &-\frac{4}{9}\tau^4\Sigma_k^3\Sigma_k' - \frac{1}{3}\tau^4 k^2\Sigma_k^2\Sigma_k'^2 - \frac{4}{9}\tau^4\Sigma_k^4\Sigma_k'^2 + \frac{1}{270}\tau^5 k^4 + \frac{1}{45}\tau^5 k^2\Sigma_k^2 - \frac{1}{45}\tau^5 k^4\Sigma_k^2\Sigma_k'^2 - \frac{2}{135}\tau^5 k^4\Sigma_k^3\Sigma_k'^3 - \frac{2}{15}\tau^5 k^2\Sigma_k^4\Sigma_k'^2 \\ &-\frac{4}{45}\tau^5 k^2\Sigma_k^5\Sigma_k'^3\Big]\,,\end{aligned}$$

$$\mathcal{Z}_{46} = \int dK\Big[\frac{7}{36}\tau^3 + \frac{5}{6}\tau^3\Sigma_k\Sigma_k' - \frac{5}{18}\tau^4 k^2 - \frac{2}{9}\tau^4 k^2\Sigma_k^2\Sigma_k'^2 + \frac{1}{9}\tau^4 k^4\Sigma_k'^2 + \frac{2}{9}\tau^4 k^4\Sigma_k\Sigma_k'^3 + \frac{1}{18}\tau^5 k^4 - \frac{2}{9}\tau^5 k^4\Sigma_k^2\Sigma_k'^2\Big]\,,$$

$$\mathcal{Z}_{47} = \int dK\Big[\frac{11}{12}\tau^3 - \frac{1}{18}\tau^3\Sigma_k\Sigma_k' + \frac{2}{9}\tau^3 k^2\Sigma_k'^2 - \frac{113}{360}\tau^4 k^2 - \frac{1}{9}\tau^4 k^2\Sigma_k^2\Sigma_k'^2 + \frac{31}{540}\tau^5 k^4 - \frac{7}{30}\tau^5 k^4\Sigma_k^2\Sigma_k'^2 - \frac{1}{135}\tau^5 k^4\Sigma_k^3\Sigma_k'^3\Big]\,,$$

$$\begin{aligned}\mathcal{Z}_{48} = \int dK\Big[&\frac{35}{18}\tau^3 - \frac{1}{9}\tau^3\Sigma_k\Sigma_k' - \frac{14}{9}\tau^3 k^2\Sigma_k'^2 - \frac{211}{180}\tau^4 k^2 - \frac{4}{3}\tau^4\Sigma_k^2 + \frac{85}{18}\tau^4 k^2\Sigma_k^2\Sigma_k'^2 + \frac{1}{9}\tau^4 k^4\Sigma_k'^2 + \frac{2}{9}\tau^4 k^4\Sigma_k\Sigma_k'^3 \\ &+\frac{59}{540}\tau^5 k^4 + \frac{1}{3}\tau^5 k^2\Sigma_k^2 - \frac{13}{30}\tau^5 k^4\Sigma_k^2\Sigma_k'^2 + \frac{1}{135}\tau^5 k^4\Sigma_k^3\Sigma_k'^3 - \frac{4}{3}\tau^5 k^2\Sigma_k^4\Sigma_k'^2\Big]\,,\end{aligned}$$

$$\begin{aligned}\mathcal{Z}_{49} = \int dK\Big[&\frac{1}{36}\tau^3 - \frac{1}{18}\tau^3\Sigma_k\Sigma_k' + \frac{5}{9}\tau^3 k^2\Sigma_k'^2 - \frac{3}{20}\tau^4 k^2 - \frac{2}{3}\tau^4 k^2\Sigma_k^2\Sigma_k'^2 + \frac{1}{9}\tau^4 k^4\Sigma_k'^2 + \frac{2}{9}\tau^4 k^4\Sigma_k\Sigma_k'^3 + \frac{7}{135}\tau^5 k^4 \\ &-\frac{1}{5}\tau^5 k^4\Sigma_k^2\Sigma_k'^2 + \frac{2}{135}\tau^5 k^4\Sigma_k^3\Sigma_k'^3\Big]\,,\end{aligned}$$

$$\begin{aligned}\mathcal{Z}_{50} = \int dK\Big[& - \frac{2}{45}\tau\Sigma_k\Sigma_k''' - \frac{2}{15}\tau\Sigma_k'\Sigma_k'' + \frac{2}{15}\tau^2\Sigma_k\Sigma_k'' + \frac{7}{15}\tau^2\Sigma_k'^2 + \frac{4}{15}\tau^2\Sigma_k^2\Sigma_k'\Sigma_k'' + \frac{4}{15}\tau^2\Sigma_k\Sigma_k'^3 + \frac{1}{18}\tau^2 k^4\Sigma_k''^2 - \frac{1}{45}\tau^3 \\ &-\frac{2}{15}\tau^3\Sigma_k\Sigma_k' + \frac{1}{3}\tau^3 k^2\Sigma_k'^2 - \frac{4}{15}\tau^3\Sigma_k^2\Sigma_k'^2 + \frac{4}{9}\tau^3 k^2\Sigma_k\Sigma_k'^3 - \frac{8}{45}\tau^3\Sigma_k^3\Sigma_k'^3 + \frac{4}{27}\tau^3 k^4\Sigma_k'^4 - \frac{1}{18}\tau^4 k^4\Sigma_k'^2 - \frac{4}{27}\tau^4 k^4\Sigma_k\Sigma_k'^3 \\ &-\frac{2}{27}\tau^4 k^4\Sigma_k^2\Sigma_k'^4\Big]\,,\end{aligned}$$

$$\begin{aligned}\mathcal{Z}_{51} = \int dK\Big[&\frac{1}{135}\tau\Sigma_k\Sigma_k''' + \frac{1}{45}\tau\Sigma_k'\Sigma_k'' - \frac{1}{45}\tau^2\Sigma_k\Sigma_k'' - \frac{1}{45}\tau^2\Sigma_k'^2 - \frac{2}{45}\tau^2\Sigma_k^2\Sigma_k'\Sigma_k'' - \frac{2}{45}\tau^2\Sigma_k\Sigma_k'^3 - \frac{1}{18}\tau^2 k^4\Sigma_k''^2 - \frac{22}{135}\tau^3 \\ &+\frac{1}{45}\tau^3\Sigma_k\Sigma_k' - \frac{1}{9}\tau^3 k^2\Sigma_k'^2 + \frac{2}{45}\tau^3\Sigma_k^2\Sigma_k'^2 + \frac{4}{135}\tau^3\Sigma_k^3\Sigma_k'^3 - \frac{4}{27}\tau^3 k^4\Sigma_k'^4 + \frac{1}{24}\tau^4 k^2 + \frac{1}{18}\tau^4 k^4\Sigma_k'^2 - \frac{1}{6}\tau^4 k^2\Sigma_k^2\Sigma_k'^2 \\ &+\frac{4}{27}\tau^4 k^4\Sigma_k\Sigma_k'^3 + \frac{2}{27}\tau^4 k^4\Sigma_k^2\Sigma_k'^4\Big]\,,\end{aligned}$$

$$
\begin{aligned}
\mathcal{Z}_{52} = \int dK \Bigg[& \frac{1}{135}\tau\Sigma_k\Sigma_k''' + \frac{1}{45}\tau\Sigma_k'\Sigma_k'' - \frac{1}{45}\tau^2\Sigma_k\Sigma_k'' - \frac{1}{45}\tau^2\Sigma_k'^2 - \frac{2}{45}\tau^2\Sigma_k^2\Sigma_k'\Sigma_k'' - \frac{2}{45}\tau^2\Sigma_k\Sigma_k'^3 - \frac{1}{18}\tau^2k^4\Sigma_k''^2 + \frac{1}{270}\tau^3 \\
& + \frac{1}{45}\tau^3\Sigma_k\Sigma_k' - \frac{1}{9}\tau^3k^2\Sigma_k'^2 + \frac{2}{45}\tau^3\Sigma_k^2\Sigma_k'^2 + \frac{4}{135}\tau^3\Sigma_k^3\Sigma_k'^3 - \frac{4}{27}\tau^3k^4\Sigma_k'^4 + \frac{1}{18}\tau^4k^4\Sigma_k'^2 + \frac{4}{27}\tau^4k^4\Sigma_k\Sigma_k'^3 + \frac{2}{27}\tau^4k^4\Sigma_k^2\Sigma_k'^4 \Bigg] ,
\end{aligned}
$$

$$
\begin{aligned}
\mathcal{Z}_{53} = \int dK \Bigg[& -\frac{1}{18}\tau^3 + \frac{17}{180}\tau^4k^2 - \frac{1}{18}\tau^4k^2\Sigma_k^2\Sigma_k'^2 - \frac{4}{81}\tau^4k^4\Sigma_k\Sigma_k'^3 + \frac{1}{162}\tau^4k^6\Sigma_k'^4 + \frac{1}{54}\tau^4k^6\Sigma_k^2\Sigma_k''^2 - \frac{1}{36}\tau^5k^4 \\
& + \frac{29}{270}\tau^5k^4\Sigma_k^2\Sigma_k'^2 + \frac{29}{405}\tau^5k^4\Sigma_k^3\Sigma_k'^3 + \frac{1}{81}\tau^5k^6\Sigma_k\Sigma_k'^3 + \frac{2}{81}\tau^5k^6\Sigma_k^2\Sigma_k'^4 + \frac{1}{540}\tau^6k^6 - \frac{2}{135}\tau^6k^6\Sigma_k^2\Sigma_k'^2 - \frac{8}{405}\tau^6k^6\Sigma_k^3\Sigma_k'^3 \\
& - \frac{4}{405}\tau^6k^6\Sigma_k^4\Sigma_k'^4 \Bigg] ,
\end{aligned}
$$

$$
\begin{aligned}
\mathcal{Z}_{54} = \int dK \Bigg[& -\frac{1}{6}\tau^3 + \frac{5}{36}\tau^4k^2 - \frac{1}{6}\tau^4k^2\Sigma_k^2\Sigma_k'^2 - \frac{4}{81}\tau^4k^4\Sigma_k\Sigma_k'^3 + \frac{1}{162}\tau^4k^6\Sigma_k'^4 + \frac{1}{54}\tau^4k^6\Sigma_k^2\Sigma_k''^2 - \frac{17}{540}\tau^5k^4 \\
& + \frac{7}{54}\tau^5k^4\Sigma_k^2\Sigma_k'^2 + \frac{7}{81}\tau^5k^4\Sigma_k^3\Sigma_k'^3 + \frac{1}{81}\tau^5k^6\Sigma_k\Sigma_k'^3 + \frac{2}{81}\tau^5k^6\Sigma_k^2\Sigma_k'^4 + \frac{1}{540}\tau^6k^6 - \frac{2}{135}\tau^6k^6\Sigma_k^2\Sigma_k'^2 - \frac{8}{405}\tau^6k^6\Sigma_k^3\Sigma_k'^3 \\
& - \frac{4}{405}\tau^6k^6\Sigma_k^4\Sigma_k'^4 \Bigg] ,
\end{aligned}
$$

$$
\begin{aligned}
\mathcal{Z}_{55} = \int dK \Bigg[& \frac{1}{18}\tau^2k^4\Sigma_k''^2 - \frac{1}{5}\tau^3 + \frac{1}{2}\tau^3k^2\Sigma_k'^2 + \frac{11}{9}\tau^3k^2\Sigma_k\Sigma_k'^3 - \frac{2}{9}\tau^3k^4\Sigma_k^2\Sigma_k''^2 + \frac{2}{27}\tau^3k^4\Sigma_k'^4 + \frac{37}{180}\tau^4k^2 + \frac{11}{45}\tau^4\Sigma_k^2 \\
& - \frac{1}{18}\tau^4k^4\Sigma_k'^2 - \frac{14}{9}\tau^4k^2\Sigma_k^2\Sigma_k'^2 - \frac{26}{81}\tau^4k^4\Sigma_k\Sigma_k'^3 - \frac{44}{27}\tau^4k^2\Sigma_k^3\Sigma_k'^3 + \frac{1}{108}\tau^4k^6\Sigma_k^2\Sigma_k''^2 + \frac{1}{324}\tau^4k^6\Sigma_k'^4 + \frac{2}{27}\tau^4k^4\Sigma_k^4\Sigma_k''^2 \\
& - \frac{4}{9}\tau^4k^4\Sigma_k^2\Sigma_k'^4 - \frac{1}{30}\tau^5k^4 - \frac{1}{9}\tau^5k^2\Sigma_k^2 + \frac{41}{135}\tau^5k^4\Sigma_k^2\Sigma_k'^2 + \frac{22}{45}\tau^5k^2\Sigma_k^4\Sigma_k'^2 + \frac{1}{162}\tau^5k^6\Sigma_k\Sigma_k'^3 + \frac{182}{405}\tau^5k^4\Sigma_k^3\Sigma_k'^3 \\
& + \frac{44}{135}\tau^5k^2\Sigma_k^5\Sigma_k'^3 + \frac{1}{81}\tau^5k^6\Sigma_k^2\Sigma_k'^4 + \frac{8}{27}\tau^5k^4\Sigma_k^4\Sigma_k'^4 + \frac{1}{1080}\tau^6k^6 + \frac{1}{135}\tau^6k^4\Sigma_k^2 - \frac{1}{135}\tau^6k^6\Sigma_k^2\Sigma_k'^2 - \frac{8}{135}\tau^6k^4\Sigma_k^4\Sigma_k'^2\Sigma_k'^3 \\
& - \frac{4}{405}\tau^6k^6\Sigma_k^3\Sigma_k'^3 - \frac{32}{405}\tau^6k^4\Sigma_k^5 - \frac{2}{405}\tau^6k^6\Sigma_k^4\Sigma_k'^4 - \frac{16}{405}\tau^6k^4\Sigma_k^6\Sigma_k'^4 \Bigg] ,
\end{aligned}
$$

$$
\begin{aligned}
\mathcal{Z}_{56} = \int dK \Bigg[& -\frac{1}{18}\tau^3 + \frac{5}{72}\tau^4k^2 - \frac{1}{18}\tau^4k^2\Sigma_k^2\Sigma_k'^2 - \frac{4}{81}\tau^4k^4\Sigma_k\Sigma_k'^3 + \frac{1}{162}\tau^4k^6\Sigma_k'^4 + \frac{1}{54}\tau^4k^6\Sigma_k^2\Sigma_k''^2 - \frac{1}{45}\tau^5k^4 \\
& + \frac{2}{27}\tau^5k^4\Sigma_k^2\Sigma_k'^2 + \frac{4}{81}\tau^5k^4\Sigma_k^3\Sigma_k'^3 + \frac{1}{81}\tau^5k^6\Sigma_k\Sigma_k'^3 + \frac{2}{81}\tau^5k^6\Sigma_k^2\Sigma_k'^4 + \frac{1}{540}\tau^6k^6 - \frac{2}{135}\tau^6k^6\Sigma_k^2\Sigma_k'^2 - \frac{8}{405}\tau^6k^6\Sigma_k^3\Sigma_k'^3 \\
& - \frac{4}{405}\tau^6k^6\Sigma_k^4\Sigma_k'^4 \Bigg] ,
\end{aligned}
$$

$$
\begin{aligned}
\mathcal{Z}_{57} = \int dK \Bigg[& -\frac{1}{36}\tau^3 + \frac{5}{144}\tau^4k^2 - \frac{1}{36}\tau^4k^2\Sigma_k^2\Sigma_k'^2 - \frac{2}{81}\tau^4k^4\Sigma_k\Sigma_k'^3 + \frac{1}{324}\tau^4k^6\Sigma_k'^4 + \frac{1}{108}\tau^4k^6\Sigma_k^2\Sigma_k''^2 - \frac{1}{90}\tau^5k^4 \\
& + \frac{1}{27}\tau^5k^4\Sigma_k^2\Sigma_k'^2 + \frac{2}{81}\tau^5k^4\Sigma_k^3\Sigma_k'^3 + \frac{1}{162}\tau^5k^6\Sigma_k\Sigma_k'^3 + \frac{1}{81}\tau^5k^6\Sigma_k^2\Sigma_k'^4 + \frac{1}{1080}\tau^6k^6 - \frac{1}{135}\tau^6k^6\Sigma_k^2\Sigma_k'^2 - \frac{4}{405}\tau^6k^6\Sigma_k^3\Sigma_k'^3 \\
& - \frac{2}{405}\tau^6k^6\Sigma_k^4\Sigma_k'^4 \Bigg] ,
\end{aligned}
$$

$$
\begin{aligned}
\mathcal{Z}_{58} = \int dK \Bigg[& -\frac{1}{36}\tau^3 + \frac{5}{144}\tau^4k^2 - \frac{1}{36}\tau^4k^2\Sigma_k^2\Sigma_k'^2 - \frac{2}{81}\tau^4k^4\Sigma_k\Sigma_k'^3 + \frac{1}{324}\tau^4k^6\Sigma_k'^4 + \frac{1}{108}\tau^4k^6\Sigma_k^2\Sigma_k''^2 - \frac{1}{90}\tau^5k^4 \\
& + \frac{1}{27}\tau^5k^4\Sigma_k^2\Sigma_k'^2 + \frac{2}{81}\tau^5k^4\Sigma_k^3\Sigma_k'^3 + \frac{1}{162}\tau^5k^6\Sigma_k\Sigma_k'^3 + \frac{1}{81}\tau^5k^6\Sigma_k^2\Sigma_k'^4 + \frac{1}{1080}\tau^6k^6 - \frac{1}{135}\tau^6k^6\Sigma_k^2\Sigma_k'^2 - \frac{4}{405}\tau^6k^6\Sigma_k^3\Sigma_k'^3 \\
& - \frac{2}{405}\tau^6k^6\Sigma_k^4\Sigma_k'^4 \Bigg] ,
\end{aligned}
$$

$$
\begin{aligned}
\mathcal{Z}_{59} = \int dK \Bigg[& \frac{1}{18}\tau^2k^4\Sigma_k''^2 - \frac{2}{5}\tau^3 + \frac{2}{9}\tau^3k^2\Sigma_k\Sigma_k'^3 + \frac{2}{27}\tau^3k^4\Sigma_k'^4 - \frac{2}{9}\tau^3k^4\Sigma_k^2\Sigma_k''^2 + \frac{31}{180}\tau^4k^2 - \frac{5}{9}\tau^4k^2\Sigma_k^2\Sigma_k'^2 - \frac{8}{27}\tau^4k^2\Sigma_k^3\Sigma_k'^3 \\
& - \frac{1}{18}\tau^4k^4\Sigma_k'^2 - \frac{26}{81}\tau^4k^4\Sigma_k\Sigma_k'^3 - \frac{4}{9}\tau^4k^4\Sigma_k^2\Sigma_k'^4 + \frac{2}{45}\tau^4\Sigma_k^2 + \frac{1}{324}\tau^4k^6\Sigma_k'^4 + \frac{1}{108}\tau^4k^6\Sigma_k^2\Sigma_k''^2 + \frac{2}{27}\tau^4k^4\Sigma_k^4\Sigma_k''^2 \\
& - \frac{1}{45}\tau^5k^4 + \frac{32}{135}\tau^5k^4\Sigma_k^2\Sigma_k'^2 + \frac{164}{405}\tau^5k^4\Sigma_k^3\Sigma_k'^3 + \frac{8}{27}\tau^5k^4\Sigma_k^4\Sigma_k'^4 - \frac{2}{45}\tau^5k^2\Sigma_k^2 + \frac{4}{45}\tau^5k^2\Sigma_k^4\Sigma_k'^2 + \frac{8}{135}\tau^5k^2\Sigma_k^5\Sigma_k'^3
\end{aligned}
$$

$$\begin{aligned}
&+\frac{1}{162}\tau^5k^6\Sigma_k\Sigma_k'^3+\frac{1}{81}\tau^5k^6\Sigma_k^2\Sigma_k'^4+\frac{1}{1080}\tau^6k^6-\frac{1}{135}\tau^6k^6\Sigma_k^2\Sigma_k'^2-\frac{4}{405}\tau^6k^6\Sigma_k^3\Sigma_k'^3-\frac{2}{405}\tau^6k^6\Sigma_k^4\Sigma_k'^4+\frac{1}{135}\tau^6k^4\Sigma_k^2\\
&-\frac{8}{135}\tau^6k^4\Sigma_k^4\Sigma_k'^2-\frac{32}{405}\tau^6k^4\Sigma_k^5\Sigma_k'^3-\frac{16}{405}\tau^6k^4\Sigma_k^6\Sigma_k'^4\Bigg]\,,
\end{aligned}$$

$$\begin{aligned}
\mathcal{Z}_{60}=\int dK\Bigg[&\frac{5}{18}\tau^3-\frac{1}{20}\tau^4k^2+\frac{5}{18}\tau^4k^2\Sigma_k^2\Sigma_k'^2-\frac{2}{81}\tau^4k^4\Sigma_k\Sigma_k'^3+\frac{1}{324}\tau^4k^6\Sigma_k'^4+\frac{1}{108}\tau^4k^6\Sigma_k^2\Sigma_k''^2-\frac{1}{108}\tau^5k^4\\
&+\frac{7}{270}\tau^5k^4\Sigma_k^2\Sigma_k'^2+\frac{7}{405}\tau^5k^4\Sigma_k^3\Sigma_k'^3+\frac{1}{162}\tau^5k^6\Sigma_k\Sigma_k'^3+\frac{1}{81}\tau^5k^6\Sigma_k^2\Sigma_k'^4+\frac{1}{1080}\tau^6k^6-\frac{1}{135}\tau^6k^6\Sigma_k^2\Sigma_k'^2\\
&-\frac{4}{405}\tau^6k^6\Sigma_k^3\Sigma_k'^3-\frac{2}{405}\tau^6k^6\Sigma_k^4\Sigma_k'^4\Bigg]\,,
\end{aligned}$$

$$\begin{aligned}
\mathcal{Z}_{61}=\int dK\Bigg[&\frac{1}{18}\tau^2k^4\Sigma_k''^2+\frac{2}{9}\tau^3k^2\Sigma_k\Sigma_k'^3-\frac{1}{15}\tau^3+\frac{2}{27}\tau^3k^4\Sigma_k'^4-\frac{2}{9}\tau^3k^4\Sigma_k^2\Sigma_k''^2+\frac{4}{45}\tau^4k^2-\frac{2}{9}\tau^4k^2\Sigma_k^2\Sigma_k'^2\\
&-\frac{8}{27}\tau^4k^2\Sigma_k^3\Sigma_k'^3-\frac{1}{18}\tau^4k^4\Sigma_k'^2-\frac{26}{81}\tau^4k^4\Sigma_k\Sigma_k'^3-\frac{4}{9}\tau^4k^4\Sigma_k^2\Sigma_k'^4+\frac{2}{45}\tau^4\Sigma_k^2+\frac{1}{324}\tau^4k^6\Sigma_k'^4+\frac{1}{108}\tau^4k^6\Sigma_k^2\Sigma_k''^2\\
&+\frac{2}{27}\tau^4k^4\Sigma_k^4\Sigma_k''^2-\frac{1}{45}\tau^5k^4+\frac{32}{135}\tau^5k^4\Sigma_k^2\Sigma_k'^2+\frac{164}{405}\tau^5k^4\Sigma_k^3\Sigma_k'^3+\frac{8}{27}\tau^5k^4\Sigma_k^4\Sigma_k'^4-\frac{2}{45}\tau^5k^2\Sigma_k^2+\frac{4}{45}\tau^5k^2\Sigma_k^4\Sigma_k'^2\\
&+\frac{8}{135}\tau^5k^2\Sigma_k^5\Sigma_k'^3+\frac{1}{162}\tau^5k^6\Sigma_k\Sigma_k'^3+\frac{1}{81}\tau^5k^6\Sigma_k^2\Sigma_k'^4+\frac{1}{1080}\tau^6k^6-\frac{1}{135}\tau^6k^6\Sigma_k^2\Sigma_k'^2-\frac{4}{405}\tau^6k^6\Sigma_k^3\Sigma_k'^3\\
&-\frac{2}{405}\tau^6k^6\Sigma_k^4\Sigma_k'^4+\frac{1}{135}\tau^6k^4\Sigma_k^2-\frac{8}{135}\tau^6k^4\Sigma_k^4\Sigma_k'^2-\frac{32}{405}\tau^6k^4\Sigma_k^5\Sigma_k'^3-\frac{16}{405}\tau^6k^4\Sigma_k^6\Sigma_k'^4\Bigg]\,,
\end{aligned}$$

$$\begin{aligned}
\mathcal{Z}_{62}=\int dK\Bigg[&\frac{1}{45}\tau^4k^2-\frac{4}{81}\tau^4k^4\Sigma_k\Sigma_k'^3+\frac{1}{162}\tau^4k^6\Sigma_k'^4+\frac{1}{54}\tau^4k^6\Sigma_k^2\Sigma_k''^2-\frac{2}{135}\tau^5k^4+\frac{4}{135}\tau^5k^4\Sigma_k^2\Sigma_k'^2\\
&+\frac{8}{405}\tau^5k^4\Sigma_k^3\Sigma_k'^3+\frac{1}{81}\tau^5k^6\Sigma_k\Sigma_k'^3+\frac{2}{81}\tau^5k^6\Sigma_k^2\Sigma_k'^4+\frac{1}{540}\tau^6k^6-\frac{2}{135}\tau^6k^6\Sigma_k^2\Sigma_k'^2-\frac{8}{405}\tau^6k^6\Sigma_k^3\Sigma_k'^3-\frac{4}{405}\tau^6k^6\Sigma_k^4\Sigma_k'^4\Bigg]\,,
\end{aligned}$$

$$\begin{aligned}
\mathcal{Z}_{63}=\int dK\Bigg[&\frac{1}{18}\tau^3-\frac{1}{90}\tau^4k^2+\frac{1}{18}\tau^4k^2\Sigma_k^2\Sigma_k'^2-\frac{2}{81}\tau^4k^4\Sigma_k\Sigma_k'^3+\frac{1}{324}\tau^4k^6\Sigma_k'^4+\frac{1}{108}\tau^4k^6\Sigma_k^2\Sigma_k''^2-\frac{1}{180}\tau^5k^4\\
&+\frac{1}{270}\tau^5k^4\Sigma_k^2\Sigma_k'^2+\frac{1}{405}\tau^5k^4\Sigma_k^3\Sigma_k'^3+\frac{1}{162}\tau^5k^6\Sigma_k\Sigma_k'^3+\frac{1}{81}\tau^5k^6\Sigma_k^2\Sigma_k'^4+\frac{1}{1080}\tau^6k^6-\frac{1}{135}\tau^6k^6\Sigma_k^2\Sigma_k'^2\\
&-\frac{4}{405}\tau^6k^6\Sigma_k^3\Sigma_k'^3-\frac{2}{405}\tau^6k^6\Sigma_k^4\Sigma_k'^4\Bigg]\,,
\end{aligned}$$

$$\mathcal{Z}_{64}=\int dK\Bigg[-\frac{1}{9}\tau^3k^2\Sigma_k'+\frac{4}{9}\tau^3k^2\Sigma_k\Sigma_k'^2-\frac{2}{9}\tau^3k^4\Sigma_k'^3+\frac{1}{9}\tau^4k^4\Sigma_k'+\frac{2}{9}\tau^4k^4\Sigma_k\Sigma_k'^2\Bigg]\,,$$

$$\mathcal{Z}_{65}=\int dK\Bigg[\frac{4}{3}\tau^3\Sigma_k-\frac{7}{9}\tau^3k^2\Sigma_k'-\frac{20}{9}\tau^3k^2\Sigma_k\Sigma_k'^2-\frac{2}{9}\tau^3k^4\Sigma_k'^3-\frac{1}{3}\tau^4k^2\Sigma_k+\frac{1}{9}\tau^4k^4\Sigma_k'+\frac{2}{9}\tau^4k^4\Sigma_k\Sigma_k'^2+\frac{4}{3}\tau^4k^2\Sigma_k^3\Sigma_k'^2\Bigg]\,,$$

$$\mathcal{Z}_{66}=\int dK\Bigg[-\frac{4}{9}\tau^3k^2\Sigma_k'-\frac{2}{9}\tau^3k^2\Sigma_k\Sigma_k'^2-\frac{2}{9}\tau^3k^4\Sigma_k'^3+\frac{1}{9}\tau^4k^4\Sigma_k'+\frac{2}{9}\tau^4k^4\Sigma_k\Sigma_k'^2\Bigg]\,,$$

$$\mathcal{Z}_{67}=\int dK\Bigg[\frac{5}{3}\tau^2-\tau^2k^2\Sigma_k'^2-\frac{4}{3}\tau^3\Sigma_k^2-\frac{1}{3}\tau^3k^2+4\tau^3k^2\Sigma_k^2\Sigma_k'^2+\frac{1}{3}\tau^4k^2\Sigma_k^2-\frac{4}{3}\tau^4k^2\Sigma_k^4\Sigma_k'^2\Bigg]\,,$$

$$\mathcal{Z}_{68}=\int dK\Bigg[\tau^2+\tau^2k^2\Sigma_k'^2\Bigg]\,,$$

$$\mathcal{Z}_{69}=\int dK\Bigg[\frac{1}{3}\tau^3+\frac{2}{3}\tau^3k^2\Sigma_k'^2-\frac{2}{3}\tau^3k^2\Sigma_k\Sigma_k'^3\Bigg]\,,$$

$$\begin{aligned}
\mathcal{Z}_{70}=\int dK\Bigg[&-\tau^2\Sigma_k\Sigma_k''-\tau^2\Sigma_k'^2+\frac{5}{3}\tau^3\Sigma_k\Sigma_k'-\frac{1}{2}\tau^3+4\tau^3\Sigma_k^2\Sigma_k'^2-\tau^3k^2\Sigma_k'^2+\frac{2}{3}\tau^3\Sigma_k^3\Sigma_k''+\frac{1}{6}\tau^4k^2+\frac{1}{3}\tau^4\Sigma_k^2\\
&+\frac{4}{3}\tau^4k^2\Sigma_k^2\Sigma_k'^2-\frac{4}{3}\tau^4\Sigma_k^3\Sigma_k'-\frac{4}{3}\tau^4\Sigma_k^4\Sigma_k'^2+\frac{2}{9}\tau^4k^4\Sigma_k'^2\Bigg]\,,
\end{aligned}$$

$$\mathcal{Z}_{71}=\int dK\Bigg[\frac{13}{6}\tau^3+\frac{1}{3}\tau^3\Sigma_k\Sigma_k'+\frac{1}{3}\tau^3k^2\Sigma_k'^2-\frac{7}{12}\tau^4k^2-\frac{4}{3}\tau^4\Sigma_k^2-\frac{5}{3}\tau^4k^2\Sigma_k^2\Sigma_k'^2+\frac{2}{9}\tau^4k^4\Sigma_k'^2\Bigg]\,,$$

$$\mathcal{Z}_{72}=\int dK\Bigg[-2\tau^3+\tau^3\Sigma_k\Sigma_k'-3\tau^3k^2\Sigma_k'^2+\frac{13}{24}\tau^4k^2+\frac{4}{3}\tau^4\Sigma_k^2+\frac{11}{6}\tau^4k^2\Sigma_k^2\Sigma_k'^2+\frac{2}{9}\tau^4k^4\Sigma_k'^2\Bigg]\,,$$

$$
\begin{aligned}
\mathcal{Z}_{73} &= \int dK\Big[-\frac{11}{12}\tau^3+\frac{2}{3}\tau^3k^2\Sigma_k'^2+\frac{23}{48}\tau^4k^2+\frac{2}{3}\tau^4\Sigma_k^2+\frac{1}{12}\tau^4k^2\Sigma_k^2\Sigma_k'^2+\frac{1}{9}\tau^4k^4\Sigma_k'^2\Big]\,,\\
\mathcal{Z}_{74} &= \int dK\Big[\frac{1}{12}\tau^4k^2+\frac{1}{3}\tau^4\Sigma_k^2-\frac{1}{9}\tau^4k^4\Sigma_k'^2+\frac{2}{3}\tau^4k^2\Sigma_k^2\Sigma_k'^2\Big]\,,\\
\mathcal{Z}_{75} &= \int dK\Big[-\frac{1}{3}\tau\Sigma_k''+\frac{2}{3}\tau^2\Sigma_k'+2\tau^2\Sigma_k\Sigma_k'^2+\frac{2}{3}\tau^2\Sigma_k^2\Sigma_k''+2\tau^3k^2\Sigma_k\Sigma_k'^2-\frac{4}{3}\tau^3\Sigma_k^2\Sigma_k'+\frac{2}{3}\tau^3\Sigma_k-\frac{4}{3}\tau^3\Sigma_k^3\Sigma_k'^2\Big]\,,\\
\mathcal{Z}_{76} &= \int dK\Big[-\frac{2}{3}\tau^2\Sigma_k'+2\tau^3\Sigma_k-\frac{8}{9}\tau^3k^2\Sigma_k'+\frac{20}{9}\tau^3k^2\Sigma_k\Sigma_k'^2\Big]\,,\\
\mathcal{Z}_{77} &= \int dK\Big[-\frac{2}{3}\tau^2\Sigma_k'+\frac{1}{9}\tau^3k^2\Sigma_k'+\frac{2}{9}\tau^3k^2\Sigma_k\Sigma_k'^2\Big]\,,\\
\mathcal{Z}_{78} &= \int dK\Big[-\frac{2}{3}\tau^3-\frac{1}{6}\tau^3k^2\Sigma_k'^2+\frac{43}{120}\tau^4k^2-\frac{1}{18}\tau^4k^4\Sigma_k'^2-\frac{1}{9}\tau^4k^4\Sigma_k\Sigma_k'^3-\frac{11}{180}\tau^5k^4+\frac{23}{90}\tau^5k^4\Sigma_k^2\Sigma_k'^2+\frac{1}{45}\tau^5k^4\Sigma_k^3\Sigma_k'^3\Big]\,,\\
\mathcal{Z}_{79} &= \int dK\Big[\frac{31}{15}\tau^3-\tau^3k^2\Sigma_k'^2+2\tau^3k^2\Sigma_k\Sigma_k'^3-\frac{13}{30}\tau^4k^2+\frac{2}{5}\tau^4\Sigma_k^2-\frac{8}{3}\tau^4k^2\Sigma_k^3\Sigma_k'^3-\frac{1}{45}\tau^5k^4-\frac{2}{15}\tau^5k^2\Sigma_k^2\\
&\quad+\frac{2}{15}\tau^5k^4\Sigma_k^2\Sigma_k'^2+\frac{4}{5}\tau^5k^2\Sigma_k^4\Sigma_k'^2+\frac{4}{45}\tau^5k^4\Sigma_k^3\Sigma_k'^3+\frac{8}{15}\tau^5k^2\Sigma_k^5\Sigma_k'^3\Big]\,,\\
\mathcal{Z}_{80} &= \int dK\Big[-\frac{4}{3}\tau^3+\frac{5}{6}\tau^3k^2\Sigma_k'^2+\frac{3}{40}\tau^4k^2-\frac{4}{3}\tau^4k^2\Sigma_k^2\Sigma_k'^2+\frac{1}{18}\tau^4k^4\Sigma_k'^2+\frac{1}{9}\tau^4k^4\Sigma_k\Sigma_k'^3+\frac{7}{180}\tau^5k^4-\frac{11}{90}\tau^5k^4\Sigma_k^2\Sigma_k'^2\\
&\quad+\frac{1}{15}\tau^5k^4\Sigma_k^3\Sigma_k'^3\Big]\,,\\
\mathcal{Z}_{81} &= \int dK\Big[\frac{8}{3}\tau^3-2\tau^3k^2\Sigma_k'^2-\frac{6}{5}\tau^4k^2-\frac{4}{3}\tau^4\Sigma_k^2+5\tau^4k^2\Sigma_k^2\Sigma_k'^2+\frac{1}{9}\tau^4k^4\Sigma_k'^2+\frac{2}{9}\tau^4k^4\Sigma_k\Sigma_k'^3+\frac{1}{10}\tau^5k^4+\frac{1}{3}\tau^5k^2\Sigma_k^2\\
&\quad-\frac{17}{45}\tau^5k^4\Sigma_k^2\Sigma_k'^2+\frac{2i}{45}\tau^5k^4\Sigma_k^3\Sigma_k'^3-\frac{4}{3}\tau^5k^2\Sigma_k^4\Sigma_k'^2\Big]\,,\\
\mathcal{Z}_{82} &= \int dK\Big[-6\tau^3\Sigma_k-\frac{2}{3}\tau^3k^2\Sigma_k'+\frac{4}{3}\tau^4k^2\Sigma_k+\frac{8}{3}\tau^4\Sigma_k^3\Big]\,,\\
\mathcal{Z}_{83} &= \int dK\Big[-\frac{20}{3}\tau^3\Sigma_k+\frac{4}{3}\tau^3k^2\Sigma_k'+\frac{4}{3}\tau^4k^2\Sigma_k+\frac{8}{3}\tau^4\Sigma_k^3\Big]\,,\\
\mathcal{Z}_{84} &= \int dK\Big[\frac{17}{15}\tau^3-\frac{47}{60}\tau^4k^2-\frac{73}{15}\tau^4\Sigma_k^2+\frac{1}{9}\tau^5k^4+\tau^5k^2\Sigma_k^2+\frac{4}{3}\tau^5\Sigma_k^4\Big]\,,\\
\mathcal{Z}_{85} &= \int dK\Big[-\frac{8}{5}\tau^3+\frac{11}{30}\tau^4k^2+\frac{76}{15}\tau^4\Sigma_k^2-\tau^5k^2\Sigma_k^2-\frac{4}{3}\tau^5\Sigma_k^4\Big]\,,\\
\mathcal{Z}_{86} &= \int dK\Big[\frac{46}{15}\tau^3-\frac{43}{30}\tau^4k^2-\frac{28}{5}\tau^4\Sigma_k^2+\frac{1}{9}\tau^5k^4+\tau^5k^2\Sigma_k^2+\frac{4}{3}\tau^5\Sigma_k^4\Big]\,,\\
\mathcal{Z}_{87} &= \int dK\Big[\frac{4}{5}\tau^3+\frac{2}{15}\tau^4k^2-\frac{26}{5}\tau^4\Sigma_k^2-\frac{1}{9}\tau^5k^4+\tau^5k^2\Sigma_k^2+\frac{4}{3}\tau^5\Sigma_k^4\Big]\,,\\
\mathcal{Z}_{88} &= \int dK\Big[-4\tau^2\Sigma_k+\frac{8}{3}\tau^3\Sigma_k^3\Big]\,,\qquad \mathcal{Z}_{89}=\int dK\Big[-4\tau^2\Sigma_k\Big]\,,\qquad \mathcal{Z}_{90}=0\qquad \mathcal{Z}_{91}=0\,,\\
\mathcal{Z}_{92} &= \int dK\Big[6\tau^3\Sigma_k-10\tau^3k^2\Sigma_k\Sigma_k'^2-2\tau^4k^2\Sigma_k-\frac{8}{3}\tau^4\Sigma_k^3+\frac{4}{9}\tau^4k^4\Sigma_k\Sigma_k'^2+\frac{40}{3}\tau^4k^2\Sigma_k^3\Sigma_k'^2+\frac{1}{9}\tau^5k^4\Sigma_k+\frac{2}{3}\tau^5k^2\Sigma_k^3\\
&\quad-\frac{4}{9}\tau^5k^4\Sigma_k^3\Sigma_k'^2-\frac{8}{3}\tau^5k^2\Sigma_k^5\Sigma_k'^2\Big]\,,\\
\mathcal{Z}_{93} &= \int dK\Big[-\frac{2}{3}\tau^3\Sigma_k+\frac{4}{9}\tau^4k^4\Sigma_k\Sigma_k'^2-\frac{2}{3}\tau^4k^2\Sigma_k+\frac{1}{9}\tau^5k^4\Sigma_k-\frac{4}{9}\tau^5k^4\Sigma_k^3\Sigma_k'^2\Big]\,,\\
\mathcal{Z}_{94} &= \int dK\Big[\frac{2}{3}\tau^3\Sigma_k+\frac{4}{9}\tau^4k^4\Sigma_k\Sigma_k'^2-\frac{2}{3}\tau^4k^2\Sigma_k+\frac{1}{9}\tau^5k^4\Sigma_k-\frac{4}{9}\tau^5k^4\Sigma_k^3\Sigma_k'^2\Big]\,,
\end{aligned}
\tag{B1}
$$

where

$$\int dK \equiv N_c \int \frac{d^4k}{(2\pi)^4} e^{-\tau(k^2+\Sigma_k^2)} \int_{\frac{1}{\Lambda^2}}^{\infty} \frac{d\tau}{\tau} \ , \qquad\qquad X = \frac{1}{k^2+\Sigma_k^2} \ , \tag{B2}$$

$$\int_{\frac{1}{\Lambda^2}}^{\infty} \frac{d\tau}{\tau} e^{-\tau(k^2+\Sigma_k^2)} \tau = X e^{-\frac{(k^2+\Sigma_k^2)}{\Lambda^2}} \ , \tag{B3}$$

$$\int_{\frac{1}{\Lambda^2}}^{\infty} \frac{d\tau}{\tau} e^{-\tau(k^2+\Sigma_k^2)} \tau^2 = \left(X^2 + \frac{X}{\Lambda^2} \right) e^{-\frac{(k^2+\Sigma_k^2)}{\Lambda^2}} \ , \tag{B4}$$

$$\int_{\frac{1}{\Lambda^2}}^{\infty} \frac{d\tau}{\tau} e^{-\tau(k^2+\Sigma_k^2)} \tau^3 = \left(2X^3 + 2\frac{X^2}{\Lambda^2} + \frac{X}{\Lambda^4} \right) e^{-\frac{(k^2+\Sigma_k^2)}{\Lambda^2}} \ , \tag{B5}$$

$$\int_{\frac{1}{\Lambda^2}}^{\infty} \frac{d\tau}{\tau} e^{-\tau(k^2+\Sigma_k^2)} \tau^4 = \left(6X^4 + 6\frac{X^3}{\Lambda^2} + 3\frac{X^2}{\Lambda^4} + \frac{X}{\Lambda^6} \right) e^{-\frac{(k^2+\Sigma_k^2)}{\Lambda^2}} \ , \tag{B6}$$

$$\int_{\frac{1}{\Lambda^2}}^{\infty} \frac{d\tau}{\tau} e^{-\tau(k^2+\Sigma_k^2)} \tau^5 = \left(24X^5 + 24\frac{X^4}{\Lambda^2} + 12\frac{X^3}{\Lambda^4} + 4\frac{X^2}{\Lambda^6} + \frac{X}{\Lambda^8} \right) e^{-\frac{(k^2+\Sigma_k^2)}{\Lambda^2}} \ , \tag{B7}$$

$$\int_{\frac{1}{\Lambda^2}}^{\infty} \frac{d\tau}{\tau} e^{-\tau(k^2+\Sigma_k^2)} \tau^6 = \left(120X^6 + 120\frac{X^5}{\Lambda^2} + 60\frac{X^4}{\Lambda^4} + 20\frac{X^3}{\Lambda^6} + 5\frac{X^2}{\Lambda^8} + \frac{X}{\Lambda^{10}} \right) e^{-\frac{(k^2+\Sigma_k^2)}{\Lambda^2}} \ . \tag{B8}$$

As we mentioned before, since the momentum integrations in (B1) are convergent due to suppression factor $e^{-\tau k^2}$, the integrand is only accurate up to some total derivatives , but if we insist on taking the limit of $\Lambda \to \infty$, the dropping out momentum space total derivatives becomes problematic. We choose these momentum space total derivatives to reduce the high order self energy derivatives as much as possible. For example, following relation with $m, m_0, m_1, m_2, m_3, m_4$ being zero or positive integers can be used to reduce the term with a $\Sigma_k^{\prime\prime\prime\prime\prime}$ to the terms with lower order self energy derivatives,

$$\begin{aligned}
&\int \frac{d^4k}{(2\pi)^4} e^{-\tau(k^2+\Sigma_k^2)} \tau^n \big(k^{2+m} \Sigma_k^{m_0} \Sigma_k^{\prime m_1} \Sigma_k^{\prime\prime m_2} \Sigma_k^{\prime\prime\prime m_3} \Sigma_k^{\prime\prime\prime\prime m_4} \Sigma_k^{\prime\prime\prime\prime\prime} \big) \\
=& \int \frac{d^4k}{(2\pi)^4} e^{-\tau(k^2+\Sigma_k^2)} \tau^n \Big(-\frac{4+m}{2(m_4+1)} k^m \Sigma_k^{m_0} \Sigma_k^{\prime m_1} \Sigma_k^{\prime\prime m_2} \Sigma_k^{\prime\prime\prime m_3} \Sigma_k^{\prime\prime\prime\prime m_4+1} \\
&-\frac{m_0}{m_4+1} k^{2+m} \Sigma_k^{m_0-1} \Sigma_k^{\prime m_1+1} \Sigma_k^{\prime\prime m_2} \Sigma_k^{\prime\prime\prime m_3} \Sigma_k^{\prime\prime\prime\prime m_4+1} - \frac{m_1}{m_4+1} k^{2+m} \Sigma_k^{m_0} \Sigma_k^{\prime m_1-1} \Sigma_k^{\prime\prime m_2+1} \Sigma_k^{\prime\prime\prime m_3} \Sigma_k^{\prime\prime\prime\prime m_4+1} \\
&-\frac{m_2}{m_4+1} k^{2+m} \Sigma_k^{m_0} \Sigma_k^{\prime m_1} \Sigma_k^{\prime\prime m_2-1} \Sigma_k^{\prime\prime\prime m_3+1} \Sigma_k^{\prime\prime\prime\prime m_4+1} - \frac{m_3}{m_4+1} k^{2+m} \Sigma_k^{m_0} \Sigma_k^{\prime m_1} \Sigma_k^{\prime\prime m_2} \Sigma_k^{\prime\prime\prime m_3-1} \Sigma_k^{\prime\prime\prime\prime m_4+2} \\
&+\frac{1}{m_4+1} \tau k^{2+m} \Sigma_k^{m_0} \Sigma_k^{\prime m_1} \Sigma_k^{\prime\prime m_2} \Sigma_k^{\prime\prime\prime m_3} \Sigma_k^{\prime\prime\prime\prime m_4+1} + \frac{2}{m_4+1} \tau k^{2+m} \Sigma_k^{m_0+1} \Sigma_k^{\prime m_1+1} \Sigma_k^{\prime\prime m_2} \Sigma_k^{\prime\prime\prime m_3} \Sigma_k^{\prime\prime\prime\prime m_4+1} \Big)
\end{aligned} \tag{B9}$$

Similarly, we have a series relations to reduce the term with a $\Sigma_k^{\prime\prime\prime\prime}$, or a $\Sigma_k^{\prime\prime\prime}$, a $\Sigma_k^{\prime\prime}$, a $\Sigma_k^{\prime}$ to the terms with lower order self energy derivatives,

$$\begin{aligned}
&\int \frac{d^4k}{(2\pi)^4} e^{-\tau(k^2+\Sigma_k^2)} \tau^n \big(k^{2+m} \Sigma_k^{m_0} \Sigma_k^{\prime m_1} \Sigma_k^{\prime\prime m_2} \Sigma_k^{\prime\prime\prime m_3} \Sigma_k^{\prime\prime\prime\prime} \big) \\
=& \int \frac{d^4k}{(2\pi)^4} e^{-\tau(k^2+\Sigma_k^2)} \tau^n \Big(-\frac{4+m}{2(m_3+1)} k^m \Sigma_k^{m_0} \Sigma_k^{\prime m_1} \Sigma_k^{\prime\prime m_2} \Sigma_k^{\prime\prime\prime m_3+1} - \frac{m_0}{m_3+1} k^{2+m} \Sigma_k^{m_0-1} \Sigma_k^{\prime m_1+1} \Sigma_k^{\prime\prime m_2} \Sigma_k^{\prime\prime\prime m_3+1} \\
&-\frac{m_1}{m_3+1} k^{2+m} \Sigma_k^{m_0} \Sigma_k^{\prime m_1-1} \Sigma_k^{\prime\prime m_2+1} \Sigma_k^{\prime\prime\prime m_3+1} - \frac{m_2}{m_3+1} k^{2+m} \Sigma_k^{m_0} \Sigma_k^{\prime m_1} \Sigma_k^{\prime\prime m_2-1} \Sigma_k^{\prime\prime\prime m_3+2} \\
&+\frac{1}{m_3+1} \tau k^{2+m} \Sigma_k^{m_0} \Sigma_k^{\prime m_1} \Sigma_k^{\prime\prime m_2} \Sigma_k^{\prime\prime\prime m_3+1} + \frac{2}{m_3+1} \tau k^{2+m} \Sigma_k^{m_0+1} \Sigma_k^{\prime m_1+1} \Sigma_k^{\prime\prime m_2} \Sigma_k^{\prime\prime\prime m_3+1} \Big)
\end{aligned} \tag{B10}$$

$$\begin{aligned}
&\int \frac{d^4k}{(2\pi)^4} e^{-\tau(k^2+\Sigma_k^2)} \tau^n \big(k^{2+m} \Sigma_k^{m_0} \Sigma_k^{\prime m_1} \Sigma_k^{\prime\prime m_2} \Sigma_k^{\prime\prime\prime} \big) \\
=& \int \frac{d^4k}{(2\pi)^4} e^{-\tau(k^2+\Sigma_k^2)} \tau^n \Big(-\frac{4+m}{2(m_2+1)} k^m \Sigma_k^{m_0} \Sigma_k^{\prime m_1} \Sigma_k^{\prime\prime m_2+1} - \frac{m_0}{m_2+1} k^{2+m} \Sigma_k^{m_0-1} \Sigma_k^{\prime m_1+1} \Sigma_k^{\prime\prime m_2+1} \\
&-\frac{m_1}{m_2+1} k^{2+m} \Sigma_k^{m_0} \Sigma_k^{\prime m_1-1} \Sigma_k^{\prime\prime m_2+2} + \frac{1}{m_2+1} \tau k^{2+m} \Sigma_k^{m_0} \Sigma_k^{\prime m_1} \Sigma_k^{\prime\prime m_2+1} + \frac{2}{m_2+1} \tau k^{2+m} \Sigma_k^{m_0+1} \Sigma_k^{\prime m_1+1} \Sigma_k^{\prime\prime m_2+1} \Big)
\end{aligned} \tag{B11}$$

$$\begin{aligned}
&\int \frac{d^4k}{(2\pi)^4} e^{-\tau(k^2+\Sigma_k^2)} \tau^n (k^{2+m} \Sigma_k^{m_0} \Sigma_k'^{m_1} \Sigma_k'') \\
&= \int \frac{d^4k}{(2\pi)^4} e^{-\tau(k^2+\Sigma_k^2)} \tau^n \Big(-\frac{4+m}{2(m_1+1)} k^m \Sigma_k^{m_0} \Sigma_k'^{m_1+1} - \frac{m_0}{m_1+1} k^{2+m} \Sigma_k^{m_0-1} \Sigma_k'^{m_1+2} \\
&\quad + \frac{1}{m_1+1} \tau k^{2+m} \Sigma_k^{m_0} \Sigma_k'^{m_1+1} + \frac{2}{m_1+1} \tau k^{2+m} \Sigma_k^{m_0+1} \Sigma_k'^{m_1+2} \Big) \qquad \text{(B12)} \\
&\int \frac{d^4k}{(2\pi)^4} \tau^{n+1} k^{2+m} \Sigma_k^{m_0+1} \Sigma_k' \\
&= \int \frac{d^4k}{(2\pi)^4} e^{-\tau(k^2+\Sigma_k^2)} \tau^n \Big((1+\frac{m}{4}) k^m \Sigma_k^{m_0} + \frac{1}{2} m_0 k^{m+2} \Sigma_k^{m_0-1} \Sigma_k' - \frac{1}{2} \tau k^{2+m} \Sigma_k^{m_0} \Big) \ . \qquad \text{(B13)}
\end{aligned}$$

With the help of above relations, the highest self energy derivatives appear in the final result (B1) is Σ_k'''.

APPENDIX C: RELATIONS AMONG K_i AND $\mathcal{Z}_i$

$$\begin{aligned}
K_2 &= K_4 = K_6 = K_8 = K_9 = K_{10} = K_{12} = K_{14} = K_{15} = K_{16} = K_{18} = K_{20} = K_{21} = K_{22} = K_{26} = K_{27} = K_{29} \\
&= K_{32} = K_{35} = K_{38} = K_{40} = K_{45} = K_{48} = K_{50} = K_{51} = K_{53} = K_{55} = K_{56} = K_{57} = K_{59} = K_{61} = K_{62} = K_{63} \\
&= K_{65} = K_{69} = K_{70} = K_{72} = K_{74} = K_{77} = K_{79} = K_{80} = K_{82} = K_{84} = K_{87} = K_{88} = K_{91} = K_{93} = K_{96} = K_{98} \\
&= K_{99} = K_{103} = K_{106} = K_{108} = 0 \ , \\
K_1 &= \frac{1}{64}\mathcal{Z}_7 + \frac{1}{64}\mathcal{Z}_8 - \frac{1}{32}\mathcal{Z}_{10} - \frac{1}{64}\mathcal{Z}_{13} - \frac{1}{32}\mathcal{Z}_{14} + \frac{1}{32}\mathcal{Z}_{15} - \frac{1}{64}\mathcal{Z}_{16} + \frac{1}{32}\mathcal{Z}_{44} + \frac{1}{32}\mathcal{Z}_{45} - \frac{1}{16}\mathcal{Z}_{47} - \frac{1}{32}\mathcal{Z}_{48} + \frac{1}{32}\mathcal{Z}_{49} \\
&\quad + \frac{1}{32}\mathcal{Z}_{50} - \frac{1}{16}\mathcal{Z}_{51} - \frac{1}{32}\mathcal{Z}_{52} - \frac{1}{8}\mathcal{Z}_{54} - \frac{1}{4}\mathcal{Z}_{55} - \frac{7}{32}\mathcal{Z}_{59} - \frac{7}{32}\mathcal{Z}_{60} - \frac{7}{32}\mathcal{Z}_{61} - \frac{5}{32}\mathcal{Z}_{62} - \frac{3}{32}\mathcal{Z}_{63} + \frac{1}{64}\mathcal{Z}_{79} - \frac{1}{32}\mathcal{Z}_{80} \\
&\quad - \frac{3}{64}\mathcal{Z}_{81} \ , \\
K_3 &= -\frac{1}{64}\mathcal{Z}_{11} - \frac{1}{64}\mathcal{Z}_{15} + \frac{1}{64}\mathcal{Z}_{22} + \frac{1}{64}\mathcal{Z}_{23} + \frac{1}{64}\mathcal{Z}_{47} - \frac{1}{64}\mathcal{Z}_{49} + \frac{1}{32}\mathcal{Z}_{54} + \frac{1}{16}\mathcal{Z}_{55} + \frac{1}{16}\mathcal{Z}_{59} + \frac{1}{16}\mathcal{Z}_{60} + \frac{1}{16}\mathcal{Z}_{61} + \frac{3}{64}\mathcal{Z}_{62} \\
&\quad + \frac{1}{32}\mathcal{Z}_{63} + \frac{1}{64}\mathcal{Z}_{80} + \frac{1}{64}\mathcal{Z}_{81} \ , \\
K_5 &= -\frac{3}{128}\mathcal{Z}_{10} - \frac{1}{128}\mathcal{Z}_{13} - \frac{1}{64}\mathcal{Z}_{14} + \frac{3}{128}\mathcal{Z}_{15} - \frac{1}{128}\mathcal{Z}_{16} + \frac{1}{64}\mathcal{Z}_{18} + \frac{1}{64}\mathcal{Z}_{19} + \frac{1}{64}\mathcal{Z}_{20} + \frac{1}{32}\mathcal{Z}_{44} + \frac{1}{32}\mathcal{Z}_{45} - \frac{3}{64}\mathcal{Z}_{47} \\
&\quad - \frac{1}{32}\mathcal{Z}_{48} + \frac{1}{64}\mathcal{Z}_{49} + \frac{1}{32}\mathcal{Z}_{50} - \frac{1}{16}\mathcal{Z}_{51} - \frac{1}{32}\mathcal{Z}_{52} - \frac{3}{32}\mathcal{Z}_{54} - \frac{3}{16}\mathcal{Z}_{55} - \frac{5}{32}\mathcal{Z}_{59} - \frac{5}{32}\mathcal{Z}_{60} - \frac{5}{32}\mathcal{Z}_{61} - \frac{7}{64}\mathcal{Z}_{62} \\
&\quad - \frac{1}{16}\mathcal{Z}_{63} + \frac{1}{64}\mathcal{Z}_{79} - \frac{1}{64}\mathcal{Z}_{80} - \frac{1}{32}\mathcal{Z}_{81} \ , \\
K_7 &= \frac{1}{32B_0}\mathcal{Z}_{38} + \frac{1}{32B_0}\mathcal{Z}_{39} + \frac{1}{64B_0}\mathcal{Z}_{41} + \frac{1}{64B_0}\mathcal{Z}_{83} \ , \\
K_{11} &= \frac{1}{32B_0}\mathcal{Z}_{38} + \frac{1}{32B_0}\mathcal{Z}_{39} + \frac{1}{64B_0}\mathcal{Z}_{43} + \frac{1}{32B_0}\mathcal{Z}_{75} + \frac{1}{32B_0}\mathcal{Z}_{82} \ , \\
K_{13} &= -\frac{1}{16B_0}\mathcal{Z}_{38} - \frac{1}{16B_0}\mathcal{Z}_{39} + \frac{1}{64B_0}\mathcal{Z}_{42} - \frac{1}{32B_0}\mathcal{Z}_{75} - \frac{1}{32B_0}\mathcal{Z}_{82} - \frac{1}{64B_0}\mathcal{Z}_{83} \ , \\
K_{17} &= -\frac{1}{32B_0}\mathcal{Z}_{38} - \frac{1}{32B_0}\mathcal{Z}_{39} + \frac{1}{64B_0}\mathcal{Z}_{92} + \frac{1}{64B_0}\mathcal{Z}_{93} \ , \\
K_{19} &= \frac{1}{64B_0^2}\mathcal{Z}_{24} - \frac{1}{32}\sum_{n=53}^{63}\mathcal{Z}_n + \frac{1}{32B_0}\mathcal{Z}_{64} + \frac{1}{32B_0}\mathcal{Z}_{65} + \frac{1}{32B_0}\mathcal{Z}_{66} - \frac{1}{32B_0^2}\mathcal{Z}_{68} \ , \\
K_{23} &= \frac{1}{64B_0^2}\mathcal{Z}_{26} - \frac{1}{32}\sum_{n=53}^{63}\mathcal{Z}_n + \frac{1}{32B_0}\mathcal{Z}_{64} + \frac{1}{32B_0}\mathcal{Z}_{65} + \frac{1}{32B_0}\mathcal{Z}_{66} - \frac{1}{32B_0^2}\mathcal{Z}_{68} \ , \\
K_{24} &= \frac{1}{16N_f}\sum_{n=53}^{63}\mathcal{Z}_n - \frac{1}{16N_fB_0}\mathcal{Z}_{64} - \frac{1}{16N_fB_0}\mathcal{Z}_{65} - \frac{1}{16N_fB_0}\mathcal{Z}_{66} \ ,
\end{aligned}$$

$$
\begin{aligned}
K_{25} &= \frac{1}{64B_0^3}\mathcal{Z}_{88}\ , \\
K_{28} &= \frac{1}{64}\mathcal{Z}_{9} + \frac{1}{128}\mathcal{Z}_{10} + \frac{1}{64}\mathcal{Z}_{11} + \frac{1}{64}\mathcal{Z}_{12} + \frac{1}{128}\mathcal{Z}_{13} + \frac{1}{64}\mathcal{Z}_{14} + \frac{1}{128}\mathcal{Z}_{15} + \frac{1}{128}\mathcal{Z}_{16} + \frac{1}{64B_0}\mathcal{Z}_{32} + \frac{1}{64B_0}\mathcal{Z}_{33} \\
&\quad - \frac{1}{64B_0}\mathcal{Z}_{34} - \frac{1}{64B_0}\mathcal{Z}_{35} - \frac{1}{64}\mathcal{Z}_{46} - \frac{1}{64}\mathcal{Z}_{48} - \frac{1}{64}\mathcal{Z}_{49} + \frac{1}{64}\mathcal{Z}_{50} - \frac{1}{32}\mathcal{Z}_{51} - \frac{1}{64}\mathcal{Z}_{52} - \frac{1}{64}\mathcal{Z}_{53} - \frac{1}{32}\mathcal{Z}_{54} \\
&\quad - \frac{1}{32}\mathcal{Z}_{55} - \frac{1}{64}\mathcal{Z}_{56} - \frac{1}{32}\mathcal{Z}_{57} - \frac{1}{32}\sum_{n=59}^{63}\mathcal{Z}_{n} + \frac{1}{64B_0}\mathcal{Z}_{64} + \frac{1}{64B_0}\mathcal{Z}_{65} - \frac{1}{64B_0}\mathcal{Z}_{76}\ , \\
K_{30} &= -\frac{1}{32N_f}\mathcal{Z}_{9} - \frac{1}{16N_f}\mathcal{Z}_{10} - \frac{1}{32N_f}\mathcal{Z}_{11} - \frac{1}{32N_f}\mathcal{Z}_{12} - \frac{1}{32N_f}\mathcal{Z}_{13} - \frac{1}{16N_f}\mathcal{Z}_{14} + \frac{1}{32N_f}\mathcal{Z}_{15} - \frac{1}{32N_f}\mathcal{Z}_{16} \\
&\quad - \frac{1}{32N_f}\mathcal{Z}_{17} + \frac{1}{16N_f}\mathcal{Z}_{44} + \frac{1}{16N_f}\mathcal{Z}_{45} - \frac{3}{32N_f}\mathcal{Z}_{47} - \frac{1}{16N_f}\mathcal{Z}_{48} + \frac{1}{32N_f}\mathcal{Z}_{49} + \frac{1}{16N_f}\mathcal{Z}_{50} - \frac{1}{8N_f}\mathcal{Z}_{51} \\
&\quad - \frac{1}{16N_f}\mathcal{Z}_{52} - \frac{3}{16N_f}\mathcal{Z}_{54} - \frac{3}{8N_f}\mathcal{Z}_{55} - \frac{5}{16N_f}\mathcal{Z}_{59} - \frac{5}{16N_f}\mathcal{Z}_{60} - \frac{5}{16N_f}\mathcal{Z}_{61} - \frac{7}{32N_f}\mathcal{Z}_{62} - \frac{1}{8N_f}\mathcal{Z}_{63} \\
&\quad + \frac{1}{32N_f}\mathcal{Z}_{79} - \frac{1}{32N_f}\mathcal{Z}_{80} - \frac{1}{16N_f}\mathcal{Z}_{81}\ , \\
K_{31} &= \frac{3}{64}\mathcal{Z}_{10} + \frac{1}{64}\mathcal{Z}_{13} + \frac{1}{32}\mathcal{Z}_{14} - \frac{3}{64}\mathcal{Z}_{15} + \frac{1}{64}\mathcal{Z}_{16} + \frac{1}{32}\mathcal{Z}_{17} + \frac{1}{32B_0}\mathcal{Z}_{32} - \frac{1}{32B_0}\mathcal{Z}_{37} + \frac{1}{32B_0}\mathcal{Z}_{38} + \frac{1}{32B_0}\mathcal{Z}_{39} - \frac{1}{16}\mathcal{Z}_{44} \\
&\quad - \frac{1}{16}\mathcal{Z}_{45} + \frac{1}{32}\mathcal{Z}_{46} + \frac{3}{32}\mathcal{Z}_{47} + \frac{3}{32}\mathcal{Z}_{48} - \frac{3}{32}\mathcal{Z}_{50} + \frac{3}{16}\mathcal{Z}_{51} + \frac{3}{32}\mathcal{Z}_{52} + \frac{1}{32}\mathcal{Z}_{53} + \frac{1}{4}\mathcal{Z}_{54} + \frac{7}{16}\mathcal{Z}_{55} + \frac{1}{32}\mathcal{Z}_{56} + \frac{1}{16}\mathcal{Z}_{57} \\
&\quad + \frac{3}{8}\mathcal{Z}_{59} + \frac{3}{8}\mathcal{Z}_{60} + \frac{3}{8}\mathcal{Z}_{61} + \frac{9}{32}\mathcal{Z}_{62} + \frac{3}{16}\mathcal{Z}_{63} - \frac{1}{32B_0}\mathcal{Z}_{64} - \frac{1}{32B_0}\mathcal{Z}_{65} + \frac{3}{64B_0}\mathcal{Z}_{76} - \frac{1}{32}\mathcal{Z}_{79} + \frac{1}{32}\mathcal{Z}_{80} + \frac{1}{16}\mathcal{Z}_{81}\ , \\
K_{33} &= -\frac{1}{64}\mathcal{Z}_{6} - \frac{1}{32}\mathcal{Z}_{10} - \frac{1}{64}\mathcal{Z}_{13} - \frac{1}{32}\mathcal{Z}_{14} + \frac{1}{32}\mathcal{Z}_{15} - \frac{1}{64}\mathcal{Z}_{16} - \frac{1}{64B_0^2}\mathcal{Z}_{25} - \frac{1}{32B_0^2}\mathcal{Z}_{28} + \frac{1}{32B_0^2}\mathcal{Z}_{29} + \frac{1}{64B_0}\mathcal{Z}_{30} \\
&\quad + \frac{1}{64B_0}\mathcal{Z}_{31} - \frac{1}{32B_0}\mathcal{Z}_{32} - \frac{1}{32B_0}\mathcal{Z}_{38} - \frac{1}{32B_0}\mathcal{Z}_{39} - \frac{1}{32B_0}\mathcal{Z}_{40} + \frac{1}{32}\mathcal{Z}_{44} + \frac{1}{32}\mathcal{Z}_{45} - \frac{1}{32}\mathcal{Z}_{46} - \frac{1}{16}\mathcal{Z}_{47} - \frac{1}{16}\mathcal{Z}_{48} \\
&\quad + \frac{1}{16}\mathcal{Z}_{50} - \frac{1}{8}\mathcal{Z}_{51} - \frac{1}{16}\mathcal{Z}_{52} - \frac{3}{32}\mathcal{Z}_{53} - \frac{1}{4}\mathcal{Z}_{54} - \frac{3}{8}\mathcal{Z}_{55} - \frac{3}{32}\mathcal{Z}_{56} - \frac{1}{8}\mathcal{Z}_{57} - \frac{1}{16}\mathcal{Z}_{58} - \frac{11}{32}\mathcal{Z}_{59} - \frac{11}{32}\mathcal{Z}_{60} - \frac{11}{32}\mathcal{Z}_{61} \\
&\quad - \frac{9}{32}\mathcal{Z}_{62} - \frac{7}{32}\mathcal{Z}_{63} + \frac{3}{32B_0}\mathcal{Z}_{64} + \frac{3}{32B_0}\mathcal{Z}_{65} + \frac{1}{16B_0}\mathcal{Z}_{66} - \frac{1}{32B_0^2}\mathcal{Z}_{67} - \frac{1}{16B_0^2}\mathcal{Z}_{68} - \frac{1}{32B_0}\mathcal{Z}_{76} + \frac{1}{64}\mathcal{Z}_{79} \\
&\quad - \frac{1}{32}\mathcal{Z}_{80} - \frac{3}{64}\mathcal{Z}_{81}\ , \\
K_{34} &= \frac{1}{32N_f}\mathcal{Z}_{6} + \frac{1}{16N_f}\mathcal{Z}_{10} + \frac{1}{32N_f}\mathcal{Z}_{11} + \frac{1}{32N_f}\mathcal{Z}_{13} + \frac{1}{16N_f}\mathcal{Z}_{14} - \frac{1}{32N_f}\mathcal{Z}_{15} + \frac{1}{32N_f}\mathcal{Z}_{16} + \frac{1}{32N_f}\mathcal{Z}_{21} \\
&\quad - \frac{1}{64N_fB_0}\mathcal{Z}_{30} - \frac{1}{64N_fB_0}\mathcal{Z}_{31} + \frac{1}{32N_fB_0}\mathcal{Z}_{32} + \frac{1}{64N_fB_0}\mathcal{Z}_{33} - \frac{1}{64N_fB_0}\mathcal{Z}_{36} + \frac{1}{16N_fB_0}\mathcal{Z}_{38} + \frac{1}{16N_fB_0}\mathcal{Z}_{39} \\
&\quad + \frac{1}{16N_fB_0}\mathcal{Z}_{40} - \frac{1}{16N_f}\mathcal{Z}_{44} - \frac{1}{16N_f}\mathcal{Z}_{45} + \frac{3}{32N_f}\mathcal{Z}_{47} + \frac{1}{16N_f}\mathcal{Z}_{48} - \frac{1}{32N_f}\mathcal{Z}_{49} - \frac{1}{16N_f}\mathcal{Z}_{50} + \frac{1}{8N_f}\mathcal{Z}_{51} \\
&\quad + \frac{1}{16N_f}\mathcal{Z}_{52} + \frac{1}{8N_f}\mathcal{Z}_{53} + \frac{5}{16N_f}\mathcal{Z}_{54} + \frac{1}{2N_f}\mathcal{Z}_{55} + \frac{1}{8N_f}\mathcal{Z}_{56} + \frac{1}{8N_f}\mathcal{Z}_{57} + \frac{1}{8N_f}\mathcal{Z}_{58} + \frac{7}{16N_f}\mathcal{Z}_{59} + \frac{7}{16N_f}\mathcal{Z}_{60} \\
&\quad + \frac{7}{16N_f}\mathcal{Z}_{61} + \frac{11}{32N_f}\mathcal{Z}_{62} + \frac{1}{4N_f}\mathcal{Z}_{63} - \frac{1}{8N_fB_0}\mathcal{Z}_{64} - \frac{1}{8N_fB_0}\mathcal{Z}_{65} - \frac{1}{8N_fB_0}\mathcal{Z}_{66} - \frac{1}{32N_f}\mathcal{Z}_{79} + \frac{1}{32N_f}\mathcal{Z}_{80} \\
&\quad + \frac{1}{16N_f}\mathcal{Z}_{81}\ , \\
K_{36} &= -\frac{1}{64N_f^2}\mathcal{Z}_{6} - \frac{1}{32N_f^2}\mathcal{Z}_{10} - \frac{1}{64N_f^2}\mathcal{Z}_{11} - \frac{1}{64N_f^2}\mathcal{Z}_{13} - \frac{1}{32N_f^2}\mathcal{Z}_{14} + \frac{1}{64N_f^2}\mathcal{Z}_{15} - \frac{1}{64N_f^2}\mathcal{Z}_{16} - \frac{1}{64N_f^2}\mathcal{Z}_{21} \\
&\quad + \frac{1}{32N_f^2}\mathcal{Z}_{44} + \frac{1}{32N_f^2}\mathcal{Z}_{45} - \frac{3}{64N_f^2}\mathcal{Z}_{47} - \frac{1}{32N_f^2}\mathcal{Z}_{48} + \frac{1}{64N_f^2}\mathcal{Z}_{49} + \frac{1}{32N_f^2}\mathcal{Z}_{50} - \frac{1}{16N_f^2}\mathcal{Z}_{51} - \frac{1}{32N_f^2}\mathcal{Z}_{52} - \frac{3}{32N_f^2}\mathcal{Z}_{54} \\
&\quad - \frac{3}{16N_f^2}\mathcal{Z}_{55} - \frac{5}{32N_f^2}\mathcal{Z}_{59} - \frac{5}{32N_f^2}\mathcal{Z}_{60} - \frac{5}{32N_f^2}\mathcal{Z}_{61} - \frac{7}{64N_f^2}\mathcal{Z}_{62} - \frac{1}{16N_f^2}\mathcal{Z}_{63} + \frac{1}{64N_f^2}\mathcal{Z}_{79} - \frac{1}{64N_f^2}\mathcal{Z}_{80} - \frac{1}{32N_f^2}\mathcal{Z}_{81}\ ,
\end{aligned}
$$

$$\begin{aligned}
K_{37} &= -\frac{1}{64}\mathcal{Z}_{11} - \frac{1}{64}\mathcal{Z}_{15} - \frac{1}{64}\mathcal{Z}_{21} - \frac{1}{64B_0^2}\mathcal{Z}_{27} - \frac{1}{32B_0^2}\mathcal{Z}_{28} + \frac{1}{32B_0^2}\mathcal{Z}_{29} - \frac{1}{64B_0}\mathcal{Z}_{33} + \frac{1}{64B_0}\mathcal{Z}_{36} - \frac{1}{16B_0}\mathcal{Z}_{38} \\
&\quad - \frac{1}{16B_0}\mathcal{Z}_{39} - \frac{1}{32B_0}\mathcal{Z}_{40} + \frac{1}{32}\mathcal{Z}_{46} + \frac{1}{64}\mathcal{Z}_{47} + \frac{1}{32}\mathcal{Z}_{48} + \frac{1}{64}\mathcal{Z}_{49} - \frac{1}{32}\mathcal{Z}_{50} + \frac{1}{16}\mathcal{Z}_{51} + \frac{1}{32}\mathcal{Z}_{52} - \frac{1}{32}\mathcal{Z}_{53} + \frac{1}{32}\mathcal{Z}_{54} \\
&\quad + \frac{1}{16}\mathcal{Z}_{55} - \frac{1}{32}\mathcal{Z}_{56} - \frac{1}{16}\mathcal{Z}_{58} + \frac{1}{16}\mathcal{Z}_{59} + \frac{1}{16}\mathcal{Z}_{60} + \frac{1}{16}\mathcal{Z}_{61} + \frac{3}{64}\mathcal{Z}_{62} + \frac{1}{32}\mathcal{Z}_{63} + \frac{1}{32B_0}\mathcal{Z}_{64} + \frac{1}{32B_0}\mathcal{Z}_{65} \\
&\quad + \frac{1}{16B_0}\mathcal{Z}_{66} - \frac{1}{32B_0^2}\mathcal{Z}_{67} - \frac{1}{16B_0^2}\mathcal{Z}_{68} + \frac{1}{32B_0}\mathcal{Z}_{76} + \frac{1}{64}\mathcal{Z}_{80} + \frac{1}{64}\mathcal{Z}_{81} \, , \\
K_{39} &= -\frac{1}{32B_0^2}\mathcal{Z}_{28} - \frac{1}{32B_0}\mathcal{Z}_{38} - \frac{1}{32B_0}\mathcal{Z}_{39} - \frac{1}{16}\sum_{n=53}^{63}\mathcal{Z}_n + \frac{1}{16B_0}\mathcal{Z}_{64} + \frac{1}{16B_0}\mathcal{Z}_{65} + \frac{1}{16B_0}\mathcal{Z}_{66} - \frac{1}{16B_0^2}\mathcal{Z}_{68} \\
&\quad - \frac{1}{64B_0^3}\mathcal{Z}_{89} + \frac{1}{64B_0^2}\mathcal{Z}_{90} + \frac{1}{64B_0^2}\mathcal{Z}_{91} - \frac{1}{64B_0}\mathcal{Z}_{94} \, , \\
K_{41} &= \frac{1}{32N_fB_0^2}\mathcal{Z}_{28} + \frac{1}{16N_fB_0}\mathcal{Z}_{38} + \frac{1}{16N_fB_0}\mathcal{Z}_{39} + \frac{1}{8N_f}\sum_{n=53}^{63}\mathcal{Z}_n - \frac{1}{8N_fB_0}\mathcal{Z}_{64} - \frac{1}{8N_fB_0}\mathcal{Z}_{65} - \frac{1}{8N_fB_0}\mathcal{Z}_{66} \\
&\quad + \frac{1}{16N_fB_0^2}\mathcal{Z}_{68} - \frac{1}{64N_fB_0^2}\mathcal{Z}_{90} - \frac{1}{64N_fB_0^2}\mathcal{Z}_{91} + \frac{1}{32N_fB_0}\mathcal{Z}_{94} \, , \\
K_{42} &= -\frac{1}{32N_f^2B_0}\mathcal{Z}_{38} - \frac{1}{32N_f^2B_0}\mathcal{Z}_{39} - \frac{1}{16N_f^2}\sum_{n=53}^{63}\mathcal{Z}_n + \frac{1}{16N_f^2B_0}\mathcal{Z}_{64} + \frac{1}{16N_f^2B_0}\mathcal{Z}_{65} + \frac{1}{16N_f^2B_0}\mathcal{Z}_{66} \\
&\quad - \frac{1}{64N_f^2B_0}\mathcal{Z}_{94} \, , \\
K_{43} &= \frac{1}{32B_0^2}\mathcal{Z}_{28} - \frac{1}{32B_0^2}\mathcal{Z}_{29} + \frac{1}{32B_0}\mathcal{Z}_{38} + \frac{1}{32B_0}\mathcal{Z}_{39} + \frac{1}{32B_0}\mathcal{Z}_{40} + \frac{1}{16}\sum_{n=53}^{63}\mathcal{Z}_n - \frac{1}{16B_0}\mathcal{Z}_{64} - \frac{1}{16B_0}\mathcal{Z}_{65} \\
&\quad - \frac{1}{16B_0}\mathcal{Z}_{66} + \frac{1}{16B_0^2}\mathcal{Z}_{67} + \frac{1}{16B_0^2}\mathcal{Z}_{68} \, , \\
K_{44} &= -\frac{1}{16N_fB_0}\mathcal{Z}_{38} - \frac{1}{16N_fB_0}\mathcal{Z}_{39} - \frac{1}{16N_fB_0}\mathcal{Z}_{40} - \frac{1}{8N_f}\sum_{n=53}^{63}\mathcal{Z}_n + \frac{1}{8N_fB_0}\mathcal{Z}_{64} + \frac{1}{8N_fB_0}\mathcal{Z}_{65} + \frac{1}{8N_fB_0}\mathcal{Z}_{66} \, , \\
K_{46} &= \frac{1}{16N_f}\sum_{n=53}^{63}\mathcal{Z}_n - \frac{1}{16N_fB_0}\mathcal{Z}_{64} - \frac{1}{16N_fB_0}\mathcal{Z}_{65} - \frac{1}{16N_fB_0}\mathcal{Z}_{66} \, , \\
K_{47} &= -\frac{1}{16}\sum_{n=53}^{63}\mathcal{Z}_n + \frac{1}{16B_0}\sum_{n=64}^{67}\mathcal{Z}_n - \frac{1}{16B_0^2}\mathcal{Z}_{68} \, , \\
K_{49} &= \frac{1}{64}\mathcal{Z}_{1} + \frac{1}{32}\mathcal{Z}_{10} + \frac{1}{64}\mathcal{Z}_{13} + \frac{1}{32}\mathcal{Z}_{14} - \frac{1}{32}\mathcal{Z}_{15} + \frac{1}{64}\mathcal{Z}_{16} - \frac{1}{32}\mathcal{Z}_{44} - \frac{1}{32}\mathcal{Z}_{45} + \frac{1}{16}\mathcal{Z}_{47} + \frac{1}{16}\mathcal{Z}_{48} - \frac{1}{32}\mathcal{Z}_{50} + \frac{1}{8}\mathcal{Z}_{51} \\
&\quad + \frac{1}{16}\mathcal{Z}_{52} + \frac{5}{32}\mathcal{Z}_{54} + \frac{9}{32}\mathcal{Z}_{55} + \frac{1}{32}\mathcal{Z}_{57} + \frac{1}{4}\mathcal{Z}_{59} + \frac{1}{4}\mathcal{Z}_{60} + \frac{1}{4}\mathcal{Z}_{61} + \frac{3}{16}\mathcal{Z}_{62} + \frac{1}{8}\mathcal{Z}_{63} + \frac{1}{64}\mathcal{Z}_{69} + \frac{1}{64}\mathcal{Z}_{72} - \frac{1}{64}\mathcal{Z}_{79} \\
&\quad + \frac{1}{32}\mathcal{Z}_{80} + \frac{3}{64}\mathcal{Z}_{81} + \frac{1}{64}\mathcal{Z}_{86} \, , \\
K_{52} &= \frac{1}{64}\mathcal{Z}_{3} + \frac{1}{64}\mathcal{Z}_{10} + \frac{1}{64}\mathcal{Z}_{13} + \frac{1}{32}\mathcal{Z}_{14} - \frac{1}{64}\mathcal{Z}_{15} + \frac{1}{64}\mathcal{Z}_{16} - \frac{1}{32}\mathcal{Z}_{44} - \frac{1}{32}\mathcal{Z}_{45} + \frac{1}{32}\mathcal{Z}_{47} + \frac{1}{32}\mathcal{Z}_{48} - \frac{1}{32}\mathcal{Z}_{50} + \frac{1}{16}\mathcal{Z}_{51} \\
&\quad + \frac{1}{32}\mathcal{Z}_{52} + \frac{3}{32}\mathcal{Z}_{54} + \frac{5}{32}\mathcal{Z}_{55} + \frac{1}{32}\mathcal{Z}_{57} + \frac{3}{16}\mathcal{Z}_{59} + \frac{3}{16}\mathcal{Z}_{60} + \frac{5}{32}\mathcal{Z}_{61} + \frac{1}{8}\mathcal{Z}_{62} + \frac{3}{32}\mathcal{Z}_{63} + \frac{1}{32}\mathcal{Z}_{70} + \frac{1}{32}\mathcal{Z}_{73} + \frac{1}{32}\mathcal{Z}_{80} \\
&\quad + \frac{1}{32}\mathcal{Z}_{81} + \frac{1}{32}\mathcal{Z}_{84} \, , \\
K_{54} &= \frac{1}{64}\mathcal{Z}_{2} - \frac{3}{64}\mathcal{Z}_{10} + \frac{1}{32}\mathcal{Z}_{11} - \frac{1}{32}\mathcal{Z}_{13} - \frac{1}{16}\mathcal{Z}_{14} + \frac{5}{64}\mathcal{Z}_{15} - \frac{1}{32}\mathcal{Z}_{16} + \frac{1}{16}\mathcal{Z}_{44} + \frac{1}{16}\mathcal{Z}_{45} - \frac{1}{8}\mathcal{Z}_{47} - \frac{5}{32}\mathcal{Z}_{48} - \frac{1}{32}\mathcal{Z}_{49} \\
&\quad + \frac{1}{16}\mathcal{Z}_{50} - \frac{5}{16}\mathcal{Z}_{51} - \frac{5}{32}\mathcal{Z}_{52} - \frac{3}{8}\mathcal{Z}_{54} - \frac{5}{8}\mathcal{Z}_{55} - \frac{1}{8}\mathcal{Z}_{57} - \frac{5}{8}\mathcal{Z}_{59} - \frac{5}{8}\mathcal{Z}_{60} - \frac{19}{32}\mathcal{Z}_{61} - \frac{15}{32}\mathcal{Z}_{62} - \frac{11}{32}\mathcal{Z}_{63} - \frac{3}{64}\mathcal{Z}_{69} \\
&\quad - \frac{1}{32}\mathcal{Z}_{70} + \frac{1}{64}\mathcal{Z}_{71} - \frac{1}{32}\mathcal{Z}_{72} - \frac{1}{16}\mathcal{Z}_{73} + \frac{1}{64}\mathcal{Z}_{79} - \frac{3}{32}\mathcal{Z}_{80} - \frac{7}{64}\mathcal{Z}_{81} - \frac{1}{32}\mathcal{Z}_{84} + \frac{1}{32}\mathcal{Z}_{85} - \frac{1}{64}\mathcal{Z}_{86} \, ,
\end{aligned}$$

$$
\begin{aligned}
K_{58} &= \frac{1}{64}\mathcal{Z}_{5} - \frac{1}{64}\mathcal{Z}_{10} + \frac{1}{64}\mathcal{Z}_{15} - \frac{1}{32}\mathcal{Z}_{47} - \frac{1}{32}\mathcal{Z}_{48} - \frac{1}{16}\mathcal{Z}_{51} - \frac{1}{32}\mathcal{Z}_{52} - \frac{1}{16}\mathcal{Z}_{54} - \frac{1}{8}\mathcal{Z}_{55} - \frac{1}{16}\mathcal{Z}_{59} - \frac{1}{16}\mathcal{Z}_{60} - \frac{3}{32}\mathcal{Z}_{61} \\
&\quad - \frac{1}{16}\mathcal{Z}_{62} - \frac{1}{32}\mathcal{Z}_{63} - \frac{1}{64}\mathcal{Z}_{69} + \frac{1}{64}\mathcal{Z}_{71} - \frac{1}{32}\mathcal{Z}_{74} + \frac{1}{64}\mathcal{Z}_{79} - \frac{1}{64}\mathcal{Z}_{81} - \frac{1}{64}\mathcal{Z}_{87} \ , \\
K_{60} &= \frac{1}{64}\mathcal{Z}_{4} + \frac{1}{64}\mathcal{Z}_{10} - \frac{1}{32}\mathcal{Z}_{11} - \frac{3}{64}\mathcal{Z}_{15} + \frac{1}{16}\mathcal{Z}_{47} + \frac{3}{32}\mathcal{Z}_{48} + \frac{1}{32}\mathcal{Z}_{49} + \frac{3}{16}\mathcal{Z}_{51} + \frac{3}{32}\mathcal{Z}_{52} + \frac{3}{16}\mathcal{Z}_{54} + \frac{5}{16}\mathcal{Z}_{55} + \frac{1}{16}\mathcal{Z}_{57} \\
&\quad + \frac{1}{4}\mathcal{Z}_{59} + \frac{1}{4}\mathcal{Z}_{60} + \frac{9}{32}\mathcal{Z}_{61} + \frac{7}{32}\mathcal{Z}_{62} + \frac{5}{32}\mathcal{Z}_{63} + \frac{3}{64}\mathcal{Z}_{69} - \frac{1}{32}\mathcal{Z}_{71} + \frac{1}{64}\mathcal{Z}_{72} + \frac{1}{32}\mathcal{Z}_{73} + \frac{1}{32}\mathcal{Z}_{74} - \frac{1}{64}\mathcal{Z}_{79} + \frac{1}{32}\mathcal{Z}_{80} \\
&\quad + \frac{3}{64}\mathcal{Z}_{81} - \frac{1}{32}\mathcal{Z}_{85} + \frac{1}{64}\mathcal{Z}_{87} \ , \\
K_{64} &= \frac{1}{64}\mathcal{Z}_{10} + \frac{1}{64}\mathcal{Z}_{13} + \frac{1}{32}\mathcal{Z}_{14} - \frac{1}{64}\mathcal{Z}_{15} + \frac{1}{64}\mathcal{Z}_{16} - \frac{1}{32}\mathcal{Z}_{44} - \frac{1}{32}\mathcal{Z}_{45} + \frac{1}{32}\mathcal{Z}_{47} + \frac{1}{32}\mathcal{Z}_{48} - \frac{1}{32}\mathcal{Z}_{50} + \frac{1}{16}\mathcal{Z}_{51} + \frac{1}{32}\mathcal{Z}_{52} \\
&\quad + \frac{1}{8}\mathcal{Z}_{54} + \frac{3}{16}\mathcal{Z}_{55} + \frac{1}{16}\mathcal{Z}_{57} + \frac{9}{32}\mathcal{Z}_{59} + \frac{9}{32}\mathcal{Z}_{60} + \frac{7}{32}\mathcal{Z}_{61} + \frac{3}{16}\mathcal{Z}_{62} + \frac{5}{32}\mathcal{Z}_{63} + \frac{1}{16}\mathcal{Z}_{70} + \frac{1}{16}\mathcal{Z}_{73} + \frac{1}{64}\mathcal{Z}_{79} + \frac{1}{16}\mathcal{Z}_{80} \\
&\quad + \frac{3}{64}\mathcal{Z}_{81} + \frac{1}{32}\mathcal{Z}_{84} \ , \\
K_{66} &= \frac{1}{32}\mathcal{Z}_{10} - \frac{1}{32}\mathcal{Z}_{15} - \frac{1}{16}\mathcal{Z}_{46} + \frac{1}{16}\mathcal{Z}_{47} + \frac{1}{16}\mathcal{Z}_{48} + \frac{1}{8}\mathcal{Z}_{50} + \frac{1}{8}\mathcal{Z}_{51} + \frac{1}{16}\mathcal{Z}_{52} - \frac{1}{16}\mathcal{Z}_{53} + \frac{1}{8}\mathcal{Z}_{55} - \frac{1}{16}\mathcal{Z}_{56} - \frac{1}{8}\mathcal{Z}_{57} \\
&\quad - \frac{1}{8}\mathcal{Z}_{59} - \frac{1}{8}\mathcal{Z}_{60} - \frac{1}{16}\mathcal{Z}_{62} - \frac{1}{8}\mathcal{Z}_{63} + \frac{1}{16B_0}\mathcal{Z}_{64} + \frac{1}{16B_0}\mathcal{Z}_{65} + \frac{3}{32}\mathcal{Z}_{69} - \frac{1}{16}\mathcal{Z}_{71} + \frac{1}{8}\mathcal{Z}_{74} - \frac{1}{16B_0}\mathcal{Z}_{76} - \frac{1}{16}\mathcal{Z}_{79} \\
&\quad - \frac{1}{16}\mathcal{Z}_{80} + \frac{1}{32}\mathcal{Z}_{87} \ , \\
K_{67} &= \frac{1}{16}\mathcal{Z}_{10} + \frac{1}{32}\mathcal{Z}_{13} + \frac{1}{16}\mathcal{Z}_{14} - \frac{1}{16}\mathcal{Z}_{15} + \frac{1}{32}\mathcal{Z}_{16} - \frac{1}{16}\mathcal{Z}_{44} - \frac{1}{16}\mathcal{Z}_{45} - \frac{1}{16}\mathcal{Z}_{46} + \frac{1}{8}\mathcal{Z}_{47} + \frac{1}{8}\mathcal{Z}_{48} + \frac{1}{16}\mathcal{Z}_{50} + \frac{1}{4}\mathcal{Z}_{51} \\
&\quad + \frac{1}{8}\mathcal{Z}_{52} - \frac{1}{16}\mathcal{Z}_{53} + \frac{1}{4}\mathcal{Z}_{54} + \frac{1}{2}\mathcal{Z}_{55} - \frac{1}{16}\mathcal{Z}_{56} + \frac{7}{16}\mathcal{Z}_{59} + \frac{7}{16}\mathcal{Z}_{60} + \frac{7}{16}\mathcal{Z}_{61} + \frac{5}{16}\mathcal{Z}_{62} + \frac{3}{16}\mathcal{Z}_{63} + \frac{1}{16B_0}\mathcal{Z}_{64} + \frac{1}{16B_0}\mathcal{Z}_{65} \\
&\quad + \frac{3}{32}\mathcal{Z}_{69} + \frac{1}{16}\mathcal{Z}_{72} - \frac{1}{16B_0}\mathcal{Z}_{76} - \frac{1}{32}\mathcal{Z}_{79} + \frac{1}{16}\mathcal{Z}_{80} + \frac{3}{32}\mathcal{Z}_{81} + \frac{1}{32}\mathcal{Z}_{86} \ , \\
K_{68} &= \frac{1}{32}\mathcal{Z}_{11} + \frac{1}{32}\mathcal{Z}_{15} + \frac{1}{16}\mathcal{Z}_{46} - \frac{1}{32}\mathcal{Z}_{47} - \frac{1}{16}\mathcal{Z}_{48} - \frac{1}{32}\mathcal{Z}_{49} - \frac{1}{8}\mathcal{Z}_{50} - \frac{1}{8}\mathcal{Z}_{51} - \frac{1}{16}\mathcal{Z}_{52} + \frac{1}{16}\mathcal{Z}_{53} - \frac{1}{16}\mathcal{Z}_{54} - \frac{1}{8}\mathcal{Z}_{55} \\
&\quad + \frac{1}{16}\mathcal{Z}_{56} - \frac{1}{8}\mathcal{Z}_{59} - \frac{1}{8}\mathcal{Z}_{60} - \frac{1}{8}\mathcal{Z}_{61} - \frac{3}{32}\mathcal{Z}_{62} - \frac{1}{16}\mathcal{Z}_{63} - \frac{1}{16B_0}\mathcal{Z}_{64} - \frac{1}{16B_0}\mathcal{Z}_{65} - \frac{3}{32}\mathcal{Z}_{69} + \frac{1}{32}\mathcal{Z}_{71} - \frac{1}{32}\mathcal{Z}_{72} - \frac{1}{16}\mathcal{Z}_{73} \\
&\quad + \frac{1}{16B_0}\mathcal{Z}_{76} - \frac{1}{32}\mathcal{Z}_{80} - \frac{1}{32}\mathcal{Z}_{81} + \frac{1}{32}\mathcal{Z}_{85} \ , \\
K_{71} &= \frac{1}{32}\mathcal{Z}_{46} + \frac{1}{16}\mathcal{Z}_{47} + \frac{1}{32}\mathcal{Z}_{48} - \frac{1}{32}\mathcal{Z}_{49} - \frac{1}{4}\mathcal{Z}_{50} + \frac{1}{2}\mathcal{Z}_{51} + \frac{1}{4}\mathcal{Z}_{52} + \frac{1}{32}\mathcal{Z}_{53} + \frac{1}{8}\mathcal{Z}_{54} + \frac{1}{8}\mathcal{Z}_{55} + \frac{1}{32}\mathcal{Z}_{56} + \frac{1}{16}\mathcal{Z}_{57} + \frac{1}{4}\mathcal{Z}_{59} \\
&\quad + \frac{1}{4}\mathcal{Z}_{60} + \frac{3}{16}\mathcal{Z}_{61} + \frac{3}{16}\mathcal{Z}_{62} + \frac{1}{8}\mathcal{Z}_{63} - \frac{1}{32B_0}\mathcal{Z}_{64} - \frac{1}{32B_0}\mathcal{Z}_{65} + \frac{1}{16}\mathcal{Z}_{70} + \frac{1}{32B_0}\mathcal{Z}_{76} + \frac{1}{32}\mathcal{Z}_{79} + \frac{1}{16}\mathcal{Z}_{80} + \frac{1}{32}\mathcal{Z}_{81} \ , \\
K_{73} &= -\frac{1}{32}\mathcal{Z}_{46} - \frac{1}{16}\mathcal{Z}_{47} - \frac{1}{32}\mathcal{Z}_{48} + \frac{1}{32}\mathcal{Z}_{49} + \frac{1}{4}\mathcal{Z}_{50} - \frac{1}{2}\mathcal{Z}_{51} - \frac{1}{4}\mathcal{Z}_{52} - \frac{1}{32}\mathcal{Z}_{53} - \frac{1}{8}\mathcal{Z}_{54} - \frac{1}{8}\mathcal{Z}_{55} - \frac{1}{32}\mathcal{Z}_{56} - \frac{1}{16}\mathcal{Z}_{57} - \frac{1}{4}\mathcal{Z}_{59} \\
&\quad - \frac{1}{4}\mathcal{Z}_{60} - \frac{3}{16}\mathcal{Z}_{61} - \frac{3}{16}\mathcal{Z}_{62} - \frac{1}{8}\mathcal{Z}_{63} + \frac{1}{32B_0}\mathcal{Z}_{64} + \frac{1}{32B_0}\mathcal{Z}_{65} + \frac{1}{16}\mathcal{Z}_{74} - \frac{1}{32B_0}\mathcal{Z}_{76} - \frac{1}{32}\mathcal{Z}_{79} - \frac{1}{16}\mathcal{Z}_{80} - \frac{1}{32}\mathcal{Z}_{81} \ , \\
K_{75} &= \frac{1}{16}\mathcal{Z}_{46} - \frac{1}{8}\mathcal{Z}_{47} - \frac{1}{16}\mathcal{Z}_{48} + \frac{1}{16}\mathcal{Z}_{49} + \frac{1}{4}\mathcal{Z}_{50} - \frac{5}{4}\mathcal{Z}_{51} - \frac{5}{8}\mathcal{Z}_{52} + \frac{1}{16}\mathcal{Z}_{53} + \frac{1}{16}\mathcal{Z}_{56} + \frac{1}{8}\mathcal{Z}_{57} + \frac{1}{8}\mathcal{Z}_{63} - \frac{1}{16B_0}\mathcal{Z}_{64} \\
&\quad - \frac{1}{16B_0}\mathcal{Z}_{65} - \frac{3}{16}\mathcal{Z}_{69} + \frac{1}{16}\mathcal{Z}_{71} + \frac{1}{16B_0}\mathcal{Z}_{76} \ , \\
K_{76} &= -\frac{1}{8}\mathcal{Z}_{46} + \frac{3}{8}\mathcal{Z}_{50} - \frac{1}{8}\sum_{n=53}^{57}\mathcal{Z}_{n} - \frac{1}{8}\sum_{n=59}^{63}\mathcal{Z}_{n} + \frac{1}{8B_0}\mathcal{Z}_{64} + \frac{1}{8B_0}\mathcal{Z}_{65} + \frac{3}{16}\mathcal{Z}_{69} + \frac{1}{16}\mathcal{Z}_{72} - \frac{1}{8B_0}\mathcal{Z}_{76} \ , \\
K_{78} &= \frac{1}{32}\mathcal{Z}_{46} + \frac{1}{16}\mathcal{Z}_{47} + \frac{1}{32}\mathcal{Z}_{48} - \frac{1}{32}\mathcal{Z}_{49} - \frac{5}{16}\mathcal{Z}_{50} + \frac{5}{8}\mathcal{Z}_{51} + \frac{5}{16}\mathcal{Z}_{52} + \frac{1}{32}\mathcal{Z}_{53} + \frac{1}{16}\mathcal{Z}_{54} + \frac{1}{16}\mathcal{Z}_{55} + \frac{1}{32}\mathcal{Z}_{56} + \frac{1}{16}\mathcal{Z}_{59} \\
&\quad + \frac{1}{16}\mathcal{Z}_{60} + \frac{1}{16}\mathcal{Z}_{61} + \frac{1}{16}\mathcal{Z}_{62} - \frac{1}{32B_0}\mathcal{Z}_{64} - \frac{1}{32B_0}\mathcal{Z}_{65} - \frac{1}{16}\mathcal{Z}_{73} + \frac{1}{32B_0}\mathcal{Z}_{76} \ , \\
K_{81} &= \frac{1}{16B_0}\mathcal{Z}_{75} \ ,
\end{aligned}
$$

$$
\begin{aligned}
K_{83} &= \frac{1}{32B_0}\mathcal{Z}_{38}+\frac{1}{32B_0}\mathcal{Z}_{39}+\frac{1}{16B_0}\mathcal{Z}_{75}+\frac{1}{32B_0}\mathcal{Z}_{82}\ ,\\
K_{85} &= \frac{1}{16B_0}\mathcal{Z}_{38}+\frac{1}{16B_0}\mathcal{Z}_{39}+\frac{1}{32B_0}\mathcal{Z}_{83}\ ,\\
K_{86} &= -\frac{1}{64}\mathcal{Z}_{10}-\frac{1}{64}\mathcal{Z}_{13}+\frac{1}{64}\mathcal{Z}_{15}+\frac{1}{64}\mathcal{Z}_{16}+\frac{1}{32}\mathcal{Z}_{44}-\frac{1}{32}\mathcal{Z}_{47}-\frac{1}{32}\mathcal{Z}_{48}+\frac{1}{32}\mathcal{Z}_{50}-\frac{1}{16}\mathcal{Z}_{51}-\frac{1}{32}\mathcal{Z}_{52}-\frac{1}{32}\mathcal{Z}_{54}-\frac{1}{16}\mathcal{Z}_{55}\\
&\quad -\frac{1}{16}\mathcal{Z}_{59}-\frac{1}{16}\mathcal{Z}_{60}-\frac{1}{16}\mathcal{Z}_{61}-\frac{1}{32}\mathcal{Z}_{62}\ ,\\
K_{89} &= -\frac{1}{32}\mathcal{Z}_{19}+\frac{1}{32}\mathcal{Z}_{20}-\frac{1}{32}\mathcal{Z}_{44}+\frac{1}{32}\mathcal{Z}_{47}+\frac{1}{32}\mathcal{Z}_{48}-\frac{1}{32}\mathcal{Z}_{50}+\frac{1}{16}\mathcal{Z}_{51}+\frac{1}{32}\mathcal{Z}_{52}+\frac{1}{32}\mathcal{Z}_{54}+\frac{1}{16}\mathcal{Z}_{55}+\frac{1}{16}\mathcal{Z}_{59}+\frac{1}{16}\mathcal{Z}_{60}\\
&\quad +\frac{1}{16}\mathcal{Z}_{61}+\frac{1}{32}\mathcal{Z}_{62}\ ,\\
K_{90} &= \frac{1}{64}\mathcal{Z}_{7}-\frac{1}{64}\mathcal{Z}_{8}+\frac{1}{32}\mathcal{Z}_{10}+\frac{1}{64}\mathcal{Z}_{13}+\frac{1}{32}\mathcal{Z}_{14}-\frac{1}{32}\mathcal{Z}_{15}+\frac{1}{64}\mathcal{Z}_{16}-\frac{1}{32}\mathcal{Z}_{44}-\frac{1}{32}\mathcal{Z}_{45}+\frac{1}{32}\mathcal{Z}_{46}+\frac{1}{16}\mathcal{Z}_{47}+\frac{1}{16}\mathcal{Z}_{48}\\
&\quad +\frac{1}{32}\mathcal{Z}_{50}-\frac{1}{16}\mathcal{Z}_{51}-\frac{1}{32}\mathcal{Z}_{52}+\frac{1}{32}\mathcal{Z}_{53}+\frac{3}{16}\mathcal{Z}_{54}+\frac{5}{16}\mathcal{Z}_{55}+\frac{1}{32}\mathcal{Z}_{56}+\frac{1}{16}\mathcal{Z}_{57}+\frac{9}{32}\mathcal{Z}_{59}+\frac{9}{32}\mathcal{Z}_{60}+\frac{9}{32}\mathcal{Z}_{61}+\frac{7}{32}\mathcal{Z}_{62}\\
&\quad +\frac{5}{32}\mathcal{Z}_{63}-\frac{1}{32B_0}\mathcal{Z}_{64}-\frac{1}{32B_0}\mathcal{Z}_{65}+\frac{1}{32B_0}\mathcal{Z}_{76}-\frac{1}{64}\mathcal{Z}_{79}+\frac{1}{32}\mathcal{Z}_{80}+\frac{3}{64}\mathcal{Z}_{81}\ ,\\
K_{92} &= \frac{1}{64}\mathcal{Z}_{11}+\frac{1}{64}\mathcal{Z}_{15}+\frac{1}{64}\mathcal{Z}_{22}-\frac{1}{64}\mathcal{Z}_{23}-\frac{1}{32}\mathcal{Z}_{46}-\frac{1}{64}\mathcal{Z}_{47}-\frac{1}{32}\mathcal{Z}_{48}-\frac{1}{64}\mathcal{Z}_{49}-\frac{1}{16}\mathcal{Z}_{50}+\frac{1}{8}\mathcal{Z}_{51}+\frac{1}{16}\mathcal{Z}_{52}-\frac{1}{32}\mathcal{Z}_{53}\\
&\quad -\frac{3}{32}\mathcal{Z}_{54}-\frac{1}{8}\mathcal{Z}_{55}-\frac{1}{32}\mathcal{Z}_{56}-\frac{1}{16}\mathcal{Z}_{57}-\frac{1}{8}\mathcal{Z}_{59}-\frac{1}{8}\mathcal{Z}_{60}-\frac{1}{8}\mathcal{Z}_{61}-\frac{7}{64}\mathcal{Z}_{62}-\frac{3}{32}\mathcal{Z}_{63}+\frac{1}{32B_0}\mathcal{Z}_{64}+\frac{1}{32B_0}\mathcal{Z}_{65}\\
&\quad -\frac{1}{32B_0}\mathcal{Z}_{76}-\frac{1}{64}\mathcal{Z}_{80}-\frac{1}{64}\mathcal{Z}_{81}\ ,\\
K_{94} &= \frac{1}{16}\mathcal{Z}_{15}-\frac{1}{16}\mathcal{Z}_{46}-\frac{1}{16}\mathcal{Z}_{48}-\frac{1}{16}\mathcal{Z}_{49}-\frac{1}{16}\mathcal{Z}_{53}-\frac{1}{4}\mathcal{Z}_{54}-\frac{1}{4}\mathcal{Z}_{55}-\frac{1}{16}\mathcal{Z}_{56}-\frac{1}{8}\mathcal{Z}_{57}-\frac{1}{4}\mathcal{Z}_{59}-\frac{1}{4}\mathcal{Z}_{60}-\frac{1}{4}\mathcal{Z}_{61}\\
&\quad -\frac{1}{4}\mathcal{Z}_{62}-\frac{1}{4}\mathcal{Z}_{63}+\frac{1}{16B_0}\mathcal{Z}_{64}+\frac{1}{16B_0}\mathcal{Z}_{65}-\frac{1}{16B_0}\mathcal{Z}_{76}-\frac{1}{16}\mathcal{Z}_{81}\ ,\\
K_{95} &= \frac{1}{32}\mathcal{Z}_{10}+\frac{1}{32}\mathcal{Z}_{13}-\frac{1}{32}\mathcal{Z}_{15}+\frac{1}{32}\mathcal{Z}_{16}-\frac{1}{16}\mathcal{Z}_{44}+\frac{1}{16}\mathcal{Z}_{47}+\frac{1}{16}\mathcal{Z}_{48}-\frac{1}{16}\mathcal{Z}_{50}+\frac{1}{8}\mathcal{Z}_{51}+\frac{1}{16}\mathcal{Z}_{52}+\frac{3}{16}\mathcal{Z}_{54}+\frac{1}{4}\mathcal{Z}_{55}\\
&\quad +\frac{1}{4}\mathcal{Z}_{59}+\frac{1}{4}\mathcal{Z}_{60}+\frac{1}{4}\mathcal{Z}_{61}+\frac{3}{16}\mathcal{Z}_{62}+\frac{1}{8}\mathcal{Z}_{63}+\frac{1}{16}\mathcal{Z}_{81}\ ,\\
K_{97} &= \frac{3}{128}\mathcal{Z}_{10}+\frac{1}{128}\mathcal{Z}_{13}+\frac{1}{64}\mathcal{Z}_{14}-\frac{3}{128}\mathcal{Z}_{15}+\frac{1}{128}\mathcal{Z}_{16}-\frac{1}{64}\mathcal{Z}_{18}+\frac{1}{64}\mathcal{Z}_{19}+\frac{1}{64}\mathcal{Z}_{20}-\frac{1}{32}\mathcal{Z}_{45}+\frac{1}{32}\mathcal{Z}_{46}+\frac{1}{64}\mathcal{Z}_{47}+\frac{1}{32}\mathcal{Z}_{48}\\
&\quad +\frac{1}{64}\mathcal{Z}_{49}+\frac{1}{32}\mathcal{Z}_{53}+\frac{1}{8}\mathcal{Z}_{54}+\frac{3}{16}\mathcal{Z}_{55}+\frac{1}{32}\mathcal{Z}_{56}+\frac{1}{16}\mathcal{Z}_{57}+\frac{5}{32}\mathcal{Z}_{59}+\frac{5}{32}\mathcal{Z}_{60}+\frac{5}{32}\mathcal{Z}_{61}+\frac{9}{64}\mathcal{Z}_{62}+\frac{1}{8}\mathcal{Z}_{63}-\frac{1}{32B_0}\mathcal{Z}_{64}\\
&\quad -\frac{1}{32B_0}\mathcal{Z}_{65}+\frac{1}{32B_0}\mathcal{Z}_{76}-\frac{1}{64}\mathcal{Z}_{79}+\frac{1}{64}\mathcal{Z}_{80}+\frac{1}{32}\mathcal{Z}_{81}\ ,\\
K_{100} &= -\frac{1}{32}\mathcal{Z}_{46}-\frac{1}{16}\mathcal{Z}_{47}-\frac{1}{32}\mathcal{Z}_{48}+\frac{1}{32}\mathcal{Z}_{49}+\frac{5}{16}\mathcal{Z}_{50}-\frac{5}{8}\mathcal{Z}_{51}-\frac{5}{16}\mathcal{Z}_{52}-\frac{1}{32}\mathcal{Z}_{53}-\frac{3}{16}\mathcal{Z}_{54}-\frac{5}{16}\mathcal{Z}_{55}-\frac{1}{32}\mathcal{Z}_{56}-\frac{1}{16}\mathcal{Z}_{57}\\
&\quad -\frac{5}{16}\mathcal{Z}_{59}-\frac{5}{16}\mathcal{Z}_{60}-\frac{5}{16}\mathcal{Z}_{61}-\frac{1}{4}\mathcal{Z}_{62}-\frac{3}{16}\mathcal{Z}_{63}+\frac{1}{32B_0}\mathcal{Z}_{64}+\frac{1}{32B_0}\mathcal{Z}_{65}-\frac{1}{32B_0}\mathcal{Z}_{76}-\frac{1}{16}\mathcal{Z}_{80}-\frac{1}{16}\mathcal{Z}_{81}\ ,\\
K_{101} &= \frac{1}{32}\mathcal{Z}_{46}+\frac{1}{16}\mathcal{Z}_{47}+\frac{1}{32}\mathcal{Z}_{48}-\frac{1}{32}\mathcal{Z}_{49}+\frac{1}{16}\mathcal{Z}_{50}+\frac{5}{8}\mathcal{Z}_{51}+\frac{5}{16}\mathcal{Z}_{52}+\frac{1}{32}\mathcal{Z}_{53}+\frac{1}{16}\mathcal{Z}_{54}+\frac{3}{16}\mathcal{Z}_{55}+\frac{1}{32}\mathcal{Z}_{56}+\frac{1}{16}\mathcal{Z}_{57}\\
&\quad +\frac{3}{16}\mathcal{Z}_{59}+\frac{3}{16}\mathcal{Z}_{60}+\frac{3}{16}\mathcal{Z}_{61}+\frac{1}{8}\mathcal{Z}_{62}+\frac{1}{16}\mathcal{Z}_{63}-\frac{1}{32B_0}\mathcal{Z}_{64}-\frac{1}{32B_0}\mathcal{Z}_{65}+\frac{3}{16}\mathcal{Z}_{69}+\frac{1}{32B_0}\mathcal{Z}_{76}+\frac{1}{16}\mathcal{Z}_{80}\ ,\\
K_{102} &= \frac{1}{32B_0}\mathcal{Z}_{38}+\frac{1}{32B_0}\mathcal{Z}_{39}+\frac{1}{64B_0}\mathcal{Z}_{92}-\frac{1}{64B_0}\mathcal{Z}_{93}\ ,\\
K_{104} &= \frac{1}{64}\mathcal{Z}_{46}+\frac{1}{32}\mathcal{Z}_{47}+\frac{1}{64}\mathcal{Z}_{48}-\frac{1}{64}\mathcal{Z}_{49}-\frac{3}{32}\mathcal{Z}_{50}+\frac{3}{16}\mathcal{Z}_{51}+\frac{3}{32}\mathcal{Z}_{52}-\frac{3}{64}\mathcal{Z}_{53}-\frac{1}{32}\mathcal{Z}_{54}-\frac{1}{32}\mathcal{Z}_{55}-\frac{1}{64}\mathcal{Z}_{56}-\frac{1}{32}\mathcal{Z}_{57}\\
&\quad -\frac{1}{32}\sum_{n=59}^{63}\mathcal{Z}_{n}+\frac{1}{64B_0}\mathcal{Z}_{64}+\frac{3}{64B_0}\mathcal{Z}_{65}-\frac{1}{64B_0}\mathcal{Z}_{76}+\frac{1}{32B_0}\mathcal{Z}_{77}+\frac{1}{32}\mathcal{Z}_{78}\ ,\\
K_{105} &= -\frac{1}{64}\mathcal{Z}_{9}-\frac{1}{128}\mathcal{Z}_{10}+\frac{1}{64}\mathcal{Z}_{11}+\frac{1}{64}\mathcal{Z}_{12}-\frac{1}{128}\mathcal{Z}_{13}-\frac{1}{64}\mathcal{Z}_{14}+\frac{3}{128}\mathcal{Z}_{15}-\frac{1}{128}\mathcal{Z}_{16}-\frac{1}{64B_0}\mathcal{Z}_{32}+\frac{1}{64B_0}\mathcal{Z}_{33}
\end{aligned}
$$

$$
\begin{aligned}
& +\frac{1}{64B_0}\mathcal{Z}_{34}-\frac{1}{64B_0}\mathcal{Z}_{35}-\frac{1}{32B_0}\mathcal{Z}_{39}+\frac{1}{32}\mathcal{Z}_{44}-\frac{1}{64}\mathcal{Z}_{46}-\frac{1}{32}\mathcal{Z}_{47}-\frac{3}{64}\mathcal{Z}_{48}-\frac{1}{64}\mathcal{Z}_{49}+\frac{3}{64}\mathcal{Z}_{50}-\frac{3}{32}\mathcal{Z}_{51}-\frac{3}{64}\mathcal{Z}_{52} \\
& -\frac{5}{64}\mathcal{Z}_{53}-\frac{3}{16}\mathcal{Z}_{54}-\frac{9}{32}\mathcal{Z}_{55}-\frac{3}{64}\mathcal{Z}_{56}-\frac{3}{32}\mathcal{Z}_{57}-\frac{9}{32}\mathcal{Z}_{59}-\frac{9}{32}\mathcal{Z}_{60}-\frac{9}{32}\mathcal{Z}_{61}-\frac{7}{32}\mathcal{Z}_{62}-\frac{5}{32}\mathcal{Z}_{63}+\frac{3}{64B_0}\mathcal{Z}_{64} \\
& +\frac{5}{64B_0}\mathcal{Z}_{65}-\frac{3}{64B_0}\mathcal{Z}_{76}+\frac{1}{32B_0}\mathcal{Z}_{77}+\frac{1}{32}\mathcal{Z}_{78}-\frac{1}{32}\mathcal{Z}_{80}-\frac{1}{32}\mathcal{Z}_{81}\ , \\
K_{107} &= -\frac{1}{16B_0}\mathcal{Z}_{39}\ , \\
K_{109} &= \frac{1}{8}\mathcal{Z}_{50}-\frac{1}{4}\mathcal{Z}_{51}-\frac{1}{8}\mathcal{Z}_{52}+\frac{1}{8}\mathcal{Z}_{55}+\frac{1}{8}\mathcal{Z}_{59}+\frac{1}{8}\mathcal{Z}_{61}\ , \\
K_{110} &= \frac{1}{16}\mathcal{Z}_{46}+\frac{1}{16}\mathcal{Z}_{48}+\frac{1}{16}\mathcal{Z}_{49}-\frac{1}{8}\mathcal{Z}_{50}+\frac{1}{4}\mathcal{Z}_{51}+\frac{1}{8}\mathcal{Z}_{52}+\frac{1}{16}\mathcal{Z}_{53}+\frac{1}{8}\mathcal{Z}_{54}+\frac{1}{8}\mathcal{Z}_{55}+\frac{1}{16}\mathcal{Z}_{56}+\frac{1}{8}\mathcal{Z}_{57}+\frac{1}{8}\mathcal{Z}_{59} \\
& +\frac{1}{8}\mathcal{Z}_{60}+\frac{1}{8}\mathcal{Z}_{61}+\frac{1}{8}\mathcal{Z}_{62}+\frac{1}{8}\mathcal{Z}_{63}-\frac{1}{16B_0}\mathcal{Z}_{64}-\frac{1}{16B_0}\mathcal{Z}_{65}+\frac{1}{16B_0}\mathcal{Z}_{76}\ , \\
K_{111} &= \frac{1}{16}\mathcal{Z}_{44}-\frac{1}{16}\mathcal{Z}_{45}-\frac{1}{8}\mathcal{Z}_{47}-\frac{1}{16}\mathcal{Z}_{48}+\frac{1}{16}\mathcal{Z}_{49}+\frac{5}{8}\mathcal{Z}_{50}-\frac{5}{4}\mathcal{Z}_{51}-\frac{5}{8}\mathcal{Z}_{52}-\frac{1}{8}\mathcal{Z}_{54}-\frac{1}{4}\mathcal{Z}_{55}-\frac{5}{16}\mathcal{Z}_{59}-\frac{5}{16}\mathcal{Z}_{60} \\
& -\frac{5}{16}\mathcal{Z}_{61}-\frac{3}{16}\mathcal{Z}_{62}-\frac{1}{16}\mathcal{Z}_{63}-\frac{1}{32}\mathcal{Z}_{79}-\frac{1}{16}\mathcal{Z}_{80}-\frac{1}{32}\mathcal{Z}_{81}\ , \\
K_{112} &= \frac{1}{16}\mathcal{Z}_{44}+\frac{1}{16}\mathcal{Z}_{45}+\frac{1}{16}\mathcal{Z}_{46}+\frac{1}{16}\mathcal{Z}_{53}+\frac{1}{8}\mathcal{Z}_{54}+\frac{1}{8}\mathcal{Z}_{55}+\frac{1}{16}\mathcal{Z}_{56}+\frac{1}{8}\mathcal{Z}_{57}+\frac{3}{16}\mathcal{Z}_{59}+\frac{3}{16}\mathcal{Z}_{60}+\frac{3}{16}\mathcal{Z}_{61}+\frac{3}{16}\mathcal{Z}_{62} \\
& +\frac{3}{16}\mathcal{Z}_{63}-\frac{1}{16B_0}\mathcal{Z}_{64}-\frac{1}{16B_0}\mathcal{Z}_{65}+\frac{1}{16B_0}\mathcal{Z}_{76}+\frac{1}{32}\mathcal{Z}_{79}+\frac{1}{16}\mathcal{Z}_{80}+\frac{1}{32}\mathcal{Z}_{81}\ , \\
K_{113} &= \frac{1}{4}\sum_{n=53}^{63}\mathcal{Z}_n-\frac{1}{4B_0}\mathcal{Z}_{64}-\frac{1}{4B_0}\mathcal{Z}_{65}-\frac{1}{4B_0}\mathcal{Z}_{66}+\frac{1}{4B_0^2}\mathcal{Z}_{68}\ , \\
K_{114} &= \mathcal{Z}_{50}+\frac{1}{2}\mathcal{Z}_{69}\ , \\
K_{115} &= -\frac{1}{4}\mathcal{Z}_{50}+\frac{1}{2}\mathcal{Z}_{51}+\frac{1}{4}\mathcal{Z}_{52}\ . \qquad \text{(C1)}
\end{aligned}
$$

To help understanding mutual relation between the definition of symbols in our formulation and those in Ref.[14], in Table XIII, we give a comparison.

TABLE XIV. Comparisons between the symbols introduce in Ref.[14] (the first and third columns) and corresponding ones defined in present paper (the second and fourth columns).

Ref. [14]	Present paper	Ref. [14]	Present paper
g_R	V_R	χ_-^μ	$4iB_0d^\mu p_\Omega - 4iB_0 s_\Omega a_\Omega^\mu - 4iB_0 a_\Omega^\mu s_\Omega$
g_L	V_L	$F_{L,R}^{\mu\nu}$	$f_{L,R}^{\mu\nu}$
$u(\varphi)$	Ω	$f_+^{\mu\nu}$	$2V^{\mu\nu} - 2i(a_\Omega^\mu a_\Omega^\nu - a_\Omega^\nu a_\Omega^\mu)$
u^μ	$2a_\Omega^\mu$	$\nabla^\lambda f_+^{\mu\nu}$	$2d^\lambda V^{\mu\nu} - 2id^\lambda(a_\Omega^\mu a_\Omega^\nu - a_\Omega^\nu a_\Omega^\mu)$
$u\cdot u = u^\mu u^\mu$	$4a_\Omega^2$	$f_-^{\mu\nu}$	$-2(d^\mu a_\Omega^\nu - d^\nu a_\Omega^\mu)$
χ	χ	$\nabla^\lambda f_-^{\mu\nu}$	$-2(d^\lambda d^\mu a_\Omega^\nu - d^\lambda d^\nu a_\Omega^\mu)$
χ_+	$4B_0 s_\Omega$	$h^{\mu\nu}$	$2(d^\mu a_\Omega^\nu + d^\nu a_\Omega^\mu)$
χ_+^μ	$4B_0 d^\mu s_\Omega + 4B_0 p_\Omega a_\Omega^\mu + 4B_0 a_\Omega^\mu p_\Omega$	∇^μ	d^μ
χ_-	$4iB_0 p_\Omega$	Γ^μ	$-iv_\Omega^\mu$

In obtaining (C1), some dependent terms must be reduced into independent terms, in Table XV, the first column is the dependent operators and the second column is the sum of its corresponding independent operators.

TABLE XV. Expand dependent operator in terms of independent operators

dependent operator	corresponding independent operators
$\mathrm{tr}(u_\mu u_\nu h^{\mu\lambda} h^{\nu\lambda})$	$-\frac{1}{2}Y_3 + \frac{1}{2}Y_{28} - \frac{1}{N_f}Y_{30} + \frac{1}{N_f}Y_{34} - \frac{1}{2N_f^2}Y_{36} - \frac{1}{2}Y_{37} + Y_{54} - Y_{60}$ $+Y_{68} + \frac{1}{2}Y_{92} + Y_{94} + \frac{1}{2}Y_{105}$
$\mathrm{tr}(u_\mu u_\nu h^{\mu\lambda} f_-^{\nu\lambda}$ $+u_\mu u_\nu f_-^{\mu\lambda} h^{\nu\lambda})$	$2Y_1 - \frac{1}{2}Y_3 + \frac{3}{2}Y_5 + \frac{3}{N_f}Y_{30} - 3Y_{31} + 2Y_{33} - \frac{3}{N_f}Y_{34} + \frac{3}{2N_f^2}Y_{36} - \frac{1}{2}Y_{37}$ $-2Y_{49} - Y_{52} + 4Y_{54} + Y_{58} - 2Y_{60} - Y_{64} - 2Y_{66} - 4Y_{67} + Y_{68}$ $+Y_{86} - 2Y_{90} + \frac{1}{2}Y_{92} + 2Y_{94} - 2Y_{95} - \frac{3}{2}Y_{97} + Y_{105}$
$\mathrm{tr}(u_\mu u_\nu h^{\nu\lambda} h^{\mu\lambda})$	$-Y_1 - \frac{1}{2}Y_5 + \frac{1}{2}Y_{28} - \frac{2}{N_f}Y_{30} + Y_{31} - Y_{33} + \frac{2}{N_f}Y_{34} - \frac{1}{N_f^2}Y_{36}$ $+Y_{49} + Y_{52} - 2Y_{54} + Y_{64} + 2Y_{67} + Y_{90} + Y_{95} + \frac{1}{2}Y_{97} - \frac{1}{2}Y_{105}$
$\mathrm{tr}(u^\mu h_{\mu\nu} \chi_+^\nu$ $+u^\mu \chi_+^\nu h_{\mu\nu})$	$Y_7 + Y_{11} - 2Y_{13} - Y_{17} - \frac{1}{2}Y_{28} - Y_{33} + \frac{2}{N_f}Y_{34} - 2Y_{37} - Y_{39} + \frac{2}{N_f}Y_{41}$ $-\frac{1}{N_f^2}Y_{42} + Y_{43} - \frac{2}{N_f}Y_{44} + Y_{83} + 2Y_{85} + Y_{102} - \frac{1}{2}Y_{105} - Y_{107}$
$\mathrm{tr}(i\nabla^\mu f_+^{\nu\lambda} f_{-\nu\lambda} u_\mu$ $-i\nabla^\mu f_+^{\nu\lambda} u_\mu f_{-\nu\lambda})$	$Y_{71} - Y_{73} - 2Y_{75} + Y_{78} - Y_{100} + Y_{101} + \frac{1}{2}Y_{104} - 2Y_{111}$
$\mathrm{tr}(\nabla_\mu f_+^{\mu\nu} u_\nu \chi_-$ $-\nabla_\mu f_+^{\mu\nu} \chi_- u_\nu)$	$-Y_{66} - Y_{67} + Y_{68} + \frac{1}{2}Y_{71} - \frac{1}{2}Y_{73} + Y_{75} - 2Y_{76} + \frac{1}{2}Y_{78}$ $+\frac{1}{2}Y_{90} - \frac{1}{2}Y_{92} - Y_{94} + \frac{1}{2}Y_{97} - \frac{1}{2}Y_{100} + \frac{1}{2}Y_{101} + Y_{110} + \frac{1}{4}Y_{104} + Y_{112}$
$\mathrm{tr}(i\nabla^\mu f_+^{\nu\lambda} f_{-\mu\nu} u_\lambda$ $+i\nabla^\mu f_+^{\nu\lambda} u_\nu f_{-\mu\lambda})$	$-\frac{1}{2}Y_{71} + \frac{1}{2}Y_{73} + Y_{75} - \frac{1}{2}Y_{78} + \frac{1}{2}Y_{90} - \frac{1}{2}Y_{92} - Y_{94} + \frac{1}{2}Y_{97}$ $+\frac{1}{2}Y_{100} - \frac{1}{2}Y_{101} - \frac{1}{4}Y_{104} + Y_{111}$
$\mathrm{tr}(if_+^{\mu\nu} h_{\mu\lambda} h_\nu{}^\lambda)$	$\frac{1}{2}Y_{64} - Y_{66} + Y_{71} - Y_{73} - Y_{100} + \frac{1}{2}Y_{101} - Y_{111} + Y_{112}$
$\mathrm{tr}(f_{+\mu\nu} u^\mu \chi_-^\nu$ $+f_{+\mu\nu} \chi_-^\mu u^\nu)$	$-Y_{66} - Y_{67} + Y_{68} + \frac{1}{2}Y_{71} - \frac{1}{2}Y_{73} + Y_{75} - 2Y_{76} + \frac{1}{2}Y_{78} - \frac{1}{2}Y_{83} - Y_{85}$ $+\frac{1}{2}Y_{90} - \frac{1}{2}Y_{92} - Y_{94} + \frac{1}{2}Y_{97} - \frac{1}{2}Y_{100} + \frac{1}{2}Y_{101} - \frac{1}{4}Y_{104} + Y_{110} + Y_{112}$
$\mathrm{tr}(\nabla_\mu f_+^{\mu\nu} \nabla^\lambda f_{+\lambda\nu})$	$\frac{3}{4}Y_{71} - \frac{3}{4}Y_{73} - \frac{3}{2}Y_{75} - \frac{1}{2}Y_{76} + Y_{78} - \frac{1}{2}Y_{90} + \frac{1}{2}Y_{92} + \frac{1}{2}Y_{94}$ $-\frac{1}{4}Y_{97} - Y_{100} - \frac{1}{2}Y_{101} + \frac{1}{4}Y_{104} - \frac{1}{2}Y_{109} - 2Y_{111} - 4Y_{114} + Y_{115}$
$\mathrm{tr}(\nabla_\mu f_-^{\mu\nu} \nabla^\lambda f_{-\lambda\nu})$	$-\frac{1}{4}Y_{71} + \frac{1}{4}Y_{73} + \frac{1}{2}Y_{75} - \frac{1}{4}Y_{78} + \frac{1}{2}Y_{94} - \frac{1}{2}Y_{95} + \frac{1}{2}Y_{101} + \frac{1}{2}Y_{109}$
$\mathrm{tr}(\nabla^\mu f_-^{\nu\lambda} \nabla_\nu f_{-\mu\lambda})$	$-\frac{1}{4}Y_{71} + \frac{1}{4}Y_{73} + \frac{1}{2}Y_{75} - \frac{1}{4}Y_{78} + \frac{1}{2}Y_{109}$
$\mathrm{tr}(iu_\mu \chi_-^\mu \chi_+$ $+iu_\mu \chi_+ \chi_-^\mu)$	$Y_{19} + Y_{23} + Y_{33} + Y_{37} + Y_{39} - \frac{1}{N_f}Y_{41} - Y_{43}$
$\mathrm{tr}(iu_\mu \chi_+ \langle \chi_-^\mu \rangle)$	$Y_{24} + Y_{34} + \frac{1}{2}Y_{41} - \frac{1}{2N_f}Y_{42} - Y_{44}$
$\mathrm{tr}(\nabla^\mu f_+^{\nu\lambda} \nabla_\mu f_{+\nu\lambda})$	$\frac{3}{2}Y_{71} - \frac{3}{2}Y_{73} - 4Y_{75} + 2Y_{78} - \frac{1}{2}Y_{90} + \frac{1}{2}Y_{92}$ $-2Y_{100} + 2Y_{101} + \frac{1}{2}Y_{104} - Y_{109} - 4Y_{111} + 2Y_{115}$